


SF Geographic Response Area 4 GRA 4 - Central San Francisco Bay Ecologically Sensitive Sites and Other Resourcs at Risk





Section 9844 - GRA 4 Central San Francisco Bay

Table of Contents GRA 4

GRA 4 Map	1
Table of Contents Introduction	2
GRA 4 Site Index/Response Actions	3
GRA 4 Sensitive Site Responses Resource List	4
TAPS Probability of Oil Reaching Each Sensitive Site In GRA 4	
Response Priorities for Harding Rock Scenario* GRA 4	10
0 (004445 1 1 0 1 0 1	
Section 9844.1 Ecologically Sensitive Sites	
2-400-C/X San Francisco Waterfront	
2-401-B Pier 39	
2-402-B Alcatraz Island	
2-403-A Crissy Field Tidal Marsh	
2-420-A Richardson Bay Marshes	
2-421-C/X Paradise Cove & Tiburon Peninsula	
2-422-B Keil Cove	
2-423-C/ X Angel Island	
2-424-B Paradise Cay Eelgrass & Marina	
2-425-A Corte Madera Marshes	
2-426-A San Rafael Creek Marsh	31
2-427-A/C Marin Islands	
2-451-A/B Castro Rocks	37
2-452-A Richmond Eelgrass Beds	41
2-453-A Brook's Island	44
2-454-A Richmond Inner Harbor/Hoffman Marsh	47
2-455-C/X Santa Fe Channel	50
2-480-A Albany Marsh	53
2-490-A Berkeley Eelgrass Beds	
2-495-A Emeryville Lagoon/Mudflats	
, , , , , , , , , , , , , , , , , , , ,	

Section 9844.2 Cultural and Other Resources at Risk

Section 9844.3 Economic Sites

Section 9844.4 Shoreline Operational Divisions

Section 9844.5 Shoreline Access


GRA 4 Site Index/Response Actions

Site ID	Priority	Site Name	Assignment	Date/Time	Date/Time
				Required	Completed
2- 400		San Francisco Waterfront			
2- 401		Pier 39			
2- 402		Alcatraz Island			
2- 403		Crissy Field			
2- 420		Richardson Bay Marshes			
2- 421		Tiburon Peninsula			
2- 422		Kiel Cove			
2- 423		Angel Island			
2- 424		Paradise Cove			
2- 425		Corte Madera Marshes			
2- 426		San Rafael Creek Marsh			
2- 427		Marin Islands			
2- 451		Castro Rocks			
2- 452		Richmond Eelgrass Beds			
2- 453		Brooks Island			
2- 454		Richmond Inner Harbor/Hoffman Marsh			
2- 455		Santa Fe Channel			
2-480		Albany Marsh			
2-490		Berkeley Eelgrass Beds			
2-495		Emeryville Lagoon			


	Site Name							
Site	PREVENTION OBJ	ECTIVE OR COND	ITION FOR D	EPLO	MENT			
strategy Harbor	Swamp Other Sorban	t Anchoring	Roo	m Skiff	Skimmer	Special Equipme	nt (and notes)	deploy Staff to
Boom	boom boom/TYPE boom	•	boa		No Type	No and kir		staff tend
2-400	San Francisco Wa	aterfront						
1 - 6000	Deflect to Collection a	at shoreline: reco	ver oil at seav		there there	e is shoreline a	ccess. Deflect oi	I to areas where curre
2-401	Pier 39							
1 -	Exclude oil by booming			END B	OOM To p			
1600 2 -	Sorbent Protection - o		•	the in	terior of th		for traffic; manueverable water to intercer	
0		5 small anchors	0				nt or swamp boom+5 and	
3 -	skimming oil with 1 S		Shoreside S					
0		0	0	0	2 1 SSS 1	0		4
2 <i>-402</i> 1 -	Alcatraz Island Protection booming in	n unusual conditi	ons: When w	ave ref	lection wil	l not likely kee	n oil off shoreline	nrotect the sensitive
800		7 40# danforths w/		u v o i o i	0	i not intery nee	p on on onoronic	3
2 -	Deflection booming in	n unusual condition	ons: When wa	ave ref	lection wil	l not likely kee	p oil off shoreline	, deflect oil away fron
2100		15 40# danforths w/	1/2" chain 2	0	0	0		6
2-403	Crissy Field Tidal		mouth					
· -	Primary: Exclude oil f	3 12+/danforth & sta		1				3
2 -	Back-up: exclude / co			apes pa	ast primary	y protection		
		3 3/22+/danforth &	Stakes & line 0	0				2
3 -	Exclude by berming							
0		0 Manahas	0	0	0	0 skiploader and	d culvert	3
2-420 1 -	Richardson Bay M Prmary: Exclude oil a		oming Saus	alito m	ain channe	el and Tiburon	minor flood chan	nels. This is main na
2700		12 22#+/danforths +	_		0		le of shallows & obstruct	
2 -	Secondary exclusion:	Dort 2 complete						
		, Part 2 - complete	exclusion a	cross t	he low cui	rent portion of	the bay. This is	added-on to previous
3300	0 0 300	6 22#+ danforths	2	0	he low cui	rrent portion of	the bay. This is	added-on to previous
3300 3 -	0 0 300 Exclude/collect oil that	6 22#+ danforths at has entered Ric	hardson Bay	0		o Bboat: shallov		added-on to previous 6 8 2
3 -	0 0 300 Exclude/collect oil that	6 22#+ danforths at has entered Ric 12 12/22+/danforths	hardson Bay	0	0	0		added-on to previous 6 8 2
3 -	0 0 300 Exclude/collect oil that 3100 600 OS 600	6 22#+ danforths at has entered Ric 12 12/22+/danforths a & Paradise Co	hardson Bay + chain 2	0 ' 1	2 SSS	0 Bboat: shallov	v draft	added-on to previous 6 8 2
3 -	0 0 300 Exclude/collect oil that 3100 600 0S 600 Tiburon Peninsula At Paradise cove, def 4500 0	6 22#+ danforths at has entered Ric 12 12/22+/danforths a & Paradise Collect to collection 13 22# danforths w. 8	hardson Bay the chain 2 by e during ebb ar 5/16" chain 2	1 nd awa	2 SSS y from sho	0 Bboat: shallov	v draft	added-on to previous 6 8 2 8 2
3 - 2-421 1 - 2000 2 -	0 0 300 Exclude/collect oil that 3100 600 0S 600 Tiburon Peninsula At Paradise cove, def 4500 0 At Bluff Point, deflect 0 0 0	6 22#+ danforths at has entered Ric 12 12/22+/danforths a & Paradise Collect to collection 13 22# danforths w. 8 oil to natural coll	2 hardson Bay + chain 2 vve during ebb ar v/16" chain 2 ection sites	0 1 1 nd awa	2 SSS y from sho	0 Bboat: shallov	v draft	8 2 8 2
2-421 1 - 2000 2 - 1200	0 0 300 Exclude/collect oil that 3100 600 OS 600 Tiburon Peninsula 4t Paradise cove, def 4500 0 0	6 22#+ danforths at has entered Ric 12 12/22+/danforths a & Paradise Collect to collection 13 22# danforths w. 8	hardson Bay the chain 2 by e during ebb ar 5/16" chain 2	0 1 1 nd awa	2 SSS y from sho	0 Bboat: shallov	v draft	8 2
2-421 1 - 2000 2 - 1200	0 0 300 Exclude/collect oil that 3100 600 0S 600 Tiburon Peninsula At Paradise cove, def 4500 0 At Bluff Point, deflect 0 0 0	6 22#+ danforths at has entered Ric 12 12/22+/danforths a & Paradise Collect to collection 13 22# danforths w. 9 oil to natural coll 0	2 hardson Bay + chain 2 ve during ebb ar 5/16" chain 2 ection sites	0 / 1 nd awa 1	2 SSS y from sho	0 Bboat: shallov	v draft	8 2 8 2
2-421 1 - 2000 2 - 1200 2-422 1 -	0 0 300 Exclude/collect oil that 3100 600 OS 600 Tiburon Peninsula 4500 0 00 00 00 00 00 00 00 00 00 00 00 0	6 22#+ danforths at has entered Ric 12 12/22+/danforths a & Paradise Collect to collection 13 22# danforths w. 9 oil to natural coll 0	2 hardson Bay + chain 2 vve during ebb ar v16" chain 2 ection sites 1 parse sand b	o d awa 1 0	2 SSS y from sho	Bboat: shallow	v draft	8 2 8 2
2-421 1 - 2000 2 - 1200 2-422 1 - 0	0 0 300 Exclude/collect oil that 3100 600 OS 600 Tiburon Peninsula 4500 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	6 22#+ danforths at has entered Ric 12 12/22+/danforths a & Paradise Collect to collection 13 22# danforths w. s oil to natural coll 0 or eelgrass and c	2 hardson Bay + chain 2 vve during ebb ar y16" chain 2 ection sites 1 coarse sand b hain 2	nd awa	2 SSS y from sho	Bboat: shallow	v draft	8 2 8 2 3
2-421 1 - 2000 2 - 1200 2-422 1 - 0 2-423 1	0 0 300	6 22#+ danforths at has entered Ric 12 12/22+/danforths a & Paradise Collect to collection of the second se	2 hardson Bay + chain 2 ve during ebb ar 5/16" chain 2 ection sites 1 coarse sand b hain 2 Pt & Quarry P	o 1 nd awa 1 0 each.	2 SSS y from sho	Bboat: shallow	v draft od 1/2* anchor rope	8 2 8 2
2-421 1 - 2000 2 - 1200 2-422 1 - 0 2-423 1 - 2600	0 0 300	6 22#+ danforths at has entered Ric 12 12/22+/danforths a & Paradise Collect to collection of the collection at Blunt F	2 hardson Bay + chain 2 ve during ebb ar 5/16" chain 2 ection sites 1 coarse sand b hain 2 Pt & Quarry P	o 1 nd awa 1 0 each.	2 SSS y from sho	Bboat: shallow	v draft od 1/2* anchor rope	8 2 8 2
2-421 .1 - 2000 .2 - 1200 2-422 .1 - 0 2-423 .1 -	0 0 300	6 22#+ danforths at has entered Ric 12 12/22+/danforths a & Paradise Co lect to collection of the second of the se	2 hardson Bay + chain 2 ve during ebb ar 5/16" chain 2 ection sites 1 coarse sand b hain 2 Pt & Quarry P hain 2	o 1 nd awa 1 0 each.	2 SSS y from sho	Bboat: shallow	v draft od 1/2" anchor rope shor line	8 2 8 2
2-421 1 - 2000 2 - 1200 2-422 1 - 0 2-423 1 - 2600 2-424	0 0 0 300 Exclude/collect oil that 3100 600 OS 600 Tiburon Peninsul. At Paradise cove, def 4500 0 0S 0 At Bluff Point, deflect 0 600 OS 0 Keil Cove Protection booming for 2400 Angel Island Collection: natural collection: natural collection: natural collection: Paradise Cay Eelg Primary: Assess vuln 0 0 0 0	6 22#+ danforths at has entered Ric 12 12/22+/danforths a & Paradise Collect to collection of the collection at Blunt Ferass & Marina erability of eelgrand	2 hardson Bay + chain 2 vve during ebb ar 5/16" chain 2 ection sites 1 coarse sand b hain 2 Pt & Quarry P hain 2 ss to oil 0	0 / 1 nd awa 1 0 each.	2 SSS y from sho	Bboat: shallow ores during floo 1,200 feet of 1000' 1/2" and	v draft od 1/2" anchor rope chor line	8 2 8 2
2-421 1 - 2000 2 - 1200 2-422 1 - 0 2-423 1 - 2600 2-424 1	0 0 300 Exclude/collect oil that 3100 600 OS 600 Tiburon Peninsula 4500 0 0S 0 0	6 22#+ danforths at has entered Ric 12 12/22+/danforths a & Paradise Collection of the collection at Blunt F 20 20 20# w/ 20' 1" or corress & Marina erability of eelgra 0 grass nearshore a	2	0 / 1 nd awa 1 0 each. 1 t. 1	2 SSS y from sho 0 0 0 uth of Para	Bboat: shallow ores during floo 1,200 feet of 1000' 1/2" and	v draft od 1/2" anchor rope chor line	8 2 8 2
2-421 1 - 2000 2 - 1200 2-422 1 - 0 2-423 1 - 2600 2-424 1 - 0 2 - 2 - 2 - 2 - 2 - 2 - 2 - 2 - 2 - 2 -	0 0 0 300 Exclude/collect oil that 3100 600 OS 600 Tiburon Peninsul. At Paradise cove, def 4500 0 0S 0 Keil Cove Protection booming for 2400 Angel Island Collection: natural coll	6 22#+ danforths at has entered Ric 12 12/22+/danforths a & Paradise Collect to collection of the collection at Blunt From the collection at Blunt From the collection at Blunt From the collection of the collect	2 hardson Bay + chain 2 vve during ebb ar 5/16" chain 2 ection sites 1 coarse sand b hain 2 Pt & Quarry P hain 2 ss to oil 0	0 / 1 nd awa 1 0 each. t. 1 0 tely so	2 SSS y from sho 0 0 0 uth of Para	Bboat: shallow ores during floo 1,200 feet of 1000' 1/2" and	v draft od 1/2" anchor rope chor line	8 2 8 2 3
2-421 1 - 2000 2 - 1200 2-422 1 - 0 2-423 1 - 2600 2-424 1 - 0 2 - 2 - 2 - 2 - 2 - 2 - 2 - 2 - 2 - 2 -	0 0 300 Exclude/collect oil that 3100 600 OS 600 Tiburon Peninsula 4500 0 OS 600 At Bluff Point, deflect 0 OS 0 O	6 22#+ danforths at has entered Ric 12 12/22+/danforths a & Paradise Collect to collection of the collection at Blunt From the collection at Blunt From the collection at Blunt From the collection of the collect	2	0 / 1 nd awa 1 0 each. 1 t. 1 0 tely so	2 SSS y from sho 0 0 0 uth of Para	Bboat: shallow ores during floo 1,200 feet of 1000' 1/2" and	v draft od 1/2" anchor rope chor line	8 2 8 2 3
3 - 2-421 1 - 2000 2 - 1200 2-422 1 - 0 2-423 1 - 2600 2-424 1 - 0 2 - 3 - 0	0 0 300 Exclude/collect oil that 3100 600 OS 600 Tiburon Peninsula 4500 0 OS 600 At Bluff Point, deflect 0 OS 0 O	6 22#+ danforths at has entered Ric 12 12/22+/danforths a & Paradise Collect to collection of the coll	2	0 / 1 nd awa 1 0 each. 1 t. 1 0 tely so	2 SSS y from sho 0 0 0 uth of Para	Bboat: shallow ores during floo 1,200 feet of 1 1000' 1/2" and 1 aircraft or skill adise Cay	v draft od 1/2" anchor rope chor line	6 8 2 8 2 3 3 6
3 - 2-421 1 - 2000 2 - 1200 2-422 1 - 0 2-423 1 - 2600 2-424 1 - 0 2 - 3 - 0	0 0 300 Exclude/collect oil that 3100 600 OS 600 Tiburon Peninsula 4500 0 OS 0	6 22#+ danforths at has entered Ric 12 12/22+/danforths a & Paradise Collect to collection of the coll	2 chardson Bay + chain 2 vve during ebb ar v/16" chain 2 ection sites 1 coarse sand b hain 2 ect & Quarry P hain 2 ss to oil orea immedia 1	0 / 1 nd awa 1 0 each. 1 t. 1 0 tely so	2 SSS y from sho 0 0 0 uth of Para	Bboat: shallow ores during floo 1,200 feet of 1 1000' 1/2" and 1 aircraft or skill adise Cay	v draft od 1/2" anchor rope chor line	6 8 2 8 2 3 3 6
3 - 2-421 1 - 2000 2 - 1200 2-422 1 - 0 2-423 1 - 2600 2-424 1 - 0 2 - 2 - 2 3 - 0 2-425 1 - 1	0 0 300 Exclude/collect oil that 3100 600 OS 600 Tiburon Peninsula 4500 0 OS 0	6 22#+ danforths at has entered Ric 12 12/22+/danforths a & Paradise Collect to collection of the coll	2	0 / 1 nd awa 1 0 each. t. 1 1 1	2 SSS y from sho 0 0 uth of Para 0 0	Bboat: shallow ores during floo 1,200 feet of 1 1000' 1/2" and 1 aircraft or skill adise Cay Bboats very s	v draft od 1/2" anchor rope chor line ff	6 8 2 8 2 3 3 10 10 2 4
3 - 2-421 1 - 2000 2 - 1200 2-422 1 - 0 2-423 1 - 2600 2-424 1 - 0 2 - 3 - 0 2-425 1 -	0 0 300 Exclude/collect oil that 3100 600 OS 600 Tiburon Peninsula 4500	6 22#+ danforths at has entered Ric 12 12/22+/danforths a & Paradise Collect to collection of the coll	2 hardson Bay + chain 2 we during ebb ar 2 ection sites 1 Darse sand b hain 2 es to oil 0 urea immedia 1 or provide c	0 / 1 nd awa 1 0 each. t. 1 1 otely so 1 1 ontainr	2 SSS y from sho 0 0 uth of Para 0 ment for u	Bboat: shallow ores during floo 1,200 feet of 1 1000' 1/2" and 1 aircraft or skill adise Cay Bboats very sipstream oil spi	v draft od 1/2" anchor rope chor line ff hallow & obstructions	6 8 2 8 2 3 3 6 6 4 4 2 2 6 2
3 - 2-421 1 - 2000 2 - 1200 2-422 1 - 0 2-423 1 - 2600 2-424 1 - 0 2 - 2 3 - 0 2-425 1 - 0	0 0 300 Exclude/collect oil that 3100 600 OS 600 Tiburon Peninsula 4500	6 22#+ danforths at has entered Ric 12 12/22+/danforths a & Paradise Collect to collection of the coll	2	0 // 1 // 1 // 0 // each. t. 1 // 1 // ontaini // 1	2 SSS y from sho 0 0 uth of Para 0 ment for u	Bboat: shallow ores during floo 1,200 feet of 1 1000' 1/2" and 1 aircraft or skill adise Cay Bboats very sipstream oil spi	v draft od 1/2" anchor rope chor line ff	6 8 2 8 2 3 3 4 4 2 2 4 4 4 2 2
3 - 2-421 1 - 2000 2 - 1200 2-422 1 - 0 2-423 1 - 2600 2-424 1 - 0 2 - 3 - 0 2-425 1 - 650	0 0 300	6 22#+ danforths at has entered Ric 12 12/22+/danforths a & Paradise Collect to collection of the coll	chardson Bay the chain 2 the chain 3 the chain 4 the c	0 / / / / / / / / / / / / / / / / / / /	2 SSS y from sho 0 0 uth of Para 0 ment for up 0 eeks	1,200 feet of 1 1,200 feet of 1 1,200 feet of 2 1 aircraft or skill adise Cay Bboats very si pstream oil spi 0 Bboats very si	v draft od 1/2" anchor rope chor line ff hallow & obstructions	6 8 2 3 3 4 2 4 2
3 - 2-421 1 - 2000 2 - 1200 2-422 1 - 0 2-423 1 - 2600 2-424 1 - 0 2 - 3 - 0 2-425 1 - 650 3 -	0	6 22#+ danforths at has entered Ric 12 12/22+/danforths a & Paradise Collect to collection of the coll	chardson Bay the chain 2 the chain 3 the chain 4 the c	0 / / / / / / / / / / / / / / / / / / /	2 SSS y from sho 0 0 uth of Para 0 ment for up 0 eeks	1,200 feet of 1 1,200 feet of 1 1,200 feet of 2 1 aircraft or skill adise Cay Bboats very si pstream oil spi 0 Bboats very si	w draft od 1/2" anchor rope chor line ff hallow & obstructions IIs hallow & obstructions	6 8 2 3 3 4 2 4 2
3 - 2-421 1 - 2000 2 - 1200 2-422 1 - 0 2-423 1 - 2600 2-424 1 - 0 2 - 3 - 0 2-425 1 - 650 3 - 6000 2-426 1 -	0 0 300	6 22#+ danforths at has entered Ric 12 12/22+/danforths a & Paradise Collect to collection 13 22# danforths w. s oil to natural coll 0 or eelgrass and c 7 20#+ w/ 10' 1/2" c collection at Blunt F 20 20 20# w/ 20' 1"c corress & Marina erability of eelgra 6 22#+ danforths dise Cay Marina 6 13#+ anchors rshes ring tidal inlets. 16 16/22+/danforths 3 1 22#+ & 2/12#+ a ring cove mouth, 16 16/22+/danforths Marsh lafael Creek and I	thardson Bay thard	0 / 1 nd awa 1 0 each. tt. 1 1 ontaini 1 dal cre	2 SSS y from sho 0 0 uth of Para 0 ment for up 0 eeks	Bboat: shallow ores during floo 1,200 feet of 1 1000' 1/2" and 1 aircraft or skill adise Cay Bboats very si Bboats very si Bboats very si	w draft od 1/2" anchor rope chor line ff hallow & obstructions hallow & obstructions hallow & obstructions	6 8 2 3 3 4 2 20 2 2 20 2
3 - 2-421 1 - 2000 2 - 1200 2-422 1 - 0 2-423 1 - 2600 2-424 1 - 0 2 - 3 - 650 3 - 650 3 - 6000	0	6 22#+ danforths at has entered Ric 12 12/22+/danforths a & Paradise Collect to collection of the collection at Blunt of the collection at	thardson Bay thard	0 / 1 nd awa 1 0 each. tt. 1 1 ontaining 1 dal cree	2 SSS y from sho 0 uth of Para 0 ment for up 0 eeks	Bboat: shallow ores during floo 1,200 feet of 1 1000' 1/2" and 1 aircraft or skil adise Cay Bboats very si Bboats very si O Bboats very si Very Shallow	w draft od 1/2" anchor rope chor line ff hallow & obstructions hallow & obstructions draft boom boats.	6 8 2 8 2 10 2 4 2 20 2

<u>g.,</u>	C'. M	
Site sub-	Site Name	
strategy	PREVENTION OBJECTIVE OR CONDITION FOR DEPLOYMENT	
Harboi	r Swamp Other Sorbant Anchoring Boom Skiff Skimmer Special Equipment (and notes)	deploy Staff to
Boom	boom boom/TYPE boom No type of gear boat No Type No and kinds	staff tend
.1 -	Deflect oil past islands with chevron at east end.	
3000	7 7/22+/danforths + chain. 3 0	9
.2 -	protective enclosure booming of both islands in the event of heavy oil threat.	
4000	7 7/22+/danforths + chain 4 0	12
<i>2-451</i>	Castro Rocks	
.1 -	Deflection/exclusion of oil from west or southwest in ebb or flood - deploy protection legs 1 (SW) and 2 (NW)
3000	10 5/40+/northhill, & 5/22+/Danfor 3 0 maneuverable Bboats & 1500' line	11
.2 -	Deflection/protection boom for oil from south and southeast on flood currents in a chevron on the north side	of the rocks
6000	9 5/40+/northhill, & 4/22+/Danfor 3 1 maneuverable Bboats & 1500' line	11 2
.3 -	Deflection/exclusion for oil from north or northwest on ebb in a chevron on the north side of the rocks - prote	ection legs 2 (
3000	2500 15 5/40+/northhill, & 10/22+/Danf 3 1 maneuverable Bboats & 1500' line	11 2
.4 -	Confine/deflect oil to shore for collection after completion of protection strategy	
2300	6 22#+ daforth with heavy chain 3 1	11
.5 -	Backup secondary boom when oil overwhelms initial protection strategy	
0	6000 600 OS	8
<u>2-452</u>	Richmond Eelgrass Beds	
.1 -	Exclude oil from pocket marsh at Castro Pt.	
0	300 2 stakes or anchors 0 1	2
.2 -	exclude oil from emergent eelgrass bed in coves between Molate Pt and Pt Orient.	
2500	6 22#+ with chain 2 1	6
.3 -	Deflect to Collection/confinement at shoreline when oil impacts are likely to be heavy and unavoidable at this	
4500	500 22 22#+ w/ 10' 1" chain 3 2 3 SSS 2,500' 1/2" anchor line	11
<u>2-453</u>	Brook's Island	
.1 -	PRIMARY: Exclusion Booming on south side of spit: exclude oil from high marsh and break in spit	
2300	0 0 0 7 22#+ danforths 1 1 0 0	4
.2 -	North shore exclusion for north-side threat to shoreline, jetty breech, marsh entry (Sante Fe Channel and Richard Control of the Channel Control of th	
0		4
<u>2-454</u>	Richmond Inner Harbor/Hoffman Marsh	
.1 -	Exclude oil from marsh entry channels	
2500	1100 200 8 6-8 25# danforth, 15' 1/2 chain 2 2 1 Shallow draft boom boat.	8
.2 -	protection for splash-over or porous breakwater	
.3 -	0 0 0 0 0 0 0 0 0 Protection booming	
5000	0 0 0 11 22# danforth, 15' 1/2 chain 3 1 0 0 very shallow water boom boats	12
		12
<u>2-455</u>	Santa Fe Channel	madiataly and
. 1 -	Contain/collect oil within Channel and prevent oil from leaving the channel and threatening sensitive sites in	
6200	500 10 10 5	10
<u>2-480</u>	Albany Marsh	
. 1 -	Primary: Exclude oil from embayment on northwesterly winds by directing oil to collection.	
2500	6 22#+/danforths 3 2 very shallow Bboats	11
.2 -	Exclude oil from embayment on west or southwesterly winds.	
1500	100 8 22#+ /danforths 2 1 1 shallow	8 Jusian danlay
.3 -	Backup initial exclusion strategy when strong winds or wave conditions are likely to move oil past initial exc	
4	2500 2500 6 22#+ /danforths 1 1 very shallow draft vessels Skimming when skimmable thicknesses of oil are present.	5
0		
	200 0 200 3 6#+ anchors 0 1 1 SSS 0	2 2
<u>2-490</u>	Berkeley Eelgrass Beds	
.1 -	Assess need for protective booming: Eelgrass is only vulnerable at very low tides when eelgrass tops are ex	
.2 -	0 0 0 0 0 0 0 none Exclusion / deflective booming when all coming from the west	1
5000	Exclusion / deflective booming when oil coming from the west 2000 14 20#+ w/ 10' 1" chain 5 2	19
	Exclusion / deflective / protective booming for oil from the west low wind conditions	19
.3 -		17
5000		17
<u>2-495</u>	Emeryville Lagoon/Mudflats Exclude/Deflect oil pact the cite and exclude it from entering lagoon by winds, we year and very light tidal our	ont
.1 -	Exclude/Deflect oil past the site and exclude it from entering lagoon by winds, waves and very light tidal curr	eill
3600	7 7/22+/danforths + chain 3 2 Bboat: very shallow draft at south side	11
.2 -	Exclude/Deflect oil when there are aggressive waves.	
4500	2000 28 28/22+/danforth + 15' chain 3 3 1 SSS Bboat: 1 very shallow draft Collection at charaling favored by provailing currents	15
.s -	Collection at shoreline favored by prevailing currents	
0	100 50 OS 200 0 0 0 1 SSS 0	2

PROBABILITY OF OIL REACHING EACH SITE STRATEGY IN GRA 4



various wind, tides and currents) that brought more than 5 bbls (= Level Of Concern) of oil to that site in the specified TAP II Maps for GRA4 Scenario: Spill of 300,000 bbls of crude at Harding Rock in the Spring. The shades of grey at each impacted site correspond to a percentage in the legend of the number of spill scenarios (from 500 runs of time frame (6 hours or 12 hours).



various wind, tides and currents) that brought more than 5 bbls (= Level Of Concern) of oil to that site in the specified TAP II Maps for GRA 4 Scenario: Spill of 300,000 bbls of crude at Harding Rock in the Spring. The shades of grey at each impacted site correspond to a percentage in the legend of the number of spill scenarios (from 500 runs of time frame (24 hours or 48 hours).

Table of Percent of Spills that bring oil (>5bbls) to each site from the GRA4 scenario.

ACP	ES	ACP ES SITENAME LATIN	LATN	LONG W	6 HOURS	12 HOURS	24 HOURS
SITE#			(Deg. Min.)		(% brob)	(% brob)	(% brob)
2-423	ပ	Angel Island	37 54	122 27	62	86	100
2-236	၁	Pt. Diablo to Lime Pt.	37 49	122 30	64	18	95
2-422	В	Keil Cove	37 55	122 27	54	99	80
2-351	А	Yerba Buena Island	37 48	122 22	23	88	26
2-402	В	Alcatraz Island		122 25	09	28	96
2-244	Α	Land's End	37 47	122 30	46	69	94
2-246	٧	Cliff House and Seal Rocks	37 47	122 31	97	69	94
2-234	C	Point Bonita and Bonita Cove	37 49	122 31	28	69	74
2-228	٧	Rodeo Lagoon	37 50	122 32	34	89	02
2-231	А	Bird Island	37 49	122 32	34	89	70
2-421	၁	Tiburon Peninsula	37 54	122 27	12	31	22
2-424	В	Paradise Cove	37 54	122 27	12	31	22
2-420	٧	Richardson Bay Marshes		122 30	15	97	73
2-248	٧	Ocean Beach/Fort Funston	37 45	122 30	53	7 7	89
2-452	٧	Richmond Eelgrass Beds	37 58	122 24	26	77	81
2-455	S	Santa Fe Channel	37 55	122 22	25	42	79
2-451	Α	Castro Rocks	37 50	122 24	25	36	78
2-452	Α	Richmond Eelgrass Beds		122 24	25	36	78
2-453	А	Brook's Island	37 54	122 21.5	23	44	98
2-225	Α	Redwood Creek/Muir Beach	37 52	122 35	21	37	69
2-222	А	Bolinas Lagoon	37 55	122 40	20	31	51
2-401	В	Pier 39	37 48	122 22	15	54	81
2-420	Α	Richardson Bay Marshes		122 30	15		
2-219	В	Duxbury Reef	37 53	122 40	14	22	38
2-501	А	Castro Creek and Marshes	37 58	122 24	14	16	44
2-495	٧	Emeryville Lagoon/Mudflats		122 29	12	38	82
2-400	ပ	San Francisco Waterfront	37 46	122 23	8.6	36	71
2-506	⋖	San Pablo Bay Eelgrass Bed		122 25	6.8	16	44
2-490	⋖	Berkeley Eelgrass Beds	37 51	122 19	4.8	33	72

2-454	4	Richmond Inner Harbor/Hoffman Marsh	37 54.5	122 20	3.4	27	09
2-427	A	Marin Islands	37 58	122 28	က	3.8	10
2-420	Α	Richardson Bay Marshes	36 56	122 30	2.8		
2-490	Α	Berkeley Eelgrass Beds	37 51	122 19	2.6	29	74
2-480	Α	Albany Marsh	37 54	122 19	1.6	30	20
2-216	В	Point Resistance	38 00	122 50	1.6	4.4	8.8
2-213	В	Miller Point	37 59	122 49	1.6	4.4	8.8
2-210	٧	Double Point and Stormy Stack	37 57	122 47	1.6	4.4	8.8
2-552	Α	China Camp Marsh	38 00	122 28	1.6	3.8	10
2-420	٧	Richardson Bay Marshes	36 56	122 30	8.0		
2-454	Α	Richmond Inner Harbor/Hoffman Marsh	37 54.5	122 20	0.4	23	99
2-420	٧	Richardson Bay Marshes	36 56	122 30	0.4		
2-305	C	Alameda Eelgrass Beds	37 45	122 16	0.2	7.8	38
2-425	٧	Corte Madera Marshes	38 26	122 30	0.2	1.4	5.2
2-426	Α	San Rafael Creek Marsh	37 58	122 29	0.2	0.4	2.4
2-425	Α	Corte Madera Marshes	38 26	122 30	0.1		
2-505	Α	San Pablo Creek Marshes	37 58.5	122 23		3.8	13
2-506	٧	San Pablo Bay Eelgrass Bed	37 59	122 25		3.8	13
2-303	Α	San Leandro Bay	37 45	122 13		3.6	26
2-354	B/A	Islais Creek - Pier 94 Saltmarsh	37 44.3	122 22.5		3	10
2-353	B/A	Herron's Head Park - India Basin	37 44.3	122 22.5		3	9.4
2-304	C	Bay Farm Island Eelgrass Beds	37 44	122 15.5		0.2	11
2-503	Α	Pinole Pt. Marshes-South	37 59	122 21.6		0.2	7.4
2-504	Α	Pinole Pt. Marshes - North	38 05	122 21			6.4
2-250	Α	Thornton Beach State Park	37 42	122 30			2
2-205	Α	Drakes Estero	38 02	122 56			1
2-207	Α	Limnatour Spit	38 02	122 55			1
2-201	Α	Point Reyes Headlands	38 00	123 00			0.8
2-203	Α	Drakes Beach (West)	38 07	122 57			0.8
2-352	В	South Basin, Hunters Point	37 43	122 23			9.0
2-505	⋖	Pinole Creek and Wetlands	38 01	122 18			9.0
2-552	4	China Camp Marsh	38 00	122 28			9.0


Response Priorities For Harding Rock Scenario* - GRA 4


TIDE AND WIND AT TIME OF INSTANEOUS DISCHARGE	TIME PERIOD OILED (HOURS)	PRIORITY	SITE ID	SITE DESCRIPTION
FEBRUARY SCENARIO	0	1		Spill Site Containment
300,000 bbl ANS Crude	0	2		On-Water Recovery
Slack < flood @ 0600	0-3	3	2-402	Alcatraz Island
Historical wind data	3-6	4	2-420	Richardson Bay Marshes
Runoff unknown	3-6	5	2-495	Emeryville Lagoon and Mudflats
	3-6	6	2-490	Berkeley Eelgrass Beds
	3-6	7	2-424	Paradise Cove
	3-6	8	2-452	Castro Rocks
	3-6	9	2-35-	Yerba Buena Island
	3-6	10	2-252	Richmond Eelgrass Beds
	6-12	11	2-454	Richmond Inner Harbor & Hoffman Marsh
	6-12	12	2-401	Pier 39
	12-24	13	2-453	Brook's Island
	12-24	14	2-480	Albany Marsh
	12-24	15	2-425	Corte Madera Marsh
	12-24	16	2-426	San Rafael Creek Marsh
	12-24	17	2-427	Marin Islands
	12-24	18	2-352	South Basin, Hunters Pt.
	12-24	19	2-244	Land's End
	12-24	20	2-236	Pt. Diablo - Lime Pt
	12-24	21	2-307	Alameda Eelgrass Beds
	24-48	22	2-234	Pt. Bonita & Bonita Cove
	24-48	23	2-246	Cliff House and Seal Rocks
	24-48	24	2-248	Ocean Beach/Fort Funston
	48-72	25	2-309	San Leandro Bay
AUGUST SCENARIO	0	1		Spill Site Containment
300,000 bbl ANS Crude	0	2		On-Water Recovery
Slack < flood @ 0600	6-12	3	2-402	Alcatraz Island
Historical wind data	12-24	4	2-236	Pt. Diablo - Lime Pt
Runoff unknown	24-48	5	2-350	Yerba Buena Island
	24-48	6	2-424	Paradise Cove
	48-72	7	2-425	Corte Madera Marsh
	48-72	8	2-420	Richardson Bay Marshes
	48-72	9	2-453	Brooks Island
	48-72	10	2-452	Richmond Eelgrass Beds
	48-72	11	2-495	Emeryville Lagoon and Mudflats
	* Based on the N	12	2-490	Berkeley Eelgrass Beds

^{*} Based on the NOAA trajectory model run 29 June 1994

12,000 Barrels of Alaska North Slope Crude


Use Only as a General Reference. Oil may move beyond map boundaries.





12,000 Barrels of Alaska North Slope Crude


Use Only as a General Reference.



x r m


12,000 Barrels of Alaska North Slope Crude

Use Only as a General Reference. Oil may move beyond map boundaries. Prepared by NOAA



12,000 Barrels of Alaska North Slope Crude

Use Only as a General Reference. Oil may move beyond map boundaries. Prepared by NOAA



2-400 -X Site Summary- San Francisco Waterfront Collection/Protection

2-400 -X

Last Page Update: 1/1/2000

Latitude N **Thomas Guide Location** Longitude W 3 7 46 County: San Francisco AAA - San Franc 122 23 USGS Quad: San Francisco North

NOAA Chart: Entrance to San Francisco Bay18649

SITE DESCRIPTION:

The shoreline of San Francisco from Fort Mason to the Bay Bridge. This shoreline consists of man made structures including piers, seawalls and rip rap. The bottom of the channels generally consist of soft sediments. Currents can be strong, approaching 6 knots.

SEASONAL and SPECIAL RESOURCE CONCERN

Herring spawn during the winter. There are water diversions near Potrero Pt. (pier 72) and India Basin (pier 98).

RESOURCES OF PRIMARY CONCERN

Aquatic vegetation and invertebrates growing on pilings, seawalls and riprap may be injured by oil and cleanup activities. Herring spawn on these surfaces during the winter months.

Sea birds are present throughout the year.

Herring spawn here in the winter. Fish are present throughout the year.

Algae and invertebrates live on all hard surfaces

CULTURAL, HISTORIC, and ARCHEOLOGICAL SENSITIVITIES

Contact the California Dept of Parks and Recreation - Office of Historic Preservation (Eric Allison -(916) 653-9125), and the Northwest Information Center, (Leigh Jordan, Sonoma State College ((707) 664-0880)) for specific information on historic or cultural resources in this area.

KEY CONTACTS: Trustee (T); Entry/Owner/Access (E); Cultural (C); or Other Assistance (O)

Type	Name / Title	Organization	Phone	
В	Peter Baye, Ph.D. Coastal Plant Ecologist		(415) 310-5109	
	Baylands Nature Preserve Office	Baylands Nature Preserve	(650) 329-2506	
О	City of San Francisco	San Francisco, City and County of	(415) 556-8371	
В	Diane Watters	CA Dept. of Fish & Game	(650) 631-2535	

Site Strategy - San Francisco Waterfront Collection/Protection 2-400 -X

County and Thomas Guide Location

NOAA CHART

2-400 -X Latitude N Longitude W

AAA - San Franc San Francisco

Entrance to San Francisco Bay18649

3 7 46

122 23

CONCERNS and ADVICE to RESPONDERS:

Last Page Update: This collection strategy should be used to take advantage of the slow water between piers and the boats at anchor to divert

HAZARDS and RESTRICTIONS:

There are sunken obstructions to navigation in many areas, sunken vessels and old pier pilings.

oil out of swifter along shore currents to shoreline where collection is possible.

SITE STRATEGIES

Oil moving along the SF waterfront tends to move swiftly in the currents off the end of the wharfs were current may exceed 3 knots, but alongshore eddies and pier pilings slow currents making opportunities to collect oil. Oil may be deflected to collection into these quieter waters, between piers, and eventually at collection points in the slow moving water at the shoreline.

Strategy 2-400.1 Objective: Deflect to Collection at shoreline: recover oil at seawalls where there 10/2/2005 is shoreline access. Deflect oil to areas where current is slowest to minimize the distance the oil travels, especially on the ebb tide.

Deflect oil to the shoreline and setup shore side skimmers (SSS). Some potential collection sites are at the steps on the promenade near the foot of Howard St. (diagram site a) and the foot of pier 39. Also, deploy short pieces of small boom between piers and other manmade structures down current from the spill source to direct oil to slowest waters at shoreline. The boom should be placed at an angle to the current to prevent entrainment, and should be tightened sufficiently to prevent the current from bending the boom such that some portion of it is perpendicular to the current. Where oil entrains under a boom another length of boom must be placed down current of the first to catch the entrained oil and deflect it to slower moving water near shore.

Table of Pospense Pospurees

Iable	OI IVE	Spons	e nesou	1003												
strategy	harbor	swamp	Other	sorb	Ancho	ring	Boo	m S	Skiffs	Skim	mers	Sp	ecial E	quipment	staff	Staff
number	boom	boom	boom type	boom	no	type and gear	boa	t p	ounts	No	Type	No	and	kinds	deploy	tend
2-400.1	6000			500	30	22+#	2		2	1 SSS	S				10	

LOGISTICS

DIRECTIONS: to site (by land and/or by water, to nearest launch ramp and are access permits required.)

Boat launch ramp near pier 50 at Mission Rock Resort, 817 China Basin St. Shoreline access from the Embarcadero and China Basin St. The shoreline of San Francisco from Fort Mason to the Bay Bridge.

LAND ACCESS: There is access for large trucks on most piers and seawalls.

WATER LOGISTICS:

Limitations: depth, obstruction


There are sunken obstructions to navigation.

Launching, Loading, Docking Boat launching is available near pier 50 at Mission Rock Resort, 817 China Basin St. and Services Available:

FACLITIES, STAGING AREAS, POSSIBLE FIELD POSTS AND EQUIPMENT AVAILABLE:

Flat paved areas for staging and field posts are common throughout this area

COMMUNICATIONS PROBLEMS: none known



Last Page Update: 7/1/2005

Thomas Guide Location Latitude N Longitude W 3 7 48 County: San Francisco AAA - San Franc 122 22 USGS Quad: San Francisco North

NOAA Chart: Entrance to San Francisco Bay 18649

SITE DESCRIPTION:

This site is the basin bounded by Pier 39 on the northeast and seawalls on the other sides. It is an abandoned marina. California sea lions haul out on the former docks of the marina. These floating docks and all of Pier 39 are fronted with a sea wall along the outer perimeter. This area is entirely man made structures. Several times each day, the commuter ferry passes by these floating sealion haulout docks and moores nearby.

SEASONAL and SPECIAL RESOURCE CONCERN

This is a B priority from August through March.

RESOURCES OF PRIMARY CONCERN

This is a haulout for 500 to 600 juvenile and adult California sea lions from August through March. This is a B priority from August through March and a C priority the remainder of the year.

California sea lions haul out at this location.

CULTURAL, HISTORIC, and ARCHEOLOGICAL SENSITIVITIES

Contact the California Dept of Parks and Recreation - Office of Historic Preservation (Eric Allison -(916) 653-9125), and the Northwest Information Center, (Leigh Jordan, Sonoma State College ((707) 664-0880)) for specific information on historic or cultural resources in this area.

KEY CONTACTS: Trustee (T); Entry/Owner/Access (E); Cultural (C); or Other Assistance (O)

туре	Name / Title	Organization	Phone
В		Empty	
ELO	Carol Bach	Port of San Francisco	(415) 274-0568
T	Dispatch GGNRA	US National Park Service, Golden Gate (NRA)	(415) 561-5505
T	M. Park	US Fish and Wildlife Service	(510) 792-0222

NOAA CHART

Longitude W 3 7 48 122 22

2-401 -B

County and Thomas Guide Location AAA - San Franc San Francisco

Entrance to San Francisco Bay 18649

Last Page Update:

CONCERNS and ADVICE to RESPONDERS:

Sea lions that inhale or ingest petroleum can be expected to be injured or die.

HAZARDS and RESTRICTIONS:

Beware of high (ferry) boat traffic activity here, large wakes, potential for 2 to 3' seas. Piers, pilings.

SITE STRATEGIES

Strategy 2-401.1 Objective: Exclude oil by booming from entering breakwater. TEND BOOM To permit Ferry traffic.

ACP DATE 1/15/2007

(This is a high traffic and commuter terminal; so, there will need to be staff tending the booms at north entry to allow for traffic, unless the marina is closed by IC/UC). Exclude oil from entering the two vessel entrances to Pier 39 with harbor boom. 200 ft is needed at the north entrance and 500 ft is needed at the east entrance. Complete exclusion by booming the north and west side of the marina and breakwater. Approximately 900 ft of harbor boom is needed along the breakwall located on the west side of Pier 41 to prevent oil from passing through breakwater and along western margin. At the north mouth, angle boom such that a shore side skimming operation can be operated on pier 39 (access has been verified by Clean Bay). At east entrance, angle boom such that a shore side skimming (SSS) operation can be operated on near the foot of pier 35. A self propelled skimmer (SPS) may be necessary near the north mouth, and shore side staff should confer with on water Ops through ICS. Back entry booms with sorbent 700 ft.

Strategy 2-401.2 Objective: Sorbent Protection - complete the sorbent barrier in the interior of the marina breakwater to intercept seepage past booms or through breakwater.

ACP DATE 1/15/2007

Complete the sorbent enclosure inside of breakwalls. Use approximately 1100 ft on east side of Pier 41m to link with the 200 ft at the north entrance. If oil is entering along through the concrete seawall around the Pier 39 marina (east side of pier 39), then an additional 1400 ft of sorbent or swamp boom (and 5 anchors) will be needed to line the east side breakwater to link up with the 500 ft of sorbent and boom at the east entrance (assess and request additional resources). Light anchoring will be needed to keep sorbent positioned near breakwaters and preventing them from hanging up during hightides. (five anchors)

Strategy 2-401.3 Objective: skimming oil with 1 SPS skimmer and 1 Shoreside Skimmer

ACP DATE 1/15/2007

One shoreside skimmers can be operated at the southeast corner of the marina. A self propelled skimmer should be operated within and mostly at the west side of the pier to collect free-floating oil.

Table of Response Resources

strategy	harbor	swamp	Other	sorb	Ar	nchoring	Boom	Skiffs	Skii	mmers	Sn	ecial E	auipment		staff	Staff
number		boom	boom type	boom	no	type and gear	boat	punts	No	Туре	No	and	kinds		deploy	tend
2-401.1	1600			700		tie boom off to pilings / breakwall	1	•			b	oom ten	iding for traffic;	manueverable b	3	2
2-401.2	0	0		1100	5	small anchors	0	1	0		1	400 ft so	orbent or swam	p boom+5 ancho	2	
2-401.3	0	0	0	0	0		0	0	2 1	SSS 1	0				4	

LOGISTICS

DIRECTIONS: to site (by land and/or by water, to nearest launch ramp and are access permits required.)

From the Oakland-San Francisco Bay Bridge (Highway 80), take the Embarcadero Street exit. Proceed on Embarcadero Street for approximately two miles, Pier 39 will be on your right. Access via "K" dock gate from Pier 39. This site is the basin bounded by Pier 39 on the northeast and seawalls on the other sides. It is an abandoned marina. California sea lions haul out on the former docks of the marina.

LAND ACCESS: paved access for vehicles

WATER LOGISTICS: none

Limitations: depth, obstruction


Launching: Harbor Drive, Sausalito; Turney St, Sausalito; Berkeley Marina; Emeryville Marina; Launching, Loading, Docking and Services Available: Fifth Ave. Marina, Oakland; Ballena Isle Marina, Alameda Fuel: Gashouse Cove, San

Francisco

FACLITIES, STAGING AREAS, POSSIBLE FIELD POSTS AND EQUIPMENT AVAILABLE:

San Francisco OES will identify available staging areas, field posts and command posts.

COMMUNICATIONS PROBLEMS: none known



2-402 -C

Last Page Update: 1/1/2000

Thomas Guide Location Latitude N Longitude W County: 3 7 50 San Francisco 122 25 AAA - San Franc USGS Quad: San Francisco North

NOAA Chart: Entrance to San Francisco Bay 18649

SITE DESCRIPTION:

Alcatraz Island is a historical site which includes an old prison and lighthouse. The island is located in central San Francisco Bay and exposed on all sides to extreme tidal current, wave action, and weather conditions. The shorelines are rocky intertidal platforms on the west and southwest sides; a gravel beach extends from the southern rocky platforms to the eastern side; rock cliffs are present on the majority of the west, north, and northeast sides; and pier pilings and dock facilities are present on the east side. The buildings are operated as a National Historic Park by Golden Gate National Recreation Area.

SEASONAL and SPECIAL RESOURCE CONCERN

RESOURCES OF PRIMARY CONCERN

Bird breeding colonies all around the island are of primary concern during spring and summer. Rocky intertidal platforms on the east and southwest sides has rich and diverse life year-round. Generally, sensitivity is low because intertidal resources are wet and deluged with wave-wash and, consequently, petroleum does not tend to penetrate or stick. Most nesting habitat is above the influence of spilled material. Also, there is a lot of wave refraction off the island shores which tends to keep oil off the island.

Site is important because western gulls, cormorants and black crowned night herons breed and rest here.

Pacific herring may spawn and transverse this area in the winter time.

Numerous intertidal species inhabit the rocky areas of this site.

CULTURAL, HISTORIC, and ARCHEOLOGICAL SENSITIVITIES

This is a national historic site. For specific information on historic or cultural resources in this area, contact the Golden Gate National Seashores cultural / historic staff, California Dept of Parks and Recreation - Office of Historic Preservation, (Eric Allison - 916-653-9125), and the Northwest Information Center, (Leigh Jordan. Sonoma State College (707-664-2494))

KEY CONTACTS: Trustee (T); Entry/Owner/Access (E); Cultural (C); or Other Assistance (O)

Type	Name / Title	Organization	Phone
	DPR Dispatch	US National Park Service, Golden Gate (NRA)	(415) 561-4620

2-402 -C Site Strategy - Alcatraz Island

County and Thomas Guide Location

NOAA CHART

Latitude N

AAA - San Franc San Francisco

Entrance to San Francisco Bay 18649

3 7 50

Longitude W

2-402 -C

CONCERNS and ADVICE to RESPONDERS:

Last Page Update :

Based on experience, oil doesn't impact this site because waves reflect off the rocky shoreline keeping oil off. Distrubance of nesting birds in Spring and Summer is a real concern. The gravel beach would be difficult to clean if affected. Anchoring is difficult but possible on the W,S, and E sides of the island. Depths range from 30 to 80 ft. close to the island. Strong flood and ebb currents exist here. Back eddies form on the east side during flood tide.

HAZARDS and RESTRICTIONS:

There is a wash rock located off the west tip of the island and shallow rock platforms and rocks near shore.

SITE STRATEGIES

Strategy 2-402.1 Objective: Protection booming in unusual conditions: When wave reflection will not likely keep oil off shoreline, protect the sensitive rocky intertidal zone on the south eastern part of the island.

In order to protect the sensitive rocky intertidal zone on the south easterlyside of the island, use 650 to 800 ft of harbor boom. Position the boom from the dock around the south and west sides to the end of the rocky intertidal bench located near the bird colony on the cliff. The boom will act to deflect oil into the current and protect the shoreline.

Strategy 2-402.2 Objective: Deflection booming in unusual conditions: When wave reflection will not likely keep oil off shoreline, deflect oil away from and around west end of island when wave refraction is unlikely to keep oil off the shoreline

On the west end of the island, position boom in a deflection wedge configuration off the bell buoy or anchored to the reef to deflect oil into current away from island. Boom legs 600 to 1000 ft each.

Table of Response Resources

strategy number	_	swamp boom	Other boom type	sorb boom	And no	•		Skiffs punts		nmers Type	Sp No	pecial Equipment and kinds		staff deploy	Staff tend
2-402.1	800			,	7	40# danforths w/ 1/2" chain	1	•	0	•				3	
2-402.2	2100	0	0	0	15	40# danforths w/ 1/2" chain	2	0	0		0			6	

LOGISTICS

DIRECTIONS: to site (by land and/or by water, to nearest launch ramp and are access permits required.)

Alcatraz is an island located in central San Francisco Bay. Access is available by boat only. Alcatraz Island is a historical site which includes an old prison and lighthouse.

LAND ACCESS: Access available by water only.

WATER LOGISTICS: Submerged rocks on west and south shores

Limitations: depth, obstruction


Launching, Loading, Docking National Parks Service maintains landing at east end of island. Otherwise boat services are at

and Services Available: San Francisco shoreline

FACLITIES, STAGING AREAS, POSSIBLE FIELD POSTS AND EQUIPMENT AVAILABLE:

Staging, storage and skimming systems from land could be accommodated on the dock located on the east side of the island. Extensive services are at the SF shoreline

COMMUNICATIONS PROBLEMS: none known



Last Page Update: 9/15/2005

Thomas Guide Location Latitude N Longitude W 37 48.3 122 27.3

USGS Quad:

NOAA Chart: Entrance to San Francisco Bay 18649 San Francisco North

SITE DESCRIPTION:

San Francisco

County:

Crissy Field Tidal Marsh is a restored wetland at the east end of Crissy Field and includes a tidal channel which opens to San Francisco Bay at the east end of the marsh. This wetland lies within Golden Gate National Park, and the primary contact is Daphne Hatch or Vika Sirova (dispatch is 415-561-5505) It was constructed and opened to tidal exchange in 1999. It is being revegetated with native species. It is an uncommon habitat for waterbirds and shorebirds in an urban habitat, thus, has great value as a resting area. The tidal inlet has silted in remarkably and has not yet scoured a low flow channel. There is a large community focus and investment in this marsh.

SEASONAL and SPECIAL RESOURCE CONCERN

Marshes have "A" sensitivity and protection priority year-round.

RESOURCES OF PRIMARY CONCERN

This is a restored tidal marsh. Native species are being established. Tidal marshes are very vulnerable to oil impacts

This marsh is important resting and foraging habitat for bay birds. It is particularly important bird habitat in an otherwise urban setting.

CULTURAL, HISTORIC, and ARCHEOLOGICAL SENSITIVITIES

This is a cultural/historic site. For specific information on historic or cultural resources in this area, contact the Golden Gate National Seashores main office, cultural resource specialist, the California Dept of Parks and Recreation - Office of Historic Preservation (Eric Allison -(916) 653-9125, and the Northwest Information Center, (Leigh Jordan, Sonoma State College ((707) 664-0880)).

KEY CONTACTS: Trustee (T); Entry/Owner/Access (E); Cultural (C); or Other Assistance (O)

Type	Name / Title	Organization	Phone
CBLCT	DPR Dispatch	US National Park Service, Golden Gate (NRA)	(415) 561-4620
EO	Dispatch GGNRA	US National Park Service, Golden Gate (NRA)	(415) 561-5505
BTE	Daphne Hatch	US National Park Service, Golden Gate (NRA)	(415) 331-0744
В	Jan Roletto Research Coordinator	National Marine Sanctuaries, Gulf of the Farallones	(415) 561-6622
TEO	Vika Sirova	US National Park Service, Golden Gate (NRA)	(415) 561-4409

2-403 - A Site Strategy - Crissy Field Tidal Marsh

County and Thomas Guide Location NOAA CHART
San Francisco Entrance to San

Entrance to San Francisco Bay 18649

Latitude N Longitude W 37 48.3 122 27.3

Last Page Update:

2-403 -A

9/15/2005

CONCERNS and ADVICE to RESPONDERS:

The concern is to keep oil from entering the marsh by excluding it at the tidal entry channel. Avoid disturbing wildlife and tracking oil around the site. This is a high visibility site with a lot of public awareness. Contact Golden Gate National

Seashores to advise of response activities at 415-331-0744 (Daphne Hatch) or 415-561-4620 (park police dispatch).

HAZARDS and RESTRICTIONS:

Be aware of swift currents.

SITE STRATEGIES

Strategy 2-403.1 Objective: Primary: Exclude oil from entering the mouth

ACP DATE 1/1/2000

Exclude oil from entering the mouth of the tidal channel using a shallow lopsided chevron boom deployment. Anchor boom to shore west of the tidal mouth and angle out at about 45 degrees with 100 ft boom and then angle back to shore east of mouth using 200 ft of boom. Be sure to provide for a boom seal which will keep oil from getting around the shore boom ends at low tide. Under some tides this can be deployed from shore without a skiff.

Strategy 2-403.2 Objective: Back-up: exclude / collect: capture of oil which excapes past primary protection

ACP DATE 1/1/2000

Deploy deflection to shoreside collection in the tidal channel. Currents in the tidal channel are swift (can exceed 2 knots). Deploy riverboom (swamp boom) (300') at a very slight angle to collect oil on the east bank of the channel. Use mid boom anchor(s) and lines to keep boom from forming catinary curves (and promoting entrainment of oil). Establish a skimming pocket and backup collection boom (100' swampboom) to confine accumulating oil and allow collection. Back with sorbent. This deployment should be done from land: with the permission of Golden Gate National Seashore, you may drive right to the location. There is a foot bridge across the channel, and the channel is very shallow or empty at some tides.

Strategy 2-403.3 Objective: Exclude by berming

ACP DATE 7/1/2005

Using sand at the mouth of the channel and seaward of riprap, construct a berm with a culver to permit tidal exchange. Make provision to block-off culvert if oil threatens. Contact GGNRA about front-end loader and culvert which may be available in the park.

Table of Response Resources

strategy	harbor	swamp	Other	sorb	An	nchoring	Boom	Skiffs	Skimm	ners	Sp	ecial Ed	juipment	staff	Staff
number	boom	boom	boom type	boom	no	type and gear	boat	punts	No T	уре	No	and	kinds	deploy	tend
2-403.1		300			1	12+/danforth & stakes		1						3	
2-403.2		400		300	3	3/22+/danforth & Stakes & line	0	0						2	
2-403.3	0	0	0	0	0		0	0	0	0	s	kiploader	and culvert	3	

LOGISTICS

DIRECTIONS: to site (by land and/or by water, to nearest launch ramp and are access permits required.)

By land, Crissy Field is just east of the Golden Gate Bridge and is just north of Hwy 101. The wetland is at the east end of Crissy Field. By boat, the opening to the wetland is about a half mile west of Marina Park. Crissy Field Tidal Marsh is a restored wetland at the east end of Crissy Field and includes a tidal channel which opens to San Francisco Bay at the east end of the marsh. This wetland lies within Golden Gate National Park, and the primary contact is Daphne Hatch or Vika Sirova (dispatch is 415-561-5505)

LAND ACCESS: All equipment types with Park Service authorization

WATER LOGISTICS: good depth

Limitations: depth, obstruction


Nearest marina is Gas House Cove a mile to the east.

Launching, Loading, Docking and Services Available:

FACLITIES, STAGING AREAS, POSSIBLE FIELD POSTS AND EQUIPMENT AVAILABLE:

Crissy Field is a possible staging area for local activities - contact Golden Gate National Recreation Area

COMMUNICATIONS PROBLEMS: none known



2-420 -A

Thomas Guide Location Latitude N Longitude W 3 6 56 122 30

USGS Quad: San Rafael, San Quentin, San Fran N NOAA Chart: 18649 Entrance to San Francisco Bay

Last Page Update: 7/1/2005

SITE DESCRIPTION:

Marin

County:

The site includes Richardson Bay and the marshes and mudflats at the back bay arms. Richardson Bay is a shallow bay with many natural resources, most notable among them are the pickleweed marshes in the Pickleweed Inlet arm and in the ecological reserve in northwest lobe. The mouth of the Bay is about one mile wide and the length of the bay is about four miles. The much of the margin is urbanized or rocky. The average depth at low tide is about four feet, though the south side, where the channel is located, is generally deeper. There are extensive mudflats, and the bay bottom is a mud. There is a diffuse bed of eelgrass in the south central portion of the bay.

SEASONAL and SPECIAL RESOURCE CONCERN

Marshes are A-priority at all times. This is important habitat for migratory marsh and water birds during winter and spring and important herring spawning habitat from November to February.

RESOURCES OF PRIMARY CONCERN

There are a variety of habitats at risk. The pickleweed marshes are in the north and west margins, and there is a wildlife reserve in the north bay. The mudflats are habitat for a rich infauna and are foraging areas for birds and fish. The rocky shore lines are intertidal habitat. Exposed rocks are resting habitat for birds and seals. The eelgrass and wharves are prime spawning habitat for herring.

There are a wide variety of birds which use the bay and the marshes, including endangered clapper rail and brown pelicans.

The pickleweed marshes are habitat for the endangered saltmarsh harvest mouse. Harbor seals haul out on the rocks.

Fish concerns are focused on the spawning habitat of pacific herring which use the diffuse eelgrass beds, wharves and docks as spawning substrate.

Eelgrass beds are diffuse, extensive, and annually variable.

CULTURAL, HISTORIC, and ARCHEOLOGICAL SENSITIVITIES

Contact the California Dept of Parks and Recreation - Office of Historic Preservation (Eric Allison (916) 653-9125), and the Northwest Information Center, (Leigh Jordan, Sonoma State College ((707) 664-0880) for specific information on historic or cultural resources in this area.

KEY CONTACTS: Trustee (T); Entry/Owner/Access (E); Cultural (C); or Other Assistance (O)

Type	Name / Title	Organization	Phone	
В	Sarah Allen	US National Park Service, Pt. Reyes (NS)	(415) 464-5187	
BEL	Baylands Nature Preserve Office	Baylands Nature Preserve	(650) 329-2506	
	Bob Brown Sanctuary Manager	Tiburon Audubon Center	(415) 388-2524	
	Chief Ranger	Marin, County of, Open Space District	(415) 479-2311	
В	Meryl Huning Educational Coordinator	Tiburon Audubon Center	(415) 388-2524	
BEL	Marin Co Parks Dispatch	Marin, County of, Open Space District	(415) 499-6387	
R	Michele Pearson Director	Tiburon Audubon Center	(415) 388-2524	
	Bill Price Rchrdsn Bay, Reg. Co. Ad	Marin, County of	(415) 971-3919	

2-420 - A Site Strategy - Richardson Bay Marshes

County and Thomas Guide Location

Marin

NOAA CHART

18649 Entrance to San Francisco Bay

Latitude N 3 6 56

Last Page Update:

Longitude W 122 30 7/1/2005

2-420 -A

CONCERNS and ADVICE to RESPONDERS:

The main objective is to exclude oil from Richardson Bay by exclusion booming of the mouth. This can successfully be executed just inside the mouth, and will protect all the resources of the bay including the marshes at the back shorelines, the mudflats, endangered species, ducks, eelgrass beds and herring spawning sites. If front exclusion is not successful, secondary strategies will be executed to collect oil.

HAZARDS and RESTRICTIONS:

Be aware of shallows and obstructions. Boat traffic is restricted in northwest lobe of the main bay.

SITE STRATEGIES

There is little tidal movement into the bay except at in the channels at the north (Tiburon) (and south (Sausilito) sides. Qil will tend to eddy at the mouth, due to the strong Raccoon Strait passing current, and then be carried into the bay by these two local flood currents or by southerly wind. The main channel at the Sausalito margin has currents exceeding a knot that will carry any oil that enters, to back bay (including inland of Hwy 101). Along the Tiburon margin there is a light current.

Strategy 2-420.1 Objective: Prmary: Exclude oil at bay mouth by booming Sausalito main channel and Tiburon minor flood channels. This is main part (part 1) of a total exclusion at the bay mouth which would include Part 2: 2-420.2

ACP DATE 11/30/2001

- 1. Exclude oil from the south channel by deploying about 1,500 ft of 9X9+ boom from the breakwater north of the ferry landing to (or near) Red channel marker "4". Cascade boom in 2 or 3 lengths to allow vessel passage through this exclusion.
- 2. At the Tiburon shore inside (west) of cone rock, deploy boom at a 45 degree angle across the nearshore channel for 600 ft and then the last 600 ft perpendicular to shore toward the deployment on the south channel.

Strategy 2-420.2 Objective: Secondary exclusion; Part 2 - complete exclusion across the low current portion of the bay. This is added-on to previous or concurrent execution of Part 1 substrategy 2-420.1

Boom across the bay mouth from end of southerly deployment to the end of the Tiburon side deployment. Connect boom ends if possible. Otherwise uses sorbants or skirted boom to close and seal the gaps between the boom sets in Part 1 and this deployment.

Strategy 2-420.3 Objective: Exclude/collect oil that has entered Richardson Bay

ACP DATE 1/1/2000

Establish the following collections / exclusions. Depending on the amount and kind of oil, sorbants may be effectively be substituted for shoreside skimming systems(SSS):

- 1) Deploy 1000' 6X6+ diagonal from Strawberry Pt. to the jetty with a J-hook collection pocket; back the collection pocket with swampboom (300' 4X4+). Use channel markers and anchors to maintain diagonal in the current. A cascade may be necessary to accommodate boat traffic. If there are skimmable quantities of oil, deploy a SSS for collection.
- 2) Deploy 1500' 6X6+ diagonal from Strawberry Pt. to the east with a J-hook collection pocket: back and back the collection pocket with swampboom (300' 4X4+). If there are skimmable quantities of oil, deploy a SSS for collection
- 3) Close the tidegate to Belvedere Lagoon at north east margin.

Table of Response Resources

I abic	OI IXC	Spons	c resou	1003												
strategy	harbor	swamp	Other	sorb	An	choring	Boom	Skiffs	Skim	nmers	S	pecial	Equipment		staff	Staff
number	boom	boom	boom type	boom	no	type and gear	boat	punts	No	Type	No	and	kinds		deploy	tend
2-420.1	2700			300	12	22#+/danforths + chain	3	1	0			Bboats	capable of sha	allows & obstruction	n 11	
2-420.2	3300	0	0	300	6	22#+ danforths	2	0	0		0				6	
2-420.3		3100	600 OS	600	12	12/22+/danforths + chain	2	1	2 8	SSS		Bboat: s	shallow draft		8	2

LOGISTICS

DIRECTIONS: to site (by land and/or by water, to nearest launch ramp and are access permits required.)

Closest water access is from Marinas in Sausilito which open to Richardson Bay. By vehicle, marshes can be accessed by exiting Hwy 101 at Sausilito or Tiburon at Almonte or Tiburon Blvd. The site includes Richardson Bay and the marshes and mudflats at the back bay arms.

LAND ACCESS: All types

WATER LOGISTICS: Shallows everywhere; exceeding shallows in back & north bay

Limitations: depth, obstruction


Launching, Loading, Docking and Services Available: Launch on site at Clipper Yacht Harbor, Harbor Dr. Sausilito (415) 332-3500. Many marinas and services available.

FACLITIES, STAGING AREAS, POSSIBLE FIELD POSTS AND EQUIPMENT AVAILABLE:

US Corp Engineers dock is onsite and is most convenient site for staging and out post. Many facilities are available at Sausilito.

COMMUNICATIONS PROBLEMS: ACP 2 - SF Bay & Delta GRA4 none known

9844.1 - 14 October 1, 2008



2-421 -X/B

Thomas Guide Location Latitude N Longitude W 3 7 54 County: AAA - Mill Vall 122 27 Marin USGS Quad:

NOAA Chart: Entrance to San Francisco Bay 18649

Last Page Update: 10/1/2005

SITE DESCRIPTION:

San Quentin

The eastern shore of the Tiburon Peninsula from Bluff Point in the south to north of El Campo (north of Paradise Cove). The current from the north sweeps past the peninsula so that oil and debris collect here naturally. This was the pattern a previous spill and is why strategies and focus has developed at this locale. There are a variety of shoreline types on the Tiburon Peninsula. They vary from rock bluff and platform to cobble and sand beaches. Most are exposed to moderate and high energy from boat wakes, wind waves, and strong currents. Public health and safety and birds feeding on the beaches and in nearshore waters are the major concerns. The Tiburon Peninsula is a residential area but includes Paradise Cove County Park. Other than the county park, most shorelines are accessable only by water.

SEASONAL and SPECIAL RESOURCE CONCERN

When brown pelicans or seals are using the area, sensitivity concerns increase.

RESOURCES OF PRIMARY CONCERN

The shoreline is rocky and variable and includes some sandy shores in Paradise Cove and other pocket beaches. The bottom drops away steeply.

Brown pelican, cormorant and other seabirds occasion this area for resting and feeding

Harbor seals and sealions forage here.

Herring spawn here in the winter time.

CULTURAL, HISTORIC, and ARCHEOLOGICAL SENSITIVITIES

Contact the California Dept of Parks and Recreation - Office of Historic Preservation (Eric Allison (916) 653-9125), and the Northwest Information Center, (Leigh Jordan, Sonoma State College ((707) 664-0880) for specific information on historic or cultural resources in this area.

KEY CONTACTS: Trustee (T); Entry/Owner/Access (E); Cultural (C); or Other Assistance (O)

туре	Name / Title	Organization	Phone
	Chief Ranger	Marin, County of, Open Space District	(415) 479-2311
BTLE	Marin Co Parks Dispatch	Marin, County of, Open Space District	(415) 499-6387
L	Marin County OES (Office	Marin, County of, Sheriff/Office of Emergency Serv	(415) 479-2311

2-421 -X/B Site Strategy - Paradise Cove & Tiburon Peninsula

2-421 -X/B

County and Thomas Guide Location NOAA CHART Latitude N Longitude W

AAA - Mill Vall Marin Entrance to San Francisco Bay 18649 3 7 54 122 27

CONCERNS and ADVICE to RESPONDERS:

Last Page Update: 7/1/2005

This is a natural collection zone: oil tends to collect in nearshore eddies, particularly in the southern part of the Paradise Cove adjacent to Pt Chauncey, but little comes ashore. Skimmable quantities of oil can be easily collected by self propelled skimmers because the waters are deep. Natural resources of concern are brown pelicans and other birds which use this area for feeding and roosting.

HAZARDS and RESTRICTIONS:

Submerged rocks along most beaches, steep cliffs along most shorelines.

SITE STRATEGIES

Waters near shore are deep. Currents follow the depth contours and are strong. This is a natural collection zone: oil tends to collect in nearshore eddies, particularly in the southern part of the cove adjacent to Pt Chauncey, but little comes ashore. Skimmable quantities of oil can be easily collected by self propelled skimmers operating near shore because the waters are deep, and skimmable quantities of oil should be reported to Operations. During the flood tide, on-water recovery may be effective by locating an on-water skimmer at the tail edge of the El Campo diversionary boom: a selfpropelled skimmer is recommended for such skimming.

Strategy 2-421.1 Objective: At Paradise cove, deflect to collection during ebb and away from shores during flood

ACP DATE

Deploy 1000 ft 9X9+ deflection booms at both Point Chauncey and El Campo to deflect/divert oil out of currents into nearshore eddies, on ebb tides. Same boom set will also help keep oil in current. To minimize oiling of Paradise Cove shoreline, use 4,500 ft of boom, swamp boom (4X4+) under most conditions (and 9X9+ when there is chop at this protected location).

Strategy 2-421.2 Objective: At Bluff Point, deflect oil to natural collection sites

ACP DATE 7/1/2005

Deploy boom from the two points north of Bluff Point to deflect oil to natural collection sites: 600 ft of harbor boom (9X9+) should be deployed from the shore just north of each point at 40 degree angles into the current at about to direct eddying oil to shoreline. Depending on oil type, oil snare or sorbents at shore may aid collection and reduce shorline cleanup.

Table of Response Resources

strategy	harbor	swamp	Other	sorb	An	nchoring	Boom	Skiffs	Skir	nmers	Sp	ecial E	quipment	staff	Staf
number	boom	boom	boom type	boom	no	type and gear	boat	punts	No	Type	No	and	kinds	deploy	ten
2-421.1	2000	4500		0	13	22# danforths w. 5/16" chain	2	1	0					8	2
2-421.2	1200	0	600 OS	0	0		1	0	0					3	

LOGISTICS

DIRECTIONS: to site (by land and/or by water, to nearest launch ramp and are access permits required.)

From the Richmond-San Rafael Bridge, take Highway 101 south and exit at Paradise Drive. Proceed to Paradise Beach County Park. The eastern shore of the Tiburon Peninsula from Bluff Point in the south to north of El Campo (north of Paradise Cove).

LAND ACCESS: Paved to P C County Park & T Oceanographic Center. Foot traffic beyond

WATER LOGISTICS: generally good. occasional submerged rocks, small surf possible,

Limitations: depth, obstruction


Launching, Loading, Docking Services at Sausalito and Richmond

and Services Available:

FACLITIES, STAGING AREAS, POSSIBLE FIELD POSTS AND EQUIPMENT AVAILABLE:

The P C County Park and Tiburon Oceanographic Center may be used as a staging area or field office; the cement pier may be used as an anchor point.

COMMUNICATIONS PROBLEMS: none known



Last Page Update: 7/1/2005

Thomas Guide Location Latitude N Longitude W County: 3 7 55 AAA - Mill Vall 122 27 Marin USGS Quad: San Quentin

NOAA Chart: Entrance to San Francisco Bay 18649

SITE DESCRIPTION:

Keil Cove is located on the southeastern shore of the Tiburon Peninsula, adjacent to Raccoon Straits and immediately west of Bluff Point. Keil Cove is a coarse sand and pebble beach bounded by rocky headlands on the south east end of the Tiburon Peninsula. There are eelgrass beds in the cove which is the primary concern at this locale. The blades of the eelgrass remain below the surface of the water except at the lowest of tides. Although some of the strongest currents in San Francisco Bay occur immediately offshore of this cove, the cove itself is more protected from wind waves and strong currents than most of the Tiburon Peninsula. The adjacent land is privately owned residential property.

SEASONAL and SPECIAL RESOURCE CONCERN

Herring spawn here during the winter. Eelgrass tops are exposed at low tides.

RESOURCES OF PRIMARY CONCERN

Eelgrass beds are vulnerable only on the lowest tides. Herring spawn here during the winter. The coarse sand beach is very difficult to clean.

Brown pelican, cormorants.

Herring spawn here in the winter time.

Eelgrass beds

CULTURAL, HISTORIC, and ARCHEOLOGICAL SENSITIVITIES

Contact the California Dept of Parks and Recreation - Office of Historic Preservation (Eric Allison -(916) 653-9125), and the Northwest Information Center, (Leigh Jordan, Sonoma State College ((707) 664-0880)) for specific information on historic or cultural resources in this area.

KEY CONTACTS: Trustee (T); Entry/Owner/Access (E); Cultural (C); or Other Assistance (O)

Type	Name / Title	Organization	Phone
	Chief Ranger	Marin, County of, Open Space District	(415) 479-2311
	Marin County OES (Office	Marin, County of, Sheriff/Office of Emergency Serv	(415) 479-2311
	David Mathews	Ca State Parks	(415) 435-8339

2-422 -A/C Site Strategy - Keil Cove

County and Thomas Guide Location

AAA - Mill Vall Marin Entrance to San Francisco Bay 18649

Latitude N 3 7 55 Longitude W

2-422 - A/C

CONCERNS and ADVICE to RESPONDERS:

Last Page Update :

Eelgrass beds are vulnerable only on the lowest tides, but once oiled would, continue to produce a sheen for several weeks and greatly extend the cleanup period. Herring spawn here during the winter. The coarse sand beach is very difficult to clean.

NOAA CHART

HAZARDS and RESTRICTIONS:

The water is very shallow throughout the cove, and the eelgrass may foul propellers at low tide. Although, the gravel beach is steep, experienced boat operators have found that landing of beach cleanup personnel was easiest at the Bluff Point end of the beach.

SITE STRATEGIES

Strategy 2-422.1 Objective: Protection booming for eelgrass and coarse sand beach.

ACP DATE 10/1/2005

Deploy boom from just west of Bluff Point to the rock, or gravel beach behind rock, at the southwest end of the cove. Deploy the the boom in the shallow, quiet water of the cove. Use sufficient anchors, every 100 to 200 feet, to prevent the boom from moving into the currents and wind of Racoon Strait. Two thousand four hundred feet of boom with four to six inches of freeboard should be sufficient

Table of Response Resources

strategy number	harbor boom	swamp boom	Other boom type	sorb boom	Anchor	ing type and gear	Boom boat	Skiffs punts	Skim No	mers Type	Sp No	ecial and	Equipment kinds	staff deploy	Staff tend
2-422.1	0	2400			7	20#+ w/ 10' 1/2" chain	2				1			6	

LOGISTICS

DIRECTIONS: to site (by land and/or by water, to nearest launch ramp and are access permits required.)

Land access is through private property. Marin County OES may be able to get permission for access across private property. Take highway 101 to Mill Valley, Take the Tiburon Blvd (state highway 131) exit. Take Tiburon Blvd east to the business district of Tiburon. Continue on Paradise Dr. to the residences past Agreste Av.

Access is best by boat. To launch boats take highway 101 to Sausalito, 3 miles north of Golden Gate Bridge. Take Bridgeway exit at north end of Sausalito about 1 mile south of the highway 1 exit. Go southeast on Bridgeway towards downtown Sausalito and the COE bay model. Turn left on Harbor Drive. Take harbor drive to the launch ramp at Clipper Yacht Harbor. Keil Cove is located on the southeastern shore of the Tiburon Peninsula, adjacent to Raccoon Straits and immediately west of Bluff Point.

LAND ACCESS: foot only

WATER LOGISTICS: Very shallow water.

Limitations: depth, obstruction


Launching, Loading, Docking Services at Sausalito and Richmond

and Services Available:

FACLITIES, STAGING AREAS, POSSIBLE FIELD POSTS AND EQUIPMENT AVAILABLE:

Possible staging and field post at Tiburon Oceanographic Center.

COMMUNICATIONS PROBLEMS: none known



Last Page Update: 1/1/2000

Thomas Guide Location Latitude N Longitude W 3 7 54 County: AAA - Mill Vall 122 27 Marin USGS Quad: San Quentin

NOAA Chart: Entrance to San Francisco Bay 18649

SITE DESCRIPTION:

Angel Island is a state park located about one mile SE of the Tiburon Peninsula. It has an area of about one square mille, and a maximum elevation of 781 feet. There is a dock and numerous floating berths in Ayala Cove located on the North Western side of the island. A road runs the perimeter of the island. Sand beaches exists on the North Eastern, Eastern and South Eastern shores. Rock bluffs make up a large part of the shoreline. Strong currents run through Raccoon Straits (the deep channel located on the North West side of the island). Back eddies occur along the South Eastern shore and probably at numerous other locations around the island. An underwater cable is located between Ayal cove and Pt Stuart. Shorelines have been oiled to different degrees in several spills, and the eastern shoreline is a natural collection area for oil and other floating debris. This makes the points along the eastern shoreline natural collection areas.

SEASONAL and SPECIAL RESOURCE CONCERN

Herring spawn here during the winter.

RESOURCES OF PRIMARY CONCERN

Herring spawn here during the winter. Brown pelicans spend time on and around this island.

Various sites around the island are used by cormorants and other sea birds fish in Raccoon Strait for perching and probably nesting.

Harbor seals and sea lions haul out at various locations around the island.

Herring spawn here during the winter.

The shore is well populated by marine plants and animals living on rock surfaces and in the sand below the high tide level.

CULTURAL, HISTORIC, and ARCHEOLOGICAL SENSITIVITIES

There are historic buildings and other cultural resources present. Contact the California Dept of Parks and Recreation - Office of Historic Preservation (Eric Allison -(916) 653-9125), and the Northwest Information Center, (Leigh Jordan, Sonoma State College ((707) 664-0880)) for specific information on historic or cultural resources in this area.

KEY CONTACTS: Trustee (T); Entry/Owner/Access (E); Cultural (C); or Other Assistance (O) Type Name / Title Organization Phone Е Marin County OES (Office Marin, County of, Sheriff/Office of Emergency Serv (415) 499-6584

2-423 -X/C

County and Thomas Guide Location AAA - Mill Vall Marin

Entrance to San Francisco Bay 18649

3 7 54

Longitude W 122 27

CONCERNS and ADVICE to RESPONDERS:

Last Page Update: Oil tends to collect on the eastern shore of the island, particularly on the beaches north of Blunt Point and Quarry Point. The beach between Blunt Point and the pier about 100 yards to the north is a mixture of coarse sand and gravel. Petroleum

may penetrate this beach to a depth of six inches. The fine grained sand beach to the north would be much easier to clean. A similar situation exists to the north of Quarry Point where gravel beaches are both north and south of a fine sand

NOAA CHART

grained beach.

HAZARDS and RESTRICTIONS:

Submerged rocks along most beaches, steep cliffs along most shorelines.

SITE STRATEGIES

Strategy 2-423.1 Objective: Collection: natural collection at Blunt Pt & Quarry Pt.

ACP DATE 1/1/2000

The following are the instructions to use this area as a collection site with a minimal amount of cleanup.

- At Blunt Pt deploy 600 feet of boom (4 to 8 inch freeboard) in a northeasterly direction from the sand beach north of the piert to collect oil. To prevent oiling of the gravel beach south of the pier, deploy 800 ft of harbor boom from the south side of Blunt Point to the pier to the north of Blunt Point.
- At Quarry Point, the shoreline and the eddies just off the shoreline are natural collection areas for shoreline and onwater recovery. Collect oil on fine grained beach about 1000' north of Quarry Pt by deploying 600 feet of boom (4 to 8 inch freeboard) from the beach in a northeasterly direction. To prevent oiling of the gravel beach to the north of the collection site, deploy 1,000' of boom parallel to the gravel beach. Anchor the ends at the high tide line and anchor the midpoint 50 feet offshore. To prevent oiling of the gravel beach to the south of the collection beach, deploy 600 feet of harbor boom from the shoreline near the pier at Quarry Pt to the south end of the fine grained sand beach.
- C) Look for oil offshore. Direct on-water recovery vessels to concentrations offshore. Set up Shore Side Skimming

(SSS) as necessary. Both sites have some roads and piers for support of SSS.

Table of Response Resources

strategy	harbor	swamp	Other	sorb	Ancho	oring	Boom	Skiffs	Skimmers	Sp	ecial	Equipment	staff	Staff
number	boom	boom	boom type	boom	no	type and gear	boat	punts	No Type	No	and	kinds	deploy	tend
2-423 1	2600	1200	0	0	20	20 20# w/ 20' 1"chain	2	1		1	000' 1	/2" anchor line	10	

LOGISTICS

DIRECTIONS: to site (by land and/or by water, to nearest launch ramp and are access permits required.)

Angel Island is a state park located SE of the Tiburon Peninsula. Access to the island is by water only. Ferry service is available from Tiburon. Numerous launch ramps and boat launching facilities are located in Sausalito. To launch boats take highway 101 to Sausalito, 3 miles north of Golden Gate Bridge. Take Bridgeway exit at north end of Sausalito about 1 mile south of the highway 1 exit. Go southeast on Bridgeway towards downtown Sausalito and the COE bay model. Turn left on Harbor Drive. Take harbor drive to the launch ramp at Clipper Yacht Harbor. Angel Island is a state park located about one mile SE of the Tiburon Peninsula. It has an area of about one square mille, and a maximum elevation of 781 feet.

LAND ACCESS: Equipment and vehicles would have to be transported over water.

WATER LOGISTICS:

Submerged rocks off most beaches.

Limitations: depth, obstruction

Launching, Loading, Docking

and Services Available:


Berths are available in Ayala Cove. There are piers just north of Blunt Point and at Quarry

Point.

FACLITIES, STAGING AREAS, POSSIBLE FIELD POSTS AND EQUIPMENT AVAILABLE:

California Parks and recreation can make space available for staging areas, and field posts. Marin County OES may be able to identify a command post.

COMMUNICATIONS PROBLEMS: none known



2-424 - A/E

Thomas Guide Location Latitude N Longitude W 3 7 54 County: Marin AAA - Mill Vall 122 27 USGS Quad: NOAA Chart: Entrance to San Francisco Bay 18649 San Quentin

SITE DESCRIPTION:

Last Page Update: 7/1/2005

Paradise Cay eelgrass bed and Marina lies on the north west side of the Tiburon Peninsula. It is bounded on the north by Paradise Cay Marina and on the south by on the south by Paradise Cove. The shoreline is protected behind Tiburon Peninsula and prograding, and so, has fine grain sand beach and mudflats extending out from shore. There is occasional patchy emergent vegetation along the shore. Eelgrass beds are scattered throughout the site in shallow water beginning at Paradise Cay and near the shoreline for over a mile; eelgrass is subtidal but fronds are commonly on the surface at low water.

SEASONAL and SPECIAL RESOURCE CONCERN

This is a A priority site when eelgrass tops are exposed.

RESOURCES OF PRIMARY CONCERN

Eelgrass beds are most vulnerable during summer months and are most exposed to oil when eelgrass leaves are at the surface and will become oiled.

Brown pelican may forage here when in the Bay.

Herring spawn here in the winter time. Lots of fish species use eelgrass beds as nursary, cover, and forage habitat.

Eelgrass is dominant subtidal plant.

CULTURAL, HISTORIC, and ARCHEOLOGICAL SENSITIVITIES

Contact the California Dept of Parks and Recreation - Office of Historic Preservation (Eric Allison (916) 653-9125), and the Northwest Information Center, (Leigh Jordan, Sonoma State College ((707) 664-0880) for specific information on historic or cultural resources in this area.

KEY CONTACTS: Trustee (T); Entry/Owner/Access (E); Cultural (C); or Other Assistance (O)

Type	Name / Title	Organization	Phone
	Office	Paradise Cay Yacht Harbor	(415) 435-4292
BT	Diane Watters	CA Dept. of Fish & Game	(650) 631-2535

2-424 - A/E Site Strategy - Paradise Cay Eelgrass & Marina

NOAA CHART

Entrance to San Francisco Bay 18649

Latitude N 3 7 54 Longitude W

2-424 - A/F

CONCERNS and ADVICE to RESPONDERS:

Last Page Update: 7/1/2005

Eelgrass has high ecological value and is used by lots of birds and fish. Eelgrass leaves are rough, and unlike most water plants, oil will readily attach. Booming eelgrass will also protect the sandy shoreline.

HAZARDS and RESTRICTIONS:

Shallow throughout. Some obstructions near shore where old docs are in evidence.

SITE STRATEGIES

County and Thomas Guide Location

AAA - Mill Vall Marin

Because this is a low energy area, light boom and few anchors will be necessary to protect the areas. If winds are southerly, heavier or redundant gear will be necessary.

Strategy 2-424.1 Objective: Primary: Assess vulnerability of eelgrass to oil

ACP DATE 7/1/2005

send scientist to assess eelgrass exposure to oil at prevailing tides. Best vehicle is aircraft or skiff.

Strategy 2-424.2 Objective: exclusion around eelgrass nearshore area immediately south of Paradise Cay

ACP DATE 7/1/2005

Use 5,100 ft of boom (4X4+ under calm conditions and 9X9 when there is chop at this protected location) from the southeast corner (jetty) of Paradise Cay Marina to Elcampo to exclude oil from eelgrass and shoreline.

Strategy 2-424.3 Objective: exclude oil from Paradise Cay Marina

ACP DATE 7/1/2005

deploy swamp boom in chevron configuration at each of two enterances.

Table of Response Resources

strategy	harbor	swamp	Other	sorb	An	nchoring	Boom	Skiffs	Skin	nmers	Sp	ecial E	quipment	staff	Staff
number	boom	boom	boom type	boom	no	type and gear	boat	punts	No	Type	No	and	kinds	deploy	tend
2-424.1	0	0	0	0	0		0	0	0		1 a	ircraft o	or skiff	2	
2-424.2		4500		0	6	22#+ danforths	1	1	0					4	
2-424.3	0	500	0	0	6	13#+ anchors	0	1	0		0			2	

LOGISTICS

DIRECTIONS: to site (by land and/or by water, to nearest launch ramp and are access permits required.)

- 1. From the south US 101 NB to the Tiburon Blvd exit toard E. Blithedale. Turn right onto Tiburon Blvd. Turn left onto Trestle Glen Blvd. Turn left onto Paradise Dr. Turn right onto Antilles Way. Turn right onto Martinique and turn right onto Trinidad Dr and follow down to the end.
- 2. From the north US 101 SB to the Tamalpais Dr exit toward Paradise Dr. Turn left onto Tamalpais Dr. Turn right onto San Clemente Dr. San Clemente Dr becomes Paradise Dr. Turn left onto Antilles Way. Turn Left onto Martinique Ave. Turn right onto Trinidad Dr and follow down to the end. Paradise Cay eelgrass bed and Marina lies on the north west side of the Tiburon Peninsula. It is bounded on the north by Paradise Cay Marina and on the south by on the south by Paradise Cove.

LAND ACCESS: Good land access at Paradise Cay Marina

WATER LOGISTICS: Shallow water

Limitations: depth, obstruction


Launching, Loading, Docking Services at Sausalito and Richmond

and Services Available:

FACLITIES, STAGING AREAS, POSSIBLE FIELD POSTS AND EQUIPMENT AVAILABLE:

Stage at Paradise Cay. Boom may be pulled from van onto water. Alternative is Paradise Cove County Park.

COMMUNICATIONS PROBLEMS: none known



Thomas Guide Location Latitude N Longitude W
County: Marin 3 8 56 122 30

USGS Quad: San Quentin NOAA Chart: 18649 Entrance to SF Bay

Last Page Update: 12/15/2005

SITE DESCRIPTION:

The site includes the marshes and mudflats from south of Corte Madera Channel to Paradise Cay Yacht Harbor and the marshes up Corte Madera Creek. The site is a very shallow embayment with a prograding shoreline and an emergent marsh at the back bay. Historically the high marsh had been diked. Those diked marshes are now open to tidal exchange, and the north half is the Corte Madera State Ecological Reserve owned and controlled by the Calif Dept of Fish and Game, Region III. The mudflats in front are very shallow, and there is rarely any significant wave action here. Special Status Species are found here and the site is heavily used by bird species and migratory bird species during the winter.

SEASONAL and SPECIAL RESOURCE CONCERN

Marshes have A-priority at all times. There are Special Status Species present year-round. There is heavy migratory bird use in winter and harbor seal pupping in late spring.

RESOURCES OF PRIMARY CONCERN

There are a number of habitats at risk. These include the prograding shore with emergent marsh, the partially diked pickleweed saltmarsh, the shallow mudflats, the back marshes in the upstream portions of Corte Madera Creek, and some patches of eelgrass near Paradise Cay Harbor.

The marsh and mudflats are heavily used by migratory shorebirds and waterfowl during fall and winter. The marshes are year-round habitat for marsh birds including the endangered California clapper rail.

The endangered saltmarsh harvest mouse is also found here. Harbor seals pup here in late spring and haul out on higher tides.

The rich infauna found here are forage species for both birds and shorebirds.

There are also rare plants thriving here, including Marin knotweed and northcoast soft bird's beak.

CULTURAL, HISTORIC, and ARCHEOLOGICAL SENSITIVITIES

Contact the California Dept of Parks and Recreation - Office of Historic Preservation (Eric Allison -(916) 653-9125), and the Northwest Information Center, (Leigh Jordan, Sonoma State College ((707) 664-0880)) for specific information on historic or cultural resources in this area.

KEY CONTACTS: Trustee (T); Entry/Owner/Access (E); Cultural (C); or Other Assistance (O)

Type	Name / Title	Organization	Phone
	Sarah Allen	US National Park Service, Pt. Reyes (NS)	(415) 464-5187
	Mike Josselyn	NOAA, National Marine Fisheries Service	(415) 454-8868
	Marin County OES (Office	Marin, County of, Sheriff/Office of Emergency Serv	(415) 499-6584
	Barbra Salzman	Audubon Society, Marin County Chapter	(415) 924-6057
	Jim Swanson		
	Len Woolard Asst Emergency Ser Coord	Marin, County of, Sheriff/Office of Emergency Serv	(415) 507-2724

Site Strategy - Corte Madera Marshes 2-425 -A

County and Thomas Guide Location Longitude W NOAA CHART Marin 18649 Entrance to SF Bay 3 8 56 122 30 12/15/2005 Last Page Update:

CONCERNS and ADVICE to RESPONDERS:

The marshes are very sensitive, have sensitive plants and animals, and are almost impossible to clean or rehabilitate. There are additional marshes up Corte Madera Creek. The strategy is to exclude oil from being carried into the back marsh by closing small tidal inlets and excluding oil from the entire site by cascading boom across the entire marshfront landward of the currents and eddies.

HAZARDS and RESTRICTIONS:

There are shallows and obstructions throughout the bay. Local knowledge is important for navigation here.

SITE STRATEGIES

Currents are aggressive across the mouth of the cove but not just back from the mouth. West and southerly margins of the bay are exceedingly shallow and in many areas boat traffic is limited to very shallow draft vessels and only at higher tides.

Strategy 2-425.1 Objective: Exclude oil from entering tidal inlets.

At the marshfront, place boom across the eight tidal sloughs at the margin of the emergent marsh using short lengths of swamp boom (100' 4X4+ Hboom) backed with sorbent and staked inplace.

Strategy 2-425.2 Objective: Exclude oil from entering Creek mouth or provide containment for upstream oil spills

Deploy 650 ft of harbor boom at a diagonal from the green channel marker at Ferry terminal across Corda Madera Creek to channel marker G 17 or at a location providing optimum containment/exclusion

Strategy 2-425.3 Objective: Exclude oil from entering cove mouth, creek, and tidal creeks

To exclude oil from cove, boom across cove (6000' 9X9+ and 1500'4X4+ in 1000' or smaller lengths) from San Quentin Prison shoreline (make arrangements through Marin Co OES) directly south to a dock at a school north of Paradise Cay. Boom may be continuous or keep cascades close together to maintain exclusion (leave trailing ends and tie together or close gaps with boom and sorbent). In the Corte Madera Channel, cascade boom to leave a passage though the boom for boat traffic (ferry traffic).7

Table of Response Resources

strategy	harbor	swamp	Other	sorb	Aı	nchoring	Boom	Skiffs	Skin	nmers	Sp	ecial E	quipment	staff	Staff
number	boom	boom	boom type	boom	no	type and gear	boat	punts	No	Type	No	and	kinds	deploy	tend
2-425.1		900		600	16	16/22+/danforths & chain + stakes	1	1	0		Е	Bboats v	ery shallow & obstructions	6	2
2-425.2	650		0	650	3	1 22#+ & 2/12#+ anchors	1	1	0	() E	Bboats v	ery shallow & obstructions	4	2
2-425.3	6000	1500	0	0	16	16/22+/danforths & chain + stakes	6	1	0	() E	Boats v	ery shallow & obstructions	20	2

LOGISTICS

DIRECTIONS: to site (by land and/or by water, to nearest launch ramp and are access permits required.)

By water the site is just south of Pt. San Quentin and may be accessible via Corte Madera Channel. Nearest land access is from Paradise Drive and Antilles Way (to Paradise Cay Harbor) on the south side, and on Pt. San Quentin Francisco Road (first exit off I-580 west of San Rafael Bridge). The site includes the marshes and mudflats from south of Corte Madera Channel to Paradise Cay Yacht Harbor and the marshes up Corte Madera Creek.

LAND ACCESS: Roadways are paved

WATER LOGISTICS: exceedingly shallow - only very shallow draft boats

Limitations: depth, obstruction

Launching, Loading, Docking Nearest launching is NOAA ramp on Tiburon Peninsula. Morage and fuel at Paradise Cay.

and Services Available: Also launching at Loch Lomond Marina, San Rafael.


FACLITIES, STAGING AREAS, POSSIBLE FIELD POSTS AND EQUIPMENT AVAILABLE:

Best staging at NOAA-NFMS Marin center or Paradise Cay Harbor. Also possible staging at Paradise Cove Park. Facilities are available in Corte Madera, Sausilito, and San Rafael. Zone staging at Richmond.

COMMUNICATIONS PROBLEMS: none known

ADDITIONAL OPERATIONAL COMMENTS:

2-425 -A



2-426 -A

Thomas Guide Location Latitude N Longitude W 3 7 58 122 29

USGS Quad: 7.5" Quad: San Quentin

NOAA Chart: 18649 Entrance to SF Bay

Last Page Update: 1/1/1994

SITE DESCRIPTION:

Marin

County:

This site is San Rafael Creek and the bay margins and mudflats for 1 mile north and south of the channel mouth. The navigation channel connecting San Rafael Marina with San Francisco Bay passes through mud flats and marshes extending about one half mile on each side.

SEASONAL and SPECIAL RESOURCE CONCERN

This is an A priority all year.

RESOURCES OF PRIMARY CONCERN

There are marshes, mudflats, and other habitats present which are habitat for a wide variety of species. The entire area is largely sheltered. The adjacent mudflats are heavily used by migratory shorebirds during the fall and winter.

The area is heavily used by migratory shorebirds during the fall and winter. California clapper rail inhabits this marsh.

The saltmarsh harvest mouse is also found here.

CULTURAL, HISTORIC, and ARCHEOLOGICAL SENSITIVITIES

Contact the California Dept of Parks and Recreation - Office of Historic Preservation (Eric Allison -(916) 653-9125), and the Northwest Information Center, (Leigh Jordan, Sonoma State College ((707) 664-0880)) for specific information on historic or cultural resources in this area.

KEY CONTACTS: Trustee (T); Entry/Owner/Access (E); Cultural (C); or Other Assistance (O)

Type	Name / Title	Organization	Phone	
В	Peter Baye, Ph.D. Coastal Plant Ecologist		(415) 310-5109	
В	J. T. Harvey, Ph.D	Moss Landing Marine Laboratories	(831) 755-8650	
BL	Mike Josselyn	NOAA, National Marine Fisheries Service	(415) 454-8868	
В	Barbra Salzman	Audubon Society, Marin County Chapter	(415) 924-6057	

2-426 - A Site Strategy - San Rafael Creek Marsh

County and Thomas Guide Location NOAA CHART

Marin 18649 Entrance to SF Bay

h 2-426 -A

HART Latitude N Longitude W

tyrance to SE Bay 3.7.58 122.29

Last Page Update:

CONCERNS and ADVICE to RESPONDERS:

The concern is to prevent oil from entering the creek (and oiling upstream marshes and marinas) and to protect the marshes and mudflats on for about a mile on sides of the channel. All this area has wildlife (including endangered species) and would be difficult to clean if oiled. Avoid disturbing marsh vegetation or trampling oil into muds.

HAZARDS and RESTRICTIONS:

Very shallow mud flats out side of channels

SITE STRATEGIES

Strategy 2-426.1 Objective: Exclusion from San Rafael Creek and local harbors

ACP DATE 7/1/2005

122 29 7/1/2005

Exclude oil with harbor boom (1,000 ft) to close off San Rafael Creek Channel mouth and the yacht harbor entrance. Leave a cascaded chevron opening in the channel mouths to allow vessel passage but still exclude oil.

If heavy oil threat is theatening, contact IC for deployment of on-water recovery should be conducted with a skimmer (weir) near the mouth of the creek and in front of the mud flats north of the yacht harbor.

Strategy 2-426.2 Objective: Shoreline protection when marshy margins are threatened by severe oiling - north and south of creek mouth.

deploy 6,900 ft of harbor boom (2500 south of the channel the remainder to the north) to protect the mudflats and marshfront. Use swamp boom (Appox. 600 ft) to connect the harbor boom to the shoreline across shallow mudflats.

Table of Response Resources

strategy number	_		Other boom type	sorb boom	And	choring type and gear	Boom boat	-	Skim No	mers Type	Sp No	ecial E	quipment kinds		staff deploy	Staff tend
2-426.1	3000	DOOM	boom type	boom	8	8/22+/danforths & stakes	1	1	110	Турс				oom boats.	5	toria
2-426.2	6900	600			8	8/22+/danforths & stakes	3	2			١	ery Sha	allow draft b	oom boats.	12	

LOGISTICS

DIRECTIONS: to site (by land and/or by water, to nearest launch ramp and are access permits required.)

From the Richmond-San Rafael Bridge, take Highway 101 north to the San Rafael Marina. Also, Loch Lomond Marina may be used as staging and deployment area: Exit Hwy 101 at 3rd St. and proceed east. 3rd becomes Pt San Pedro Rd. This site is San Rafael Creek and the bay margins and mudflats for 1 mile north and south of the channel mouth.

LAND ACCESS: some portions only foot; paved roads
WATER LOGISTICS: extremely shallow water out of channels


Limitations: depth, obstruction

Launching, Loading, Docking launching, fuel, moorage at Loch Lomond Marina. More services up San Rafael Creek and Services Available:

FACLITIES, STAGING AREAS, POSSIBLE FIELD POSTS AND EQUIPMENT AVAILABLE:

All manner of facilities in San Rafael Creek marinas. Staging at Loch Lomond Marina. The San Rafael Rock Quarry can be used for a helicopter pad.

COMMUNICATIONS PROBLEMS: none known



Thomas Guide Location Latitude N Longitude W 3 7 58 122 28

NOAA Chart: 18649 Entrance to SF Bay

USGS Quad: San Quentin Last Page Update: 1/1/2000

SITE DESCRIPTION:

Marin

County:

This site includes both of Marine Islands and the surrounding waters of San Rafael Bay. This site is one of the most ecologically important and sensitive sites in the San Francisco Bay. These islands support one of the largest heron rookeries in northern California. It is the rookery for the herons and egrets of San Francisco Bay. Each island is less than one quarter mile in diameter and covered with trees. The Ciconiformes nest here, fledge their offspring, and roost in the evenings. The islands rise steeply and are cliffy. The surrounding shores are gravel, cobble, and boulder. The islands are owned by the US Fish and Wildlife Service and maintained as a wildlife preserve. The narrow channel is located south of the islands, provides access to San Rafael / San Rafael Creek boat traffic.

SEASONAL and SPECIAL RESOURCE CONCERN

The site is an A priority throughout the year due to the singular use of this site by herons in the S.F. Bay area.

RESOURCES OF PRIMARY CONCERN

These islands support one of the largest heron rookeries in northern California. The habitat risk is linked to this breeding - roosting habitat for herons and other birds. Although there are many ecological values to shore lines, the rocky, gravely shoreline here is of greatest concern as rearing habitat for fledglings.

This is the nesting and roosting site for great egret, black crowned night heron, great blue heron and snowy egrets in the SF Bay area. Black oystercatchers, western gull, mallard ducks and Canada geese have also nested here.

CULTURAL. HISTORIC. and ARCHEOLOGICAL SENSITIVITIES

Contact the California Dept of Parks and Recreation - Office of Historic Preservation (Eric Allison -(916) 653-9125), and the Northwest Information Center, (Leigh Jordan, Sonoma State College ((707) 664-0880)) for specific information on historic or cultural resources in this area.

KEY CONTACTS: Trustee (T); Entry/Owner/Access (E); Cultural (C); or Other Assistance (O)

ıype	Name / Title	Organization	Phone	
В	Barbra Salzman	Audubon Society, Marin County Chapter	(415) 924-6057	
BT	Jean Takakawa	US Fish & Wildlife Service, SF Bay (NWR)	(510) 792-0222	
TB	John Takekawa	US Geological Survey, SF Bay Estuary Field Station	(707) 562-2000	

Site Strategy - Marin Islands 2-427 -A

County and Thomas Guide Location NOAA CHART Marin 18649 Entrance to SF Bay

3 7 58

Longitude W

122 28

Last Page Update: **CONCERNS and ADVICE to RESPONDERS:**

This site is one of the most ecologically important and sensitive sites in the San Francisco Bay. These islands support one of the largest heron rookeries in northern California. Although oil can't reach the nest sites, the disturbance of protection and cleanup could be devastating. For this reason, deploy strategy with as little disturbance and noise as practical and do not get on the islands without explicit instructions from ICS and accompanying USFWS staff.

HAZARDS and RESTRICTIONS:

This is a shallow water site. There are submerged rocks.

SITE STRATEGIES

Strategy 2-427.1 Objective: Deflect oil past islands with chevron at east end.

ACP DATE 1/1/2000

Deploy a deflection chevron close to the east tip of East Marin Island: 3000' 9X9+ Harbor boom (curtin boom). Deploy as close to east tip as practical. Anchor with suitable anchors for wind and wave conditions.

Strategy 2-427.2 Objective: protective enclosure booming of both islands in the event of heavy oil threat.

ACP DATE 1/1/2000

Wrap both islands completely by linking to existing chevron (see 2-427.1) Secure boom to chevron legs at least 100' back from tips and surround islands (4000' 9X9+).

Table of Response Resources

strategy	harbor	swamp	Other	sorb	Ancho	ring	Boom	Skiffs	Skim	nmers	Sp	ecial E	quipment	staff	Staff
number	boom	boom	boom type	boom	no	type and gear	boat	punts	No	Type	No	and	kinds	deploy	tend
2-427.1	3000				7	7/22+/danforths + chain.	3	0						9	
2-427.2	4000				7	7/22+/danforths + chain	4	0						12	

LOGISTICS

DIRECTIONS: to site (by land and/or by water, to nearest launch ramp and are access permits required.)

There is no land access to this site: water access only. The islands are northwest from the San Rafael Bridge. The islands are just north of the channel from the San Rafael Creek and about one half mile offshore of the Marin Peninsula. This site includes both of Marine Islands and the surrounding waters of San Rafael Bay.

LAND ACCESS: Site only accessible from boat.

WATER LOGISTICS: Mud flats, rocks and shallow water surround these islands.

Limitations: depth, obstruction


Launching, Loading, Docking Nearest launch is Loch Lomond Marina at 110 Loch Lomond Drive. Numerous marinas &

facilities etc. are located in San Rafael. and Services Available:

FACLITIES, STAGING AREAS, POSSIBLE FIELD POSTS AND EQUIPMENT AVAILABLE:

The staging site will depend on the spill scenario. Numerous marinas can be used as staging areas and boat launch sites is San Rafael. The Richmond Marina / Santa Fe Channel is a major staging and field post site.

COMMUNICATIONS PROBLEMS: none known



2-451 -A

Last Page Update: 7/1/2005

Thomas Guide Location Latitude N Longitude W 3 7 50 122 24

USGS Quad: NOAA Chart: 18649 Entrance to SF Bay San Quentin

SITE DESCRIPTION:

Contra Costa

County:

Castro Rocks is a small group of rock islands located near the east end of the Richmond-San Rafael Bridge, and just north of the Chevron Long Wharf. Their exposure is variable with the tide annual tidal cycle. During higher tides and rough conditions, the islands are exposed to aggressive wave action. This is a harbor seal rookery during the spring when the tide is less than 3 feet above mean lower low water: 30 to 60 seals use the site. 100 to 250 seals haul out at this site during the winter.

SEASONAL and SPECIAL RESOURCE CONCERN

This is an A priority during the harbor seal breeding season from 15 March to 10 June and a B priority for the remainder of the year.

RESOURCES OF PRIMARY CONCERN

This rocky exposure has intertidal biota but the prime habitat sensitivity at this site is related to harbor seal and bird use.

This is a site which is used heavily by birds, including pelicans and cormorants, for loafing.

This is a harbor seal rookery during the spring when 30 to 60 seals use the site during the period when the tide is less than 3 feet above mean lower low water. 100 to 250 seals haul out at this site during the winter.

CULTURAL, HISTORIC, and ARCHEOLOGICAL SENSITIVITIES

Contact the California Dept of Parks and Recreation - Office of Historic Preservation (Eric Allison -(916) 653-9125), and the Northwest Information Center, (Leigh Jordan, Sonoma State College ((707) 664-0880)) for specific information on historic or cultural resources in this area.

KEY CONTACTS: Trustee (T); Entry/Owner/Access (E); Cultural (C); or Other Assistance (O)

Type	Name / Title	Organization	Phone
	Sarah Allen	US National Park Service, Pt. Reyes (NS)	(415) 464-5187
	Chevron Long Wharf	Chevron Corp., Operations Control Room (24hrs.)	(510) 242-4494

2-451 -A

Last Page Update:

County and Thomas Guide Location Longitude W NOAA CHART **Contra Costa** 18649 Entrance to SF Bay 3 7 50 122 24 9/15/2005

CONCERNS and ADVICE to RESPONDERS:

The concern is that these rocks will be come oiled and, in turn, will oil the harbor seals and birds which use them. This is particularly a problem in the spring when harbor seals pup here. During that time, responders must make every effort stay as clear as possible of the islands to minimize disturbance of adults and their pups.

HAZARDS and RESTRICTIONS:

There are submerged rocks near Casto Rocks.

SITE STRATEGIES

Stite protection is an exclusion; with booms in a NI-S disarround. Depending on the path of oil, only two jot the sides need bod depolyed during most tidal cycles. West side of rocks is hard bottom and requires rock anchors and boom deployed on the 40 foot contours with 250 ft of scope. North, south, & east sides are soft mud and require mud anchors. Bridge piers may be good anchoring points. The strong currents coupled with the submerged rocks in the area are formidable aspects of deployment here.

Strategy 2-451.1 Objective: Deflection/exclusion of oil from west or southwest in ebb or flood deploy protection legs 1 (SW) and 2 (NW)

Deploy deflection boom in a wide angle wedge configuration on the west side of the rocks (legs 1 & 2 of a protective diamond around the rocks). Assess need for back-up deployment if waves are washing oil over the boom requiring backup 2-451.4

Strategy 2-451.2 Objective: Deflection/protection boom for oil from south and southeast on flood currents in a chevron on the north side of the rocks - deploy protection leas 1 and 3

Complete a south-side chevron to deflect oil past site by deploying protection legs1 and 3 as follows: Deploy the south legs of the chevron first (legs 1 & 3 of the deflection diamond) using 6000' 9X9+ hboom. Optimally deployment should be made before flood due to difficult boat operations in flood current. Advise IC/UC if waves are washing oil over the boom necessitating back-up booming.

Strategy 2-451.3 Objective: Deflection/exclusion for oil from north or northwest on ebb in a chevron on the north side of the rocks - protection legs 2 (NW) and 4(NE)

ACP DATE 1/1/2000

ACP DATE

7/1/2005

Complete a north-side chevron to deflect oil past site by deploying protection legs 2 and 4 as follows: Leg 2: Deploy a total of 1500 ft: 1000 ft 9X9+ boom from the bridge pier to the north and 500 ft from the bridge pier south to terminate west of the rocks on the 40 ft depth contour. The north end of leg 2 should be a little west of center of rocks. Leg 4 is 1500' 9X9+ Hboom from the north apex of leg 2 to the east side of Castro Rocks. Advise IC/UC if waves are washing oil over the boom necessitating back-up booming.

Strategy 2-451.4 Objective: Confine/deflect oil to shore for collection after completion of protection strategy

ACP DATE 1/1/2000

If the source of the spill is between the rocks and shore, divert oil to shoreline for confinement and collection after excuting appropriate protection:

from boom already deployed to protect easterly exposure of the rocks, deploy 2300 feet of 9X9+ boom to the sandy pocket beach near the bridge which can be used as an oil recovery area. Beware of submerged debris of the beach; rip rap is on either side as well. (strategy not shown in diagram.) Anchoring will require chain and scope to keep boom from moving.

Strategy 2-451.5 Objective: Backup secondary boom when oil overwhelms initial protection strategy

ACP DATE 7/1/2005

deploy a second layer of 4X4+(6000') inside of the overwashing leg and arrange for absorption (600' of sorbents and snare).

Table of Response Resources

	<u> </u>	<u> </u>	<u> </u>	<u></u>												
strategy	harbor	swamp	Other	sorb	Aı	nchoring	Boom	Skiffs	Ski	immers	s	pecial	Equipment		staff	Staff
number	boom	boom	boom type	boom	no	type and gear	boat	punts	No	Туре	No	and	kinds		deploy	tend
2-451.1	3000				10	5/40+/northhill, & 5/22+/Danforth	3	0				maneuv	erable Bboats & 15	00' line	11	
2-451.2	6000				9	5/40+/northhill, & 4/22+/Danforth	3	1				maneuv	erable Bboats & 15	00' line	11	2
2-451.3	3000	2500			15	5/40+/northhill, & 10/22+/Danforth	3	1				maneuv	erable Bboats & 15	00' line	11	2
2-451.4	2300				6	22#+ daforth with heavy chain	3	1							11	
2-451.5	0	6000	600 OS	0	6	22#+ anchors	2	1	0		0				8	

LOGISTICS

DIRECTIONS: to site (by land and/or by water, to nearest launch ramp and are access permits required.)

Access is by boat only to this small group of rock islands located near the east end of the Richmond-San Rafael Bridge. The nearest launching sites are Richmond Harbor and Tiburon Center for Environmental Studies in Marin County. The site is visible from the platform on pier 55 or from the lower deck of the Richmond-San Rafael Bridge (Call Cal Trans Towing ACP 2 - SF Bay & Delta GRA4 9844.1 -38 October 1, 2008

Service). Castro Rocks is a small group of rock islands located near the east end of the Richmond-San Rafael Bridge, and just north of the Chevron Long Wharf.

LAND ACCESS: Accessible only by boat

WATER LOGISTICS: There are submerged rocks around this site

Limitations: depth, obstruction


Launching, Loading, Docking The nearest launching sites are Richmond Harbor and Tiburon Center for Environmental

and Services Available: Studies in Marin County.

FACLITIES, STAGING AREAS, POSSIBLE FIELD POSTS AND EQUIPMENT AVAILABLE:

Nearest staging, facilities, and field outposts are at Richmond Marina and Santa Fe Channel. Staging and fuel may be available at refinery.

COMMUNICATIONS PROBLEMS: none known



2-452 -A

Last Page Update: 10/1/2005

Thomas Guide Location Latitude N Longitude W County: 03 7 58 **Contra Costa** AAA Richmond 122 24 USGS Quad: San Quentin

NOAA Chart: Entrance to San Francisco Bay 18649

SITE DESCRIPTION:

This site includes all shallow (<10 feet), soft bottom, areas along the east shore of San Francisco Bay from Pt. San Pablo south along the Richmond Peninsula to Pt. Richmond. The Richmond - San Rafael Bridge (highway 580) bisects the site. Most of the shoreline is in ownership of Chevron, EBRP, and Richmond. Extensive eelgrass beds are present in shallow (<10 feet) nearshore areas from Pt. San Pablo south along the Richmond Peninsula to Pt. Richmond. Six rocky headlands separate five beaches along this shoreline. The beaches south of Point Molate are of fine grained sand while those to the north are of coarse sand to pebbles and shell. Numerous pilings and pier structures exist and should be used as anchoring points for the boom.

SEASONAL and SPECIAL RESOURCE CONCERN

The eelgrass beds are most vulnerable at low tide. Waterfowl are most abundant from early fall through early spring.

RESOURCES OF PRIMARY CONCERN

This is an A priority all year. The eelgrass beds are most vulnerable to oil during the growing season of spring and summer when the leaves lay on the surface, especially at low tide. Eelgrass beds are an extremely valuable habitat in San Francisco Bay for spawning of herring in the winter, food for waterfowl in spring, and as nursery areas to fish and invertebrates throughout summer and fall.

Various species of waterfowl can be found at this site in the spring time. Large numbers of waterfowl use the coves during winter migration.

Herring have a history of spawning at this site in the winter time.

There are extensive eelgrass beds in each of the coves. Some of the beds are so shallow that some plants are totally exposed during some low tides. Location and size of eelgrass beds along the Richmond Peninsula is noted in a 1989 National Marine Fisheries Service Report.

CULTURAL, HISTORIC, and ARCHEOLOGICAL SENSITIVITIES

Ohlone cultural sites may be nearby, and there are historical buildings on the former Point Molate US Naval Fuel Depot. The entire shoreline was intensively used at one time or another, and a chinese fishing village was one of the uses.

KEY CONTACTS: Trustee (T); Entry/Owner/Access (E); Cultural (C); or Other Assistance (O)

Туре	Name / Title	Organization	Phone
EL	Chevron Long Wharf	Chevron Corp., Operations Control Room (24hrs.)	(510) 242-4494
	Joseph Didonato Stewardship Manager	East Bay Regional Park District	(510) 544-2346
EL	Dispatch/Watch Command	Richmond, City of, Police Department	(510) 620-6643
	EBRP Dispatch EBRP	East Bay Regional Park District	(510) 881-1833
C	Leigh Jordan	Northwest Historical Resources Information Center	(707) 664-0880
	Mark Ragatz Shoreline Parks Manager	East Bay Regional Park District	(510) 715-7784
	Kevin Takei Park Supervisor	East Bay Regional Park District	(510) 235-1631
BT	Diane Watters	CA Dept. of Fish & Game	(650) 631-2535
EL	Tom Wilson	Port of Richmond	(510) 215-4605

Site Strategy - Richmond Eelgrass Beds 2-452 -A

County and Thomas Guide Location **AAA Richmond Contra Costa**

Entrance to San Francisco Bay 18649

03 7 58

Longitude W 122 24

2-452 -A

9/15/2005 Last Page Update:

CONCERNS and ADVICE to RESPONDERS:

Should eelgrass become heavily oiled it may produce a sheen for several weeks unless removed. Surface oil can be expected to produce injury and death to waterfowl in area.

HAZARDS and RESTRICTIONS:

Hazards include shallow water with debris, wrecks, and pilings throughout the area. Areas near Pt. Molate and Castro Pt. are inside a restricted area with access under the control of Richmond PD.

SITE STRATEGIES

Strategy 2-452.1 Objective: Exclude oil from pocket marsh at Castro Pt.

ACP DATE 7/1/2005

Exclude oil from small pocket marsh just north of Castro Pt using 300' of swamp boom anchored or staked to high beach. There is land access but boom delivery via land is difficult. Water delivery is recommended but must contend with submerged obstructions and shallows.

Strategy 2-452.2 Objective: exclude oil from emergent eelgrass bed in coves between Molate Pt and Pt Orient.

ACP DATE 7/1/2005

Deploy 2500 feet of harbor boom from just east of Pt Molate across the mouth of both coves to north.

Strategy 2-452.3 Objective: Deflect to Collection/confinement at shoreline when oil impacts are likely to be heavy and unavoidable at this site

ACP DATE 7/1/2005

Deploy deflection boom from headlands where there is access for oil recovery equipment and skimming recovery. Locations include:

- a. near Castro Point, 1,500' boom from base of Richmond-San Rafael Bridge toward Castro Rocks.
- c. from Point Molate. 2.000' boom in a southwesterly direction to collect and recover oil at Pt. Molate.
- c. from Point Orient, 1000 feet of boom.

Table of Response Resources

strategy	harbor	swamp	Other	sorb	An	nchoring	Boom	Skiffs	Skim	nmers	Spe	ecial E	quipment	staff	Staff
number	boom	boom	boom type	boom	no	type and gear	boat	punts	No	Type	No	and	kinds	deploy	tend
2-452.1	0	300			2	stakes or anchors	0	1						2	
2-452.2	2500				6	22#+ with chain	2	1						6	
2-452.3	4500	500			22	22#+ w/ 10' 1" chain	3	2	3 SS	S	2,	500' 1/2	2" anchor line	11	

LOGISTICS

DIRECTIONS: to site (by land and/or by water, to nearest launch ramp and are access permits required.)

Primary access by vessel. By land take Hwy 80 to Hwy 580 west. Before toll booth of the Richmond-San Rafael bridge turn right onto Western Drive. Proceed to beach areas. To access from Hwy 580 eastbound take Cutting Blvd to Garrard Blvd. South, through tunnel to Western Drive and shoreline. This site includes all shallow (<10 feet), soft bottom, areas along the east shore of San Francisco Bay from Pt. San Pablo south along the Richmond Peninsula to Pt. Richmond. The Richmond - San Rafael Bridge (highway 580) bisects the site. Most of the shoreline is in ownership of Chevron, EBRP, and Richmond.

LAND ACCESS: Good access for all vehicles along the main road (Western Drive).

WATER LOGISTICS: This is a shallow water site

Limitations: depth, obstruction

Launching, Loading, Docking


Launch ramps are available in the Richmond Harbor and at Chevron Refinery, docking facilities are available at the Pt. San Pablo Yacht Harbor (located NW of Pt Orient) and and Services Available:

Richmond Marina.

FACLITIES, STAGING AREAS, POSSIBLE FIELD POSTS AND EQUIPMENT AVAILABLE:

Numerous staging areas and locations for field posts exist along Western Drive, at the Chevron Long Wharf and in Richmond harbor and marina.

COMMUNICATIONS PROBLEMS: none known



Last Page Update: 9/15/2005

Thomas Guide Location Latitude N Longitude W 3 7 54 122 21.5' County: **Contra Costa** AAA Richmond USGS Quad: Ricnmond

NOAA Chart: Entrance to San Francisco Bay 18649

SITE DESCRIPTION:

Brook's Island lies south of the Richmond Channel and at the west side of the Richmond Inner Harbor and includes the spit but not the rocky channel breakwater. It is the property of East Bay Regional Parks and no trespassing is permitted at any time because of the extreme ecologic sensitivity. This small' rocky island, 400 X 1,700 yards, consists of about 160 acres of rocky upland rising to a maximum elevation of 163 ft. Most shorelines of the island are mixed sand and gravel. A 2,300 yard long breakwater is attached to the west end of the island with a shipping channel along its north side. There is a small, 35 acre, seasonal wetland near where the breakwater connects to the island. The wetland is protected on the north by the breakwater and a sandy beach. Sand beaches and dunes have accumulated at several points along the breakwater. To the south the marsh is open to San Francisco Bay. There are tidal flats to the north, east, and south of Brook's Island and the breakwater. Eelgrass beds are present in shallow water (less than 6 feet below MLLW) south of the breakwater.

SEASONAL and SPECIAL RESOURCE CONCERN

"A" priority all year. The marsh is sensitive to oiling year round, and the eelgrass beds are most sensitive to oil during the growing season of spring and summer when the leaves lay on the surface, especially at low tide. Site is especially sensitive March through June when multiple ground nesting species are breeding.

RESOURCES OF PRIMARY CONCERN

The wetland is sensitive year-around; the eelgrass beds are most sensitive to oil during he growing season of spring and summer when the leaves lay on the surface, especially at low tide. Harbor seals use the island as a haul-out site, and some birds are present throughout the year.

Several species are of special interest; the Snowy Egret, Black-crowned Night Heron, and Caspian Tern inhabit the marsh and waters surrounding the island. Terns and shorebirds nest here in large numbers.

Harbor seals haul out on the island.

A rich community of invertebrates inhabit the sand and gravel beaches of the island and the tidal flats.

There is a 35 acre wetland on the island. The eelgrass beds are an extremely valuable habitat for spawning herring in the winter and as a nursery area for fish and invertebrates throughout the summer and fall. The eelgrass beds are an extremely valuable food source for waterfowl in the spring.

CULTURAL, HISTORIC, and ARCHEOLOGICAL SENSITIVITIES

There are cultural and historic resources at this site. Contact Rick Parmer (EBRPD) (510) 544-2551 for cultural/historic resources at this site. Also, contact the California Dept of Parks and Recreation - Office of Historic Preservation (Eric Allison (916) 653-9125), and the Northwest Information Center, (Leigh Jordan, Sonoma State College ((707) 664-0880) for specific information on historic or cultural resources in this area.

KEY CONTACTS: Trustee (T); Entry/Owner/Access (E); Cultural (C); or Other Assistance (O)

Type	Name / Title	Organization	Phone
C	Chevron Long Wharf	Chevron Corp., Operations Control Room (24hrs.)	(510) 242-4494
	Joseph Didonato Stewardship Manager	East Bay Regional Park District	(510) 544-2346
	EBRP Dispatch EBRP	East Bay Regional Park District	(510) 881-1833
В	Niall F. McCarten, Ph.D.	Jones & Stokes Associates, Inc.	(916) 737-3000
	Port of Richmond	Port of Richmond	(510) 215-4600
	Mark Ragatz Shoreline Parks Manager	East Bay Regional Park District	(510) 715-7784
	Kevin Takei Park Supervisor	East Bay Regional Park District	(510) 235-1631
L	Tom Wilson	Port of Richmond	(510) 215-4605

Site Strategy - Brook's Island 2-453 -A

County and Thomas Guide Location

NOAA CHART

Longitude W

2-453 -A

CONCERNS and ADVICE to RESPONDERS:

Entrance to San Francisco Bay 18649 3 7 54 122 21.5' 9/15/2005 Last Page Update:

This site has heavy bird nesting activity which is concentrated on the spit. No foot traffic is permitted on the Island except with biologist supervising. Even activity nearby can be destructive to nesting success. There are marshy areas at the northwest corner of the island and along north margin of the spit.

HAZARDS and RESTRICTIONS:

AAA Richmond Contra Costa

Shallow water, debris, and pilings may be present throughout area south and east of island and breakwater. No foot traffic on shore without first notifing East Bay Regional Park District.

SITE STRATEGIES

Waters are shallow on both sides but workable. Response staff should stay off and away from shores except to anchor to shoreline. There are rocks at north tip of Island.

Strategy 2-453.1 Objective: PRIMARY: Exclusion Booming on south side of spit: exclude oil from high marsh and break in spit

On the south of the Brooks Island spit (on west end),

a. deploy 1800 ft of Harbor boom across the cove at the northern corner between the spit and the main island mass. Boom should be anchored on shore, but foot traffic must be kept to absolute minimum to avoid disturbing ground nesting birds and marsh life. Probably only minimal mid-boom anchoring will be necessary.

b. exclude oil from break in spit. Deploy 500 ft harbor boom in chevron (flattened). Anchor on shore with minimal foot traffic.

Strategy 2-453.2 Objective: North shore exclusion for north-side threat to shoreline, jetty breech, marsh entry (Sante Fe Channel and Richmond Channel side & threat sources)

On the north of the Brooks Island spit (on west end), deploy 3200 ft of swamp boom from the rocky point at northeast tip to west of the jetty breech. Probably only minimal mid-boom anchoring will be necessary. For the opening to the interior marsh, a small length of boom may be staked across the shallow entry in a chevron formation.

Table of Response Resources

strategy	harbor	swamp	Other	sorb	-	Anchoring	Boom	Skiffs	Skin	nmers		Special	Equipment or comment	staff	Staff
number	boom	boom	boom type	boom	no	type and gear	boat	punts	No	Type	No	and	kinds	deploy	tend
2-453.1	2300	0	0	0	7	22#+ danforths	1	1	0		0			4	
2-453.2	0	3200	0	0	8	5/22#+ danforths+ 3 stakes	1	1	0		0			4	

LOGISTICS

DIRECTIONS: to site (by land and/or by water, to nearest launch ramp and are access permits required.)

Access by vessel only. Launch at Richmond Marina. Island is managed by East Bay Regional Park District and all activity on or near the island must be coordinated with them. Brook's Island lies south of the Richmond Channel and at the west side of the Richmond Inner Harbor and includes the spit but not the rocky channel breakwater. It is the property of East Bay Regional Parks and no trespassing is permitted at any time because of the extreme ecologic sensitivity.

LAND ACCESS: none

WATER LOGISTICS: Very shallow water

Limitations: depth. obstruction

Launching, Loading, Docking


Launch ramp at Richmond Marina

and Services Available:

FACLITIES, STAGING AREAS, POSSIBLE FIELD POSTS AND EQUIPMENT AVAILABLE:

Large staging area available at MSRC in Richmond Harbor or at the Richmond Marina. Possible field posts at any of the several marine terminals along Santa Fe channel in Richmond Harbor.

COMMUNICATIONS PROBLEMS: none known



2-454 -A Site Summary- Richmond Inner Harbor/Hoffman Marsh

2-454 -A

Last Page Update: 7/1/2005

Thomas Guide Location Latitude N Longitude W 37 54.5 County: **Contra Costa** AAA Richmond 122 20 USGS Quad: Richmond

NOAA Chart: Entrance to San Francisco Bay 18649

SITE DESCRIPTION:

This site lies near the southern boundary of the city of Richmond and is bounded on the north by the residential / business area east of the Richmond Marina, on the east by Highway 580, on the south by Central Ave and on the west by Brooks Island (no tresspassing is permitted on Brooks Island). Hoffman Marsh and most of the land bayward is owned by East Bay Regional Parks (Pt. Isabel Regional Park). This shallow bay surrounded by marshes is biologically rich and very vulnerable to oiling. Most of the marshes are tidally influenced and support pickleweed and other salt marsh vegetation. Hoffman Marsh is separated from the bay by an old railroad grade and is connected to the Bay by a narrow channel, lined with rip rap, which opens to the Bay at Point Isabel. The Inner Harbor marshes are protected by approximately two miles of rip rap, with two openings to the Richmond Inner Harbor, each about a 300 yards across. There are extensive intertidal mudflat and shallows both in front and behind the riprap.

SEASONAL and SPECIAL RESOURCE CONCERN

"A" Priority all year

RESOURCES OF PRIMARY CONCERN

There are three major habitats at risk: the Hoffman and other surronding marshes, the protected surface waters are resting habitat for birds, and extensive mudflats and shallow waters are important foraging areas for shorebirds, migratory waterfowl, and fish.

The California clapper rail and migratory waterfowl are at risk here. Large concentrations of migratory waterfowl and waterbirds use the protected waters of Richmond Inner Harbor during the wintering period. The endangered California clapper rail lives and nests in the marshes.

Saltmarsh harvest mouse inhabits saltmarshes such as Hoffman.

There is an eelgrass bed at the northerly mouth of the marsh just south of the breakwater.

CULTURAL, HISTORIC, and ARCHEOLOGICAL SENSITIVITIES

Contact the California Dept of Parks and Recreation - Office of Historic Preservation (Eric Allison (916) 653-9125), and the Northwest Information Center, (Leigh Jordan, Sonoma State College ((707) 664-0880) for specific information on historic or cultural resources in this area.

KEY CONTACTS: Trustee (T); Entry/Owner/Access (E); Cultural (C); or Other Assistance (O)

Type	Name / Title	Organization	Phone	
	Joseph Didonato Stewardship Manager	East Bay Regional Park District	(510) 544-2346	
	EBRP Dispatch EBRP	East Bay Regional Park District	(510) 881-1833	
	Mark Ragatz Shoreline Parks Manager	East Bay Regional Park District	(510) 715-7784	
	Kevin Takei Park Supervisor	East Bay Regional Park District	(510) 235-1631	
	Dee Tilson	East Bay Regional Park District	(510) 233-8051	

2-454 - A Site Strategy - Richmond Inner Harbor/Hoffman Marsh

County and Thomas Guide Location

AAA Richmond Contra Costa

NOAA CHART
Entrance to San Francisco Bay 18649

Latitude N Longitude W 37 54.5 122 20

Last Page Update: 7/1/2005

CONCERNS and ADVICE to RESPONDERS:

Should oil enter the marsh, injury and death of vegetation and wildlife can be expected. Keep oil from entering the channels and embayments. Endangered species live in the marshes year-round and may be injured by foot traffic. Oil is also a threat to the many birds which use the open water. Avoid tramping oil into marsh and sediments. Most of the property belongs to East Bay Regional Parks.

HAZARDS and RESTRICTIONS:

Navigational hazards include shallow water, a submerged pipeline and debris. The bottom type is soft mud.

SITE STRATEGIES

Strategy 2-454.1 Objective: Exclude oil from marsh entry channels

ACP DATE 7/1/2005

Exclude oil from two major enterances to the marshes and embayments:

- a) the southerly enterance is at Pt Isabel Regional Park (Central Avenue off of I-580) and includes two channel openings: first, a long narrow channel which leads about 2000 feet back to a marsh behind the railroad grade (Hoffman Marsh) and second, an opening to a large shallow embayment at the bayfront between the riprap shoreline (north of the channel to Hoffman Marsh) to a riprap breakwater about 100 yds offshore; (Use 1000 feet of 9X9+ exclusion boom from Pt Isabel to the breakwater tip in a shallow chevron formation, and back the harbor boom with 1100 ft of small boom; also, place a small chevron of boom backed with sorbent at the mouth of the long channel.)
- b) the northerly enterance is a wide gap in an east-west riprap levee at the north end of the embayment; (Exclude oil with 1100 ft 9X9+ harbor boom in a long chevron formation.)
- c) there may also be small breeches in the riprap levees which are not show on maps or strategy diagrams. Deployboom in chevron formation at such openings (no diagram shown).

Strategy 2-454.2 Objective: protection for splash-over or porous breakwater

ACP DATE

Breakwater can be topped by waves at high tide. Strategy may require boom on either side to prevent seepage through or splash over the breakwater when large concentrations of oil are present.

Strategy 2-454.3 Objective: Protection booming

ACP DATE

If it appears that the initial response strategy will be unsuccessful, it is recommended that 5000 feet of harbor boom be deployed along the outer edge of the mud flat outside the breakwater in the northeast corner of Richmond Inner Harbor. An example of this strategy is described in "Potential Oil-Spill Protection Strategies for San Francisco Bay, California (Hayes and Montello, 1994)

Table of Response Resources

Table of Response Resources															
strategy	harbor	swamp	Other	sorb	An	Anchoring		Skiffs	Skir	nmers	Sp	ecial E	quipment	staff	Staff
number	boom	boom	boom type	boom	no	type and gear	boat	punts	No	Type	No	and	kinds	deploy	tend
2-454.1	2500	1100		200	8	6-8 25# danforth, 15' 1/2 chain	2	2	1		S	Shallow	draft boom boat.	8	
2-454.2	0	0	0	0	0		0	0	0		0				
2-454.3	5000	0	0	0	11	22# danforth, 15' 1/2 chain	3	1	0		0 v	erv shal	low water boom boats	12	

LOGISTICS

DIRECTIONS: to site (by land and/or by water, to nearest launch ramp and are access permits required.)

From Coast Guard Island, take Highway 80 north and exit at Central Avenue. Turn left and proceed to the rear of the Costco Warehouse. If necessary, small boats can be launched over the beach from Point Isabel, but the nearest marina with a launch ramp is Richmond just to the north. Vehicles may also access the area through Point Isabel Regional Park Shoreline. Turn right on Rydin from Central Ave. Contact East Bay Regional Park Dist. For access through locked gate. This site lies near the southern boundary of the city of Richmond and is bounded on the north by the residential / business area east of the Richmond Marina, on the east by Highway 580, on the south by Central Ave and on the west by Brooks Island (no tresspassing is permitted on Brooks Island). Hoffman Marsh and most of the land bayward is owned by East Bay Regional Parks (Pt. Isabel Regional Park).

LAND ACCESS: Good vehicle access
WATER LOGISTICS: very shallow water

Limitations: depth, obstruction


Launching, Loading, Docking Richmond Marina, and Berkeley Marina

and Services Available:

FACLITIES, STAGING AREAS, POSSIBLE FIELD POSTS AND EQUIPMENT AVAILABLE:

Good staging and field post space at Richmond harbor and marina and MSRC Docks. Limited staging and field post opportunities at Point Isabel Regional Shoreline.

COMMUNICATIONS PROBLEMS: none known



Last Page Update: 1/1/2000

Thomas Guide Location Latitude N Longitude W 37 55' County: 122 22 Contra Costa AAA West Contra USGS Quad:

NOAA Chart: S Francisco Bay-Angel I - P S Pedro

SITE DESCRIPTION:

Richmond

The Santa Fe Channel is the main shipping channel of Richmond Harbor. It lies south of Cutting Blvd and highway 580 between Pt. Richmond and the city of Richmond and Richmond Marina Bay. Santa Fe Channel is a shipping channel. The shorelines are of man made materials, riprap, pier pilings, and seawalls. There are small patches of mixed sand and gravel beaches and wetland vegetation. Currents are generally weak, less than 1 knot. The waters of the channel are generally protected from strong wind and seas larger than a few inches are generally absent.

SEASONAL and SPECIAL RESOURCE CONCERN

This is an industrial area with high risk of spills. It is an excellent site to collect, contain, and recover oil. Oil that escapes this area will present a greater threat to highly sensitive areas nearby.

RESOURCES OF PRIMARY CONCERN

This is degraded habitat and has continual impacts from commercial use. Pilings, bulkheads, riprap provide structural habitat for organisms living here. Gravel and mud beachs and flats support biota which is forage for shore birds. This embayment provides habitat for fish and waterbirds.

Birds feeding and resting in the Santa Fe Channel can be expected to be most abundant during the fall and spring.

Fish and other organisms living in the water column will be present in all seasons.

CULTURAL, HISTORIC, and ARCHEOLOGICAL SENSITIVITIES

Contact the California Dept of Parks and Recreation - Office of Historic Preservation (Eric Allison -(916) 653-9125), and the Northwest Information Center, (Leigh Jordan, Sonoma State College ((707) 664-0880)) for specific information on historic or cultural resources in this area.

KEY CONTACTS: Trustee (T); Entry/Owner/Access (E); Cultural (C); or Other Assistance (O)

Type	Name / Title	Organization	Phone
	EBRP Dispatch EBRP	East Bay Regional Park District	(510) 881-1833
	Andrew Galvin	Ohlone Nation	(510) 810-9701
E	Port of Richmond	Port of Richmond	(510) 215-4600
ELO	Tom Wilson	Port of Richmond	(510) 215-4605

2-455 -X/D Site Strategy - Santa Fe Channel

2-455 -X/D

AAA West Contra Contra Costa

County and Thomas Guide Location

NOAA CHART S Francisco Bay-Angel I - P S Pedro

37 55'

Longitude W 122 22

CONCERNS and ADVICE to RESPONDERS:

Last Page Update:

This is an industrial area with high risk of spills. It is an excellent site to collect, contain, and recover oil. Oil that escapes this area will present a greater threat to highly sensitive areas nearby. While plants and animals living on rip rap, seawalls and pilings, in the water column, and birds resting on the water in Santa Fe Channel may be senstive and vulnerable to oil, the total impact upon wildlife, and the cost of cleanup and restoration can be limited by the containment and recovery of oil in the channel.

HAZARDS and RESTRICTIONS:

This is an industrial area. Be aware of truck traffic on the roads. People working on the water, particularly those in small craft must be aware of ship traffic and the potential for objects to fall from docks. Currents are light and the water generally

SITE STRATEGIES

Strategy 2-455.1 Objective: Contain/collect oil within Channel and prevent oil from leaving the channel and threatening sensitive sites immediately outside of the channel. Divert oil to shore side skimming.

ACP DATE 1/1/2000

Contain the Channel by closing the mouth with repeated boom layers and divert to shore side skimming (SSS). Deploy 2000 feet of boom from Sheridan Point Park to Potrero Point. Collect and recover oil at Potrero Point on the ebb tide. Deploy another 2,000 feet of boom parallel to and 2,000 feet north of the first. Collect and recover oil along the west side of the channel on the ebb tide. Deploy 1000 feet of boom in a north south direction from the west side of the confluence of the Lauritzen Canal and the Santa Fe Channel to the opposite side of Santa Fe Channel. Collect oil in Lauritzen Canal on the flood tide. Oil could also be collected in the Parr-Rich Canal on the flood tide using a similar deployment, however, this site would require 2,000 feet of boom. The former dry docks immediately west of Potrero Point should be used to collect and recover oil. Collection can be enhanced by deploying a 600 foot length of boom from the southwest corner of a dry dock in a east southeast direction and anchoring it there. At least two such collection systems should be set up. Sorbent boom should be available to back up and catch any oil that might escape the collection sites.

Table of Response Resources

strategy	harbor	swamp	Other	sorb	Ancho	ring	Boom	Skiffs	Skimn	ners	Spe	ecial E	quipment	staff	Staff
number	boom	boom	boom type	boom	no	type and gear	boat	punts	No 1	Type	No	and	kinds	deploy	tend
2-455.1	6200			500	10	10	5							10	

LOGISTICS

DIRECTIONS: to site (by land and/or by water, to nearest launch ramp and are access permits required.)

Take highway 580 to Richmond. To reach the Richmond Marina launch ramp, take the Harbor way exit. Turn south onto Harbor Way South. Turn left on Hall and proceed to the Richmond Marina. To reach the oil terminals on the west side of the Santa Fe Channel, take the Canal Blvd. Exit. Turn south onto Canal Blvd and proceed to the appropriate terminal. The Santa Fe Channel is the main shipping channel of Richmond Harbor. It lies south of Cutting Blvd and highway 580 between Pt. Richmond and the city of Richmond and Richmond Marina Bay.

LAND ACCESS: Good access for trucks and other heavy equipment along most shorelines

WATER LOGISTICS:

Limitations: depth, obstruction

Good access throughout channel


Launching, Loading, Docking Boat launching at Richmond Marina Bay

and Services Available:

FACLITIES, STAGING AREAS, POSSIBLE FIELD POSTS AND EQUIPMENT AVAILABLE:

Potential staging areas at most oil terminals along the channel, at MSRC at the end of Canal Blvd., and at Richmond Marina Bay. Most oil terminals can set up small command posts.

COMMUNICATIONS PROBLEMS: none known



Thomas Guide Location Latitude N Longitude W 3 7 54 122 19

USGS Quad: Richmond NOAA Chart: 18649/18650 Entrance to SF Bay

Last Page Update: 7/1/2005

SITE DESCRIPTION:

Contra Costa

County:

This site includes the embayment and tributary marshes between the Pt. Isabel peninsula and the Golden Gate Fields peninsula. Both peninsulas are largely fill and ripped along most of their margins. The two peninsulas roughly form a rectangle with the back marsh making the shore end. The back bay marsh is pickleweed marsh fronted with a sheltered tidal flat extending and very gradually deepening bayward and around the south side toward the mouth. Over half the bay is exposed tidal flat at low tide. There is almost no wave action at the marsh margin and very little past the mouth. The extensive tidal flats are used by shorebirds for foraging and water birds shelter in the calm of this bay. This area is part of Eastshore State Park.

SEASONAL and SPECIAL RESOURCE CONCERN

This is an A-priority site all year due to the extensive marshes. Several Special Status Species occur here including two endangered species. These marshes and the adjacent tidal flats are heavily used my migratory shorebirds and waterfowl from September through April.

RESOURCES OF PRIMARY CONCERN

The primary habitats of concern are the pickleweed marsh and the fronting sheltered tidal flats. Both are natural collection sites and both would be exceedingly difficult to cleanup or rehabilitate. The flats and the becalmed bay are important habitat for birds for foraging and resting particularly during the wintering period.

The flats are feeding habitat for shore birds. and embayment is resting habitat for waterbirds (particularly during rough weather), including ducks, loons, grebes and gulls. The marsh is habitat for marsh birds including the endangered California clapper rail.

Endangered saltmarsh harvest mouse inhabits the pickleweed marsh.

The mudflats have an extensive infauna and a wide variety of fish forage here during high tides.

CULTURAL, HISTORIC, and ARCHEOLOGICAL SENSITIVITIES

Contact the California Dept of Parks and Recreation - Office of Historic Preservation (Eric Allison (916) 653-9125), and the Northwest Information Center, (Leigh Jordan, Sonoma State College ((707) 664-0880) for specific information on historic or cultural resources in this area.

KEY CONTACTS: Trustee (T); Entry/Owner/Access (E); Cultural (C); or Other Assistance (O)

Type	Name / Title	Organization	Phone	
	Region 3 DFG Office	CA Dept. of Fish & Game	(707) 944-4400	-
	Joseph Didonato Stewardship Manager	East Bay Regional Park District	(510) 544-2346	
	EBRP Dispatch EBRP	East Bay Regional Park District	(510) 881-1833	
	Mark Ragatz Shoreline Parks Manager	East Bay Regional Park District	(510) 715-7784	
	Kevin Takei Park Supervisor	East Bay Regional Park District	(510) 235-1631	

Site Strategy - Albany Marsh 2-480 -A

County and Thomas Guide Location

NOAA CHART 18649/18650 Entrance to SF Bay

Longitude W 3 7 54 122 19

2-480 -A

7/1/2005 Last Page Update: **CONCERNS and ADVICE to RESPONDERS:** The concern here is the back bay which has extensive shallow mudflats and pickleweed marshes which have endangered

species and lots of bird use. The habitat is very sensitive and almost impossible to cleanup. Keep oil from entering the mouth of the bay and/or to divert it to shore near the mouth for collection. Please stay off the marsh and mudflats and avoid trampling vegetation or oil into muds.

HAZARDS and RESTRICTIONS:

The water is reasonably deep at the mouth, but becomes progressively shallower as you proceed inward to shore. Beware of possible obstructions.

SITE STRATEGIES

Contra Costa

As with several other shallow embayments in SF Bay, there is little tidal flow into this bay and simple exclusion booming is possible. In general flood flow tends to favor the Pt Isabel side and result in a slight outflow on the south side. There is an abrupt shallowing shelf inside as indicated in charts: operations inside may not be possible during low water. There are skimming opportunities at each shore depending on wind direction and boom set.

Strategy 2-480.1 Objective: Primary: Exclude oil from embayment on northwesterly winds by directing oil to collection.

ACP DATE 7/1/2005

Deploy boom from the southerly tip of Pt. Isabel at a diagonal to midpoint of the cove on the south shore: 2500' 9X9+ Hboom. Leave loose boom at each shoreline anchorage to maintain boom seal and prevent bridging and oil shortcircuiting around when tide is low. Potential for collection on south margin with shallow water skimmer and vac truck: advise Incident Command.

Strategy 2-480.2 Objective: Exclude oil from embayment on west or southwesterly winds.

ACP DATE 7/1/2005

Deploy boom from the southerly peninsula tip to Pt. Isabel: 1500' 9X9+ Hboom. Leave loose boom at each shoreline anchorage to maintain boom seal and prevent bridging and oil shortcircuiting around when tide is low. Potential for collection on Pt. Isabel with shallow water skimmer and vac truck; advise Incident Command.

Strategy 2-480.3 Objective: Backup initial exclusion strategy when strong winds or wave conditions are likely to move oil past initial exclusion deployment.

ACP DATE 7/1/2005

Repeat the deployment with a second deployment (2,500 ft for 2-456.1 or 1,500 ft for 2-2456.2) of swamp boom. Front the deployment with sorbent (1500-2300' sorbent).

Strategy 2-480.4 Objective: Skimming when skimmable thicknesses of oil are present.

ACP DATE 7/1/2005

A skimming pocket will be necessary to keep oil from getting behind exclusion and to ensure that collection oil is focused to skimmer. Back the skimming pocket with sorbents (or Oil Snare if oil is group 4 or 5). Shallow water skimming head will be needed. Whether skimming with 2-456.1 or 2-456.2 exclusion, in both situations the backup exclusion is advisable (2-456.3).

Table of Response Resources

strategy	harbor	swamp	Other	sorb	An	nchoring	Boom	Skiffs	Skimn	ners	S	pecial E	quipment	staff	Staff
number	boom	boom	boom type	boom	no	type and gear	boat	punts	No 1	Гуре	No	and	kinds	deploy	tend
2-480.1	2500				6	22#+ /danforths	3	2				very sha	llow Bboats	11	
2-480.2	1500			100	8	22#+ /danforths	2	1	1 shall	ow				8	
2-480.3		2500		2500	6	22#+ /danforths	1	1				very sha	llow draft vessels	5	
2-480.4	0	200	0	200	3	6#+ anchors	0	1	1 SSS		0			2	2

LOGISTICS

DIRECTIONS: to site (by land and/or by water, to nearest launch ramp and are access permits required.)

There is access to this area from Pt. Isabel Regional Park: From I-80 or I-580 just south of Richmond, exit on Central Ave and drive bayward to Pt. Isabel. (There is also access on the south shore though Golden Gate Fields at Buchannon St exit.) By water, the inlet is 2 miles north of Berkeley Marina or Richmond Marina about a mile north of Pt. Isabel. This site includes the embayment and tributary marshes between the Pt. Isabel peninsula and the Golden Gate Fields peninsula.

LAND ACCESS: access good all types except on marshy margin

WATER LOGISTICS: Very shallow particularly toward back. Beware, obstructions

Limitations: depth, obstruction

Launching, Loading, Docking


Launching, gas, and moorage at Richmond Marina and Berkeley Marina.

and Services Available:

FACLITIES, STAGING AREAS, POSSIBLE FIELD POSTS AND EQUIPMENT AVAILABLE:

Full facilities and staging both Richmond and Berkeley. Boom can be delivered to shoreline for deployment at Pt. Isabel or south side point.

COMMUNICATIONS PROBLEMS: none known



2-490 -C/A

Last Page Update: 10/1/2005

Thomas Guide Location Latitude N Longitude W 03 7 51 County: Alameda AAA Oakland 122 19 USGS Quad: **Oakland West**

NOAA Chart: Entrance to San Francisco Bay 18649

SITE DESCRIPTION:

The eelgrass bed is centered on the shallow bar just north of the Emeryville channel (west and north of channel marker Green "3") and extends from the channel, north about half way to the Berkeley pier. This eelgrass bed. like all eelgrass beds can vary in distribution, density, and height from year to year. Because the most of the bed is deeper than 8 feet (MLLW), it is rarely exposed to oil, only when tides are so low that the eelgrass tops are exposed on the surface (hence the sliding sensitivity).

SEASONAL and SPECIAL RESOURCE CONCERN

The eelgrass beds are an A priority whenever exposed to oil on the surface.

RESOURCES OF PRIMARY CONCERN

Eelgrass beds are an important habitat for numerous species. Oil readily sticks to eelgrass when it makes contact.

Eelgrass is important cover and substrate for organisms. Although herring spawn on eelgrass, this is not a site where herring tend to prefer to spawn.

CULTURAL, HISTORIC, and ARCHEOLOGICAL SENSITIVITIES

This is submerge site and is unlikely to have cultural sites vulnerable to oil or response activities. However, contact the California Dept of Parks and Recreation - Office of Historic Preservation (Eric Allison (916) 653-9125), and the Northwest Information Center, (Leigh Jordan, Sonoma State College (707) 664-0880) for specific information on historic or cultural resources in this area.

KEY CONTACTS: Trustee (T); Entry/Owner/Access (E); Cultural (C); or Other Assistance (O)

Type	Name / Title	Organization	Phone
	Peter Baye, Ph.D. Coastal Plant Ecologist		(415) 310-5109
	Joseph Didonato Stewardship Manager	East Bay Regional Park District	(510) 544-2346
	EBRP Dispatch EBRP	East Bay Regional Park District	(510) 881-1833
	Mike Josselyn	NOAA, National Marine Fisheries Service	(415) 454-8868
ELO	Clif Marccetti Marina Manager	Berkeley, City of, Dept. of Parks	(510) 981-6737
	Mark Ragatz Shoreline Parks Manager	East Bay Regional Park District	(510) 715-7784
	Kevin Takei Park Supervisor	East Bay Regional Park District	(510) 235-1631
	Diane Watters	CA Dept. of Fish & Game	(650) 631-2535

2-490 -C/A Site Strategy - Berkeley Eelgrass Beds and Cove

2-490 -C/A

County and Thomas Guide Location

AAA Oakland Alameda Entrance to San Francisco Bay 18649 03 7 51

Last Page Update:

Longitude W 122 19 9/15/2005

CONCERNS and ADVICE to RESPONDERS:

When eelgrass is exposed (at low tides), oil quickly attaches and clings to eelgrass strands. Once eelgrass gets fouled with oil, oil becomes a subsurface threat to fish and other organisms which thrive in this cover

NOAA CHART

Navigational hazards include shallow water, a submerged pipeline and debris. The bottom type is soft mud.

SITE STRATEGIES

There is very little current in this area.

Strategy 2-490.1 Objective: Assess need for protective booming: Eelgrass is only vulnerable at very low tides when eelgrass tops are exposed to floating oil.

Biological staff must assess this site to determine if eelgrass is at risk. Because this bed is fairly deep, eelgrass tops are rarely, if ever, exposed to floating oil, and then only at very low tides. Oil readily sticks to floating eelgrass tops, and once eelgrass gets fouled with oil, oil becomes a subsurface threat to fish and other organisms which thrive in this cover. Scientific staff must review tidal information to see if minus tides less than -0.5 may result in eelgrass exposure, and must conduct on-site evaluation as necessary. Any booming recommendations should be expedited though ICS to operations.

Strategy 2-490.2 Objective: Exclusion / deflective booming when oil coming from the west

ACP DATE 4/1/2001

ACP DATE

Consider applying dispersants to oil open waters before it comes into the vicinity of the eelgrass bed. When oil is approaching from the westerly direction, attempt to deflect it away from the eelgrass bed. Deploy deflection boom by cascading several 600 foot sections of harbor boom between the Emeryville Marina to about half way to the Berkeley pier. Overlap each section of boom. Oil will probably be wind driven. Set each section of boom at a shallow angle to the wind. Set each section as straight and taunt as possible so that oil does not collect anywhere on the boom, but moves continuously along the boom until it falls off the end and is caught by the next section of boom.

Strategy 2-490.3 Objective: Exclusion / deflective / protective booming for oil from the west low wind conditions

ACP DATE 4/1/2001

When winds are low, oil will tend to move north-south and can be kept away from the Berkeley flats, particularly in fall months when waterfowl concentrations are high. Deploy deflection boom by cascading several 600 foot sections of harbor boom between the Berkeley pier to about half way to the Emeryville Marina to link-up with southerly deployment (2-490.2). Overlap each section of boom. Set each section of boom at a shallow angle to the windward. Set each section as straight and taunt as possible so that oil does not collect anywhere on the boom, but moves continuously along the boom until it falls off the end and is caught by the next section of boom.

Table of Response Resources

strategy	harbor	swamp	Other	sorb	Anc	horing	Boom	Skiffs	Skin	nmers	Sp	ecial E	quipment	staff	Staff
number	boom	boom	boom type	boom	no	type and gear	boat	punts	No	Type	No	and	kinds	deploy	tend
2-490.1	0	0	0	0	0		0	0	0		0 r	none		1	
2-490.2	5000			2000	14	20#+ w/ 10' 1" chain	5	2						19	
2-490.3	5000	0	0	0	14	20#+ w/ 10' 1" chain	5	2	0		0			17	

LOGISTICS

DIRECTIONS: to site (by land and/or by water, to nearest launch ramp and are access permits required.)

From Coast Guard Island take Hwy 880 north to Hwy 80 north. Exit at Powell Avenue and proceed west. Make a right on Frontage Road and proceed north to the Berkeley Yacht Harbor. The eelgrass bed is centered on the shallow bar just north of the Emeryville channel (west and north of channel marker Green "3") and extends from the channel, north about half way to the Berkeley pier.

LAND ACCESS:

WATER LOGISTICS: waters are good except in shallows of the eelgrass bed

Limitations: depth, obstruction Launching, Loading, Docking


Emeryville marina is an excellent staging and launching site. Berkeley is similarly well

siturated. Both have fuel. and Services Available:

FACLITIES, STAGING AREAS, POSSIBLE FIELD POSTS AND EQUIPMENT AVAILABLE:

Both Berkeley and Emeryville have excellent services and facilities for staging. Emeryville may have slightly better opportunities for secruity.

COMMUNICATIONS PROBLEMS: none known



2-495 -A

Thomas Guide Location Latitude N Longitude W 3 7 50 122 29

USGS Quad: Oakland West NOAA Chart: 18649/18650 Entrance to SFBay

Last Page Update: 7/1/2005

SITE DESCRIPTION:

Alameda

County:

The site is the embayment just north of the Oakland Bay Bridge Toll plaza and includes the waters and marsh easterly from the radio towers (south) to the opposite breakwater tip (north) at Emeryville. This west facing bay transitions from open water to shallows and mudflats to a southerly and easterly pickleweed marsh perimeter. The northerly margin is ripped fill. At the easterly tip of the lagoon a tidal channel drains from the adjacent urban area east of I-80 and at the southeast corner is another channel which drains from the vicinity of the Oakland Santiary Treatment Plant.

SEASONAL and SPECIAL RESOURCE CONCERN

The marshes are an A priority year around. Site sensitivity is heightened during winter months when it is heavily used by migratory birds. Sensitive species occur here.

RESOURCES OF PRIMARY CONCERN

This habitat is ecologically rich and sensitive. An extensive pickleweed saltmarsh extends along the east and southern margin and is fronted with extensive mudflats; mudflats and open water are heavily used by ducks, shorebirds, and sea birds year around and particularly in the winter.

The marshes are habitat for endangered California clapper rail. The marsh and exposed mudflats are used heavily by shorebirds and wading birds. Waterfowl and seabirds use the area and large rafts of ducks congregate here in winter months.

The pickleweed marsh probably supports the endangered saltmarsh harvest mouse.

The rare plant, north coast bird's beak, Cordylanthus maritimus ssp. Palustris, has been identified from this site.

CULTURAL, HISTORIC, and ARCHEOLOGICAL SENSITIVITIES

Contact the California Dept of Parks and Recreation - Office of Historic Preservation (Eric Allison (916) 653-9125), and the Northwest Information Center, (Leigh Jordan, Sonoma State College ((707) 664-0880) for specific information on historic or cultural resources in this area.

KEY CONTACTS: Trustee (T); Entry/Owner/Access (E); Cultural (C); or Other Assistance (O)

Type	Name / Title	Organization	Phone	
	State Water Project Ops C	CA Dept. of Water Resources	(916) 574-2714	
В	Peter Baye, Ph.D. Coastal Plant Ecologist		(415) 310-5109	
	Joseph Didonato Stewardship Manager	East Bay Regional Park District	(510) 544-2346	
	EBRP Dispatch EBRP	East Bay Regional Park District	(510) 881-1833	
TB	Mike Josselyn	NOAA, National Marine Fisheries Service	(415) 454-8868	
	Mark Ragatz Shoreline Parks Manager	East Bay Regional Park District	(510) 715-7784	
	Kevin Takei Park Supervisor	East Bay Regional Park District	(510) 235-1631	

ADDITIONAL SITE SUMMARY COMMENTS:

Site Strategy - Emeryville Lagoon/Mudflats 2-495 -A

NOAA CHART

County and Thomas Guide Location Longitude W 18649/18650 Entrance to SF Bay Alameda 3 7 50 122 29

CONCERNS and ADVICE to RESPONDERS:

The prime concern is to exclude oil from entering this bay and impacting birds and marshy margins. Cleanup of the marshy margins would be extremely difficult or not possible, and natural resource injuries would be very great. Responders should stay out of marshes and mudflats unless specifically directed though the IC/UC: activity should be confined to the mouth of the lagoon.

HAZARDS and RESTRICTIONS:

Very shallow water at the southern and eastern margins. Possible submerged obstructions inside the bay- mid to east end. Air traffic beware of radio towers.

SITE STRATEGIES

There is little current into this bay and that is mostly along the north edge. Extreme shallows on the south side can make booming to shore challenging, and may require wading or monkey fist to secure to shore. Inside the southern spit (radio towers) there are obstructions and extreme shallows which continue all around the south and east margins. Depths are not so limiting at the mouth and along north shore.

Strategy 2-495.1 Objective: Exclude/Deflect oil past the site and exclude it from entering lagoon by winds, waves and very light tidal current

Deploy a continuous line of harbor boom (3600' 8X8+ Hboom) across the bay from the radio towers north to the Emeryville riprap. A collection may be successful at the Emeryville shore about 200 ft inland from mouth. If oil collects in skimable quantities (contact IC).

Strategy 2-495.2 Objective: Exclude/Deflect oil when there are aggressive waves.

ACP DATE 7/1/2005

ACP DATE

2-495 -A

Last Page Update:

7/1/2005

Set cascading boom across the mouth according to the prevailing winds (diagram shows deployment for typical NW winds - adjust if other wind/wave conditions prevail). Deploy 4500' 8X8+ Hboom in 600-1200' lengths at an angle to the prevailing winds and waves. Divert oil to sandy beach west of radio towers on W to NW winds, or to Emeryville spit on S to SW winds, for shore recovery with shore-based skimmers. Link boom ends with sorbent to insure against oil eddying around boom. If oil is threatening to overwhelm the strategy, execute strategy .1 as a backup.

Strategy 2-495.3 Objective: Collection at shoreline favored by prevailing currents

ACP DATE 7/1/2005

Collection sites are available at either north shore (Emeryville) or south shore (radio towers). Best location on Emeryville shore is inside mouth about 80 yards. Best location near radio towers in on sand spit (this area may become mudflat at some low tides) and may require site modification. Small amount of light boom and sorbents will be necessary to construct skimming pocket. Shoreside skimming system (SSS) for collectable oil quantities, else use pompoms or other sorbents.

Table of Response Resources

<u>. up.o</u>	<u> </u>	OPULL	, , , , , , , , , , , , , , , , , , ,													
strategy	harbor	swamp	Other	sorb	And	choring	Boom	Skiffs	Skir	nmers	Sį	oecial E	quipment		staff	Staff
number	boom	boom	boom type	boom	no	type and gear	boat	punts	No	Type	No	and	kinds		deploy	tend
2-495.1	3600				7	7/22+/danforths + chain	3	2			1	Bboat: ve	ery shallow draft	at south side	11	
2-495.2	4500			2000	28	28/22+/danforth + 15' chain	3	3	1 SS	SS	1	Bboat: 1	very shallow dra	ft	15	
2-495.3	0	100	50 OS	200	0		0	0	1 SS	SS	0				2	

LOGISTICS

DIRECTIONS: to site (by land and/or by water, to nearest launch ramp and are access permits required.)

The site is the embayment just north of the Oakland Bay Bridge Toll plaza. The South side is accessible from the I-80 exist just before the toll plaza. Powell Street (exist from I-80 at Emeryville) borders the north margin. By boat, the nearest launch facility is at the Emeryville Marina at the end of Powell Street. The site is the embayment just north of the Oakland Bay Bridge Toll plaza and includes the waters and marsh easterly from the radio towers (south) to the opposite breakwater tip (north) at Emeryville.

LAND ACCESS: All vehicles, all seasons on north and south access

WATER LOGISTICS: Very shallow on south half occasional obstruction thru out.

Limitations: depth, obstruction


The nearest lunch, gas, moorage and service is located at the Emeryville marina on the north Launching, Loading, Docking and Services Available: side of Emeryville spit.

FACLITIES, STAGING AREAS, POSSIBLE FIELD POSTS AND EQUIPMENT AVAILABLE:

Stage at Emeryville Marina. Good service availability and security capability. Boom could be deployed directly from land to water from this local. Emeryville PD and Fire are nearby. Berkeley Marina is 3 miles to the north and provides similar capabilities.

COMMUNICATIONS PROBLEMS: none known

ADDITIONAL OPERATIONAL COMMENTS:



This Page Intentionally Blank

9844.2 Cultural and Other Resources at Risk

9844.21 Cultural Resources, Historic and Archeological Resources – see Section 9802.1, Section 9840 for contact table, and individual Site Summaries

9844.22 Essential Fish Habitat – see Section 9802.2

9844.23 Other Resources at Risk - This section is reserved for specialized information regarding natural resources that occur in this particular geographic area; such as: seasonal migratory waterfowl and shorebird locations and densities; salmonid fish migration periods; or special considerations for eelgrass beds.

Migratory Waterfowl and Shorebirds

Large numbers of migratory waterfowl and shorebirds winter in the Bay and Delta and in GRA 4 in particular. Large numbers of waterfowl tend to raft and feed in the shallow protected areas around Central Bay (GRA 4). Aggregates up to 10,000 may be found in Richmond Inner Harbor, Richardson Bay, Berkeley Flats, and 100's elsewhere.

Eelgrass


The shallow subtidal areas and tidal flats of the San Francisco Bay and Delta region support relatively few plant communities. Eelgrass (Zostera marina) is currently the only seagrass found in San Francisco Bay. Eelgrass beds create a valuable shallow-water habitat, providing shelter, feeding, and/or breeding habitat for many species of invertebrates, fishes, and waterfowl. The current eelgrass populations may be the last remnants in San Francisco Bay and are extremely vulnerable to local extinction. Eelgrass beds can vary in distribution, density, and height from year to year. Eelgrass is vulnerable to oil based on its location and physiology.

Eelgrass is more vulnerable to oil than most marine and aquatic plants. Eelgrass leaves are rough and do not have a mucous layer like many seaweeds, therefore oil will readily attach. Eelgrass occurs in shallow water and often forms a canopy layer on the water surface, presenting an increased risk of oiling. Oil sticks to the floating eelgrass tops. Once eelgrass gets fouled with oil, oil becomes a subsurface threat to fish and other organisms which thrive in this cover and the leaves will continue to sheen, prolonging oil exposures.

Site specific areas containing eelgrass beds have been identified in this GRA subsection and in some instances as an individual Sensitive Site. Protective strategies for eelgrass are based on its location and surface exposure in the intertidal and subtidal zones. Eelgrass would be exposed to oil and is at greatest risk in areas where it is found in the intertidal zone, but oiling can also occur with subtidal eelgrass beds when eelgrass leaves are at the surface during spring tides, particularly in the summer months.

A Sensitive Site with eelgrass as its sensitive resource is given a Category "A" resource sensitivity when eelgrass leaves are exposed at the surface during the spill and a Category "C" when the leaves stay submerged. If a spill occurs, an OSPR Resources At Risk Technical Specialist must assess the site to determine if eelgrass is at risk based on density, location and tidal exposure. Specific Site Strategies for protection of eelgrass beds are found in the individual GRA's Sensitive Site Strategy and include assessment and booming recommendations.

A map of eelgrass distribution in GRA 4 follows.



9844.3 Economic Sites

Strictly economic resources are designated as the third priority for dedication of oil spill response resources, following human health and safety and environmental resources. The economic sites are ranked using a continuation of the environmental scale with D, E, and F categories. Economic resources that have a greater potential for long-term damages receive a higher rank or priority for emergency response.

The following criteria or definitions are used to categorize economic resources in terms of priority for response:

D = Economic activities and resources which require high water quality for their operations or existence. Resources that fall into this category would face severe, long-term economic impacts from a spill.

E = Facilities, businesses, or resources which directly use coastal or bay waters within their economic activity and which are at risk of oiling from a spill in marine waters. There sources falling into this category would face significant disruption of their activity, but shorter term potential damages from oiling that resources "D" category.


F = This category contains marine associated facilities, businesses and resources. These resources would face economic impacts from a marine spill, but do not depend directly on marine water for their economic base. Resources in this category will tend to face less severe damages than those identified in categories D or E.


In the following section, economic sites found within the GRA are listed in table format, which contain information such as latitude, longitude, economic sensitivity, etc. Following the table are diagrams denoting the location of an economically sensitive site(s). Diagrams are organized alphabetically by county, then numerically by map and site number.

			Ecc	Economic Sit	Sites in GRA 4			
Line	County	Site Name	Site Description	obuși șe I	obuitiono I	Economic Sepsitivity	Site Eurotion	Site Address
<u>.</u>	Alameda	Olympic Circle Sailing		37.87	-122.31	П	_	1 Spinnaker Way. Berkelev
	Alameda	Cal Sailing Club		37.87	-122.31	ш	Sailing School/Charter	225 University Blvd., Berkeley
3	Alameda	Emeryville Sport Fishing		37.84	-122.31	ш	Charter Fishing	3310 Powell Street, Emeryville
4	Alameda	Hong Kong East Ocean Restaurant		37.84	-122.31	L	Restaurant	3199 Powell Street, Emeryville
5	Alameda	Trader Vic's Restaurant		37.84	-122.31	Ь	Restaurant	9 Anchor Drive, Emerville
9	Alameda	Charlie Brown's Restaurant		37.84	-122.30	ш	Restaurant	1890 Powell Street, Emeryville
7	Alameda	His Lordship's Restaurant		37.86	-122.32	ட	Restaurant	199 Seawall Drive, Berkeley
8	Alameda	Skate's on the Bay Restaurant		37.86	-122.32	ட	Restaurant	100 Seawall Drive, Berkeley
90	70000	4-10 +400 × 400 000 000 000 000 000 000 000 00		30 20	100 04	L		One Seawall Drive (YC) and 201 University Avenue
90	Alameda	Berkeley Marina and facht Club	San Francisco East bay	37.00	122.31	ш	Morino Donoir	(Malina), beineley 947 10
97	Alameda	Berkeley Mailine Center	San Francisco East Day	37.84	-122.32	ц	Maline Repair	3300 Dowell Street Emerwille 94/10
66	Alameda	Emervville City Marina (Westrec Corporation)	San Francisco East Bav	37.84	-122.31	ш		3310 Powell Street, Emeryville 94608
3	55	errory mo only married (trooused on potation)	Odin Tanion De La Cara De J			ı		Corol caret carety and carety
6	Contra Costa	Metropolitan California	Shipping Terminal, Stevedore Company 1411 Harbour Way, So. Richmond	37.91	-122.36	ш	Shipping I erminal, Stevedore Company 1411 Harbour Way, So. Richmond	Stevedore Company 1411 Harbour Way, So. Richmond
10	Contra Costa	California Oils Corporation		37.91	-122.36	ш	Petroleum Products	1145 Harbour Way, So. Richmond
11	Contra Costa	Time Oil Company		37.92	-122.37	ш	Petroleum Products	488 Wright Avenue, Richmond
12	Contra Costa	Levin-Richmond		37.92	-122.37	ш	Shipping Lerminal	402 Wright Avenue, Richmond
0 7	Contra Costa	Cold Boad Building Broducts		37.93	122.37	ם ע	Political Response Services Inc.	4040 Caral Blvd Bishmand
4-	Contra Costa	Gold Bond Bullding Products		37.91	122.37	u u	Cypsum Receiving, barge Mooring	1040 Canal Biva, Richmond
16	Contra Costa	BPWCP Richmond Terminal		37.91	-122.30	υш	Petroleum Product Marketing Division Petroleum Product Transfer Facility	1300 Callal Bivd. Richmond
17	Contra Costa	Pasha Maritime Services		37.91	-122.36	JЦ	Automobile Shipping	1301 Canal Blvd Richmond
18	Contra Costa	Manson Construction		37.91	-122.36	ш	Marine Engineering	1312 Canal Blvd. Richmond
19	Contra Costa	Marin Tug & Barge Company		37.91	-122.36	ш	Towboat Services	1316 Canal Blvd., Richmond
20	Contra Costa	Paktank Corporation		37.94	-122.41	Ш	Petroleum Product	2101 Western Blvd, Hercules
21	Contra Costa	Brickyard Cove Marina	San Francisco East Bay	37.91	-122.38	ш	Small Craft Harbor	1120 Brickyard Cove Road, Richmond
22	Contra Costa	Richmond Yacht Club	ш	37.91	-122.38	В	Small Craft Harbor	351 Brickyard Cove Road, Richmond
23	Contra Costa	Channel Marina Yacht Harbor		37.93	-122.37	Ш	Small Craft Harbor	233 W. Cutting Blvd., Richmond
24	Contra Costa	Marina Bay Boathouse/Harbor		37.91	-122.35	ш	Small Craft Harbor	1341 Marina Way, Richmond
25	Contra Costa	Sanford Wood Marine and Boat Yard	(Site 79 duplicate)	37.93	-122.37	ш	Small Craft Harbor	530 W. Cutting Blvd., Richmond
26	Contra Costa	Bay Ship & Yacht Repair		37.93	-122.37	ш	Small Craft Repair	310 W. Cutting Blvd., Rochmond
28	Contra Costa	Point Isabel Regional Park	c/o Fast Bay Regional Park District	37.90	-122.37	υЦ	Park/Recreation Area	2950 Peralta Oaks Ct Oakland
29	Contra Costa	Brooks Island Regional Park	onal	37.90	-122.36	. 🗅	Park/Recreation Area	2950 Peralta Oaks Ct., Oakland
		George Miller Junior Memorial Regional	Nothing found for George Miller Regional					
30	Contra Costa	Shoreline	Park (need more information)		-122.38	٥	Public Recreation Area	
100	Contra Costa	Point San Pablo Yacht Harbor	- 1	37.96	-122.42	ш		1900 Western Drive, Richmond 94801
103	Contra Costa	Richmond Yacht Harbor Ltd.	San Francisco East Bay	37.93	-122.37	ш	070	320 W. Cutting Boulevard, Richmond 94804
32	Marin	Marin Yacht Club	San Podro Road	37.97	-122.48	ш	250 Berrhs 150 Berrhs	71 Coch Lomond Drive, San Rafael 94901
33	Marin	Owrie Yacht Harbor	San Pedro Road	37.97	-122.51	JЦ	150 Berths	40 Pt. San Pedro Road. San Rafael 94901
34	Marin	San Rafael Yacht Harbor	Francisco Blvd.	37.97	-122.51	ш	150 Berths	557 Francisco Boulevard. San Rafael 94901
35	Marin	Pickleweed Park		37.97	-122.49	ш	150 Berths	
36	Marin	Remillard Park	Sir Francis Drake Blvd.	37.94	-122.50	ш	1 Acre Park w/Pond and Windsurfing Access	
							12 Acre, 1300 Car Parking Area and	
37	Marin	Larkspur Landing Ferry Terminal	Sir Francis Drake Blvd.	37.94	-122.51	ш	Commuter Ferry Facility	101 E. Sir Francis Drake Blvd.
38	Marin	Greenbrae Public Access	Barry Way	37.94	-122.52	ш	Rowing Club Dock	
90	Marin	Bon All Landing	South Elisio	37.04	122.53	ם ע	1 third Acre Park Willi Dock	557 S. Eliseo Dilive, Larkspur
40	Marin	Creekside Park	South Elisio Rop Air Road	37.95	-122.34	и	Histor Exercise Area Wetland	
42	Marin	Piper Park	Doherty Drive	37.94	-122.53	л ш	22 Acre Park with Sport Fields	250 Doherty Drive, Larkspur
43	Marin	Corte Madera State Ecological Reserve	Corta Madera	37.93	-122.50	ш	Wetland, Wildlife Habitat	
44	Marin	San Clemente Creek	140 Waterfront Homes	37.93	-122.50	ш	140 Waterfront Homes	
45	Marin	Tiburon Yacht Club	Paradise Drive	37.91	-122.47	ш	300 Berth Marina with Waterfront Homes on Cav	
2				2		J	Acre Recreation Area with Fishing Pier	
46	Marin	Paradise Beach Park	19 Paridise Drive	37.89	-122.46	ш	and Anchor Out Area	
		Romberg Tiburon Lab San Francisco		37.89	-122.45	D	State University and National Marine Fisheries Marine Research Lab	
48		Angel Island	- 14	37.87	-122.43	ا ۵	Public Recreation Area	
	Marin	Tiburon Ferry	Tiburon Blvd.	37.81	-122.46	п	Commuter Ferry	

е .	Site Name Corinthian Yacht Club	Site Description	Latitude	Longitude	Economic Sensitivity	Site Function	Site Address
	Corinthian Yacht Club			122 46			
Ī		Tiburon	_	144.40	ш	Private Recreational Marina	43 Main Street, Tiburon 94920
51 Marin	San Francisco Yacht Club	Beach Road, Tiburon	37.87	-122.46	ш	176 Berths, Private Recreational Marina	98 Beach Road, Belvedere 94920
						260 Waterfront Homes on 66 Acre Lagoon.	
	Belvedere Lagoon	Tide gates	37.88	-122.47	ш	Two Closed Tidal Inflow Gates	2 San Rafael Ave.
	Strawberry Point Tidal Area		37.89	-122.51	ш	Wetland/Wildlife Habitat	
	Comminan Villas, Richardson Bay Apris		37.89	122.52	ш	Waternont Residential Community	
55 Marin	Dayliont Palk		37.90	122.32	u u	Community Watermont Park	
	Bottlin Marsh Open Space Preserve		37.89	122.52	ш	Biking/Fliking Frail	
	Racoon Strait		37.88	-122.45	ш	Waterriont Homes	
	Belvedere Island		37.87	-122.47	υΙ	Waterront Homes	
60 Marin	Commodore Harbor		37.88	-122.51	ш	11 Houseboat Berths	
Marin	Gate 6 & 6		37.88	-122.51	ш	117 Houseboat Berths	
	-		1	0	ı	200 Houseboat Berths and Rec Boat Berths,	
	Kappas Yacht Harbor		37.88	-122.50	υ	approximate	
	Yellow Ferry Harbor		37.87	-122.50	ш	22 Houseboat Berths	
	Waldo Point Harbor		37.87	-122.50	ш	245 Houseboat Berths	
	Clipper Yacht Harbor, LLC	Richardson Bay	37.87	-122.50	ш	640 Berths Harbor 2, 3, 4, approximate	310 Harbor Drive, Sausalito 94965
	Fuel Dock		37.87	-122.50	ш	Major Fuel Source for Sausalito Waterfront	
67 Marin	Jerry's Yacht Harbor		37.87	-122.50	ш	40 Recreational Boat Berths	
	Marina Plaza		37.87	-122.49	ш	150 Recreational Boat Berths	2320 Marinship Way, Sausalito 94965
69 Marin	Clipper Y Harbor #1		37.86	-122.49	Ш	60 Recreational Boat Berths	
70 Marin	Schoonmaker Marina		37.86	-122.49	Ш	250 Recreational Boat Berths	85 Liberty Ship Way, Sausalito 94965
Marin	Galilee Harbor		37.86	-122.49	Ш	36 Houseboats	
						100 Recreational Boat Berths and Vacant Boat	
72 Marin	Sausalito Marineways		37.86	-122.48	ш	Repair Yard	
73 Marin	Pelican Yacht Harbor	Richardson Bay	37.86	-122.48	Ш	100 Recreational Boat Berths	200 Johnson, Sausalito 94966
74 Marin	Sausalito Yacht Harbor	Richardson Bay	37.86	-122.48	Ш	700 Recreational Boat Berths	501 Humboldt "Lower", Sausalito 94965
75 Marin	Sausalito Yacht Club, Sausalito Fire		37.86	-122.48	ш	Club Facility on Piers	
76 Marin	Sausalito Ferry		37.86	-122.48	Ш	Golden Gate Transit	
Marin	Downtown Business		37.85	-122.48	ш	Commercial Buildings on Piers	
						Single and Multi-Family Homes,	
	Bayfront Residential District		37.84	-122.48	ш	w/Limited Beaches	
	East Fort Baker		37.84	-122.48	Ш	Presidio Yacht Harbor	
	Dunphy Park		37.86	-122.49	Ш	Recreational Area	
T	Hi Tide Boat Sales & Services	San Rafael Creek	37.97	-122.51	ш		620 Canal Street, San Rafael 94901
	Arques Shipyard and Marina	Richardson Bay	37.87	-122.50	В		2350 Marinship Way, Sausalito 94965
115 Marin	Cass Marina	Richardson Bay	37.86	-122.49	ш		1702 Bridgeway, Sausalito 94966
						yacht harbor w/70 berths, guest docks,	
120 Marin	Presidio Yacht Club	San Francisco North Bay	37.83	-122.47	ш	maintenance facilities	Fort Baker, Sausalito 94965
121 Marin	Totago Soilige Spiritar	Attoriogista and	37.83	100 47	ш	Soliboat roots locased bac slettest teadless	Building. 679 East Fort Baker,
	Dorogico Cov Vooht Horbor	San Francisco North Box	37.03	-122.47	ш	Saliboat leftals and lessons, ill notsestible cove	427 Tripidad Driva Tiburan 04020
2		Sall FlatidsCo NOTITI Day	37.81	-122.40	ц	Pecreation History	127 Hillidad Dilve, Hbdioil 34320
			37.01	122.40	LU	Recreation, mistory	
92 San Francis			37.80	-122.41	u u	Portonia Sonia	
84 San Francisco			37.81	-122.40	ם כ	Recreation, ocenic Borths for 601 Boats Destaurants	
	SCO IMAINIA TACILLIAIDO		37.01	-122.44	ם כ	Business Arts and Special Events	
		Fort Mason Building A. Restaurant.	10.70	-122.43	L	Business, Aus and Special Events	
		Scenic	37.81	-122.43	ш	Restaurant	
			37.81	-122.43	ь	National Park Service Maintenance Facility	
					ı		
			37.81	-122.42	_ [Fishing, Boating, Swimming, Historic Ships	
89 San Francisco	Sco Dolphin Club		37.81	-122.42	ш	Swimming Club, Gym	
	Sco Court County Class		37.81	-122.42	J LL	Boating Swimming	
92 San Francisco	sco Pier 45. Fisherman's Wharf		37.81	-122.42	ш	Fishing Boats, Docks, Fuel	
					!	Red and White Ferry, Public Pier,	
93 San Francisco	SCO Pier 43		37.81	-122.41	E/F	Restaurants	
94 San Francisco	sco Pier 39 Marina		37.81	-122.41	E/F	Moderate Size Malilia (550+ Silps), Docks, Sea Lions on Docks	
			37.80	-122.39	E/F	Ferry Terminal, Public Pier, Restaurants	
		San Francisco North Bay	37.81	-122.44	ш	675 berths	3950 Scott Street, San Francisco 94123
127 San Francisco	Sco Fisherman's Wharf Harbor & Hyde Street Harbor	San Francisco West Bay	37.81	-122.42	ш	Commercial fishing harbor	Port of SF Pier 1, San Francisco 94111
128 San Francisco	Sco Treasure Isle Marina	San Francisco West Bay	37.82	-122.37	ш	400 berths	1 First St. at Clipper Cove Treasure Island, San Francisco 94130


		ŭ	Economic Sites in GRA 4	s in GRA 4		
					Economic	
County Site N	Name	Site Description	Latitude	Longitude	Sensitivity Site Function	Site Address
San Francisco Gas Ho	House Cove Marina/City Yacht Harbor	San Francisco West Bay	37.81	-122.43	Ш	10 Marina Boulevard, San Francisco 94123









Office of Spill Prevention and Response Alameda Co, Layout 002








California Department of Fish and Game Office of Spill Prevention and Response Contra Costa Co, Layout 001





0 0.25 0.5 1 Miles



California Department of Fish and Game Office of Spill Prevention and Response Marin Co, Layout 003



















San Francisco Co, Layout 007



This Page Intentionally Blank

9850.4 Shoreline Operational Divisions


Shoreline Operational Divisions are presented in the ACP as front-loaded information to assist in rapid response planning to provide for quickly organized operational objectives and assignments along affected shorelines. The operational divisions have been developed in conjunction with the US Coast Guard, California Fish and Game OSPR, and various Oil Spill Response Organizations. Experience has demonstrated that in the earliest stages of spill response having organizational issues such as this prepared in advance is very useful to the response team.

The shoreline operational divisions are organized and named according to County boundaries. Within county domains, divisions are boundaries are guided by logical geo-political features such as coastal physical characteristics and land ownership/management issues, shoreline cleanup logistical considerations, and manageable sized coastline segments (generally not longer than about ten miles although some variation occurs.) Logistics, access, and manageability were driving considerations in this effort, particularly as it relates to types of cleanup operations required and problems likely to be present.

In ACP areas having more than one county, Shoreline Operational Divisions will utilize county codes followed by a single alpha character (A to Z). Shoreline operational divisions are labeled from north to south in each county. For example, the north-most operational division in Los Angles County is "LA-A." In large bays (i.e. San Diego), the labeling will progress in a clockwise direction to accommodate changing coastline angles. Divisions can be easily subdivided (as necessary) by the Operations Section management to provide for appropriate work assignment effort.

Double digit alpha characters (AA to ZZ) will be used for all offshore operational areas and any other special operational areas needed during response.

The following diagram shows the tentative Shoreline Operational Divisions for GRA 4 (the area committee is still reviewing this at the time of this publication.)



9844.5 Shoreline Access

Detailed shoreline access information is provided in this section to aid Planning and Operations Section managers in rapid placement of field response personnel and equipment on coastal beaches during the emergency phase of spill response. Coastal access points were examined, mapped and photographed at virtually every location along the respective ACP coastline where personnel and equipment can gain access to specific coastal segments. Used in conjunction with Environmentally Sensitive Sites and Operational Divisions, shoreline access information enables responders to be directed to the most convenient or appropriate coastal access point for their response effort. Knowing which access point to use and the nature of any access limitation will reduce time delays in finding these locations and eliminate uncertainties about the type of equipment that can gain access. Information provided in this section includes:

- a) descriptive information about the respective operational division with boundaries defined by landmark features and latitude/longitude (GPS), and a general description of recognized cultural resource issues, sensitive sites within divisions; and
- b) access point specific *Thomas Bros Maps*® page and coordinates, written directions from major streets and roads, a general site description, photographs of entry points and associated shoreline, land ownership matters, and occurrence of Sensitive Sites. Descriptions may also include the length of accessed coastal segment and limitations of access where physical constraints may be a factor.


The access point identification label is a seven character alpha-numeric code describing (in order) the County (2-alpha characters) and Operational Division (1-alpha character) where the access point is located, along with a four digit number that relates to its relative physical location in the operational division. Thus, in each operational division the unit digit component will increase from north to south as access points are encountered that provide access to a discrete (partial) coastal segment of the operational division (i.e. 1110, 1115, 1120, etc.). The access point alpha-numeric code will be followed by a name the site is commonly known by (i.e. Nicholas Canyon County Beach).

Access points are labeled from north to south within an operational division. Where segments occur within an operational division they are designated by the thousands digit of the code (i.e. 1000, 2000, 3000, etc.). An access point within a segment is identified by the tenths digit (i.e. 1010, 1020, and 1030), in this example segment one has three access points. Or, there can be multiple isolated shorelines (segments) each with only one access point (i.e. 1010, 2010, 3010, etc).

In contrast, an operational division with clear, unimpeded access for its entire length may have several access points identified by the hundreds digit (i.e.1100, 1200, 1300, 1400). In this example the operational division (1000 – which can be thought of as one large segment) is accessible from four access points with no physical barriers preventing movement along its entire length. Responders can enter at any access point, and exit again at any other (providing the pathway will accommodate the equipment). In any given operational division shoreline ownership/management may change. The unit digit of the four digit code reflects that condition (i.e. 1108, 4016, 3011, etc). Higher numbers indicate more difficult access issues. Military lands are identified by the number 9,

Federal lands such as National Parks, National Monuments, National Wildlife Refuges, etc. are identified by the number 8, Tribal lands are identified with the number 7, State Lands such as State Parks, State Beaches, etc. are identified by the number 6, and County lands are identified by the number 5. Properties of cities are labeled with 4. The number 1 identifies private property, while 0 indicates that the ownership is not known. The numbers 3 and 2 are currently not assigned.


Alameda County, Division A - Access Names





Access Names

Division Lines



Operational Divisions and Access Points in GRA 4

AL Division A County Alameda

Division Boundaries

North Point Isabel Latitude: N 37.89532 Longitude: W 122.32241

South Bay Bridge Latitude: N 37.82122 Longitude: W 122.33017

Division Description

The division extends from the Contra Costa/Alameda County border (just south of Pt. Isabelle) to the Bay Bridge. Shoreline is typically lined by rip-rap and most of the division is accessed from frontage road that runs parallel to Hwy. 80. Several large sensitive marsh/mudflats occur in this division. Most access points are part of Eastshore State Park.

Cultural Information

Contact the California Dept of Parks and Recreation - Office of Historic Preservation (Eric Allison (916) 653-9125), and the Northwest Information Center, (Leigh Jordan, Sonoma State College (707) 664-0880) for specific information on historic or cultural resources in this area.

Sensitive Sites Within Division: 2-480-A Albany Marsh

2-490-C/A Berkeley Eelgrass Beds and Cove2-495-A Emeryville Lagoon/Mudflats

Individual Access Points in: AL Division A

Access Point: AL - A - 1016 Albany Waterfront Trail

Thomas Guide Page: 247 Grid: A6 City: Albany

GPS Coordinates: N 37.88942 W 122.3147 USGS Quad: Richmond

Directions:

From eastbound Hwy. 580: take Buchanan exit. Proceed toward water.

Site Description:

Site is located within the Eastshore State Park. The park's penninsula (which is made of fill) is rip-rapped. Small pocket beach made up of medium grained sand located south of penninsula. Pennisula along with Pt. Isabel form an embayment with a marsh backing.

Sensitive Sites: 2-480-A

Access Point: AL - A - 2014 Cesar Chavez

Thomas Guide Page: 247 Grid: A7 City: Berkeley

GPS Coordinates: N 37.86964 W 122.31927 USGS Quad: Oakland West

Directions:

From Hwy 80: take University exit. Left to Marina Blvd.

Site Description:

Highly utilized recreational park with its shoreline lined with rip rap. ~30 parking spaces onsite. Adjacent to Berkeley Yacht Harbor.

Sensitive Sites:

Operational Divisions and Access Points in GRA 4

Access Point: AL - A - 3014 Seawall Drive

Thomas Guide Page: 247 Grid: A7 City: Berkeley

GPS Coordinates: N 37.86107 W 122.31584 USGS Quad: Oakland West

Directions:

From Highway 80, take University Ave. exit. Left on Frontage Rd. Left on Seawall Drive.

Site Description:

Small penninsula south of Berkeley Marina . Rip-rapped shoreline. Small gravel pocket beach on the Southeast side of site. Public fishing pier of westside of site. Boulders and gravel substrate off of pocket beach. On day of survey - ± 20 Brown Pelicans loafing near shoreline.

Sensitive Sites:

Access Point: AL - A - 3024 Point Emery

Thomas Guide Page: 247 Grid: A7 City: Berkeley

GPS Coordinates: N 37.84602 W 122.30097 USGS Quad: Oakland West

Directions:

From Highway 80: take Ashby Ave. Go South on Frontage Rd. to the entrance of Pt. Emery.

Site Description:

Small penninsula wrapped bordered by rip-rap. Small pocket beach on northside of parking area with gravel and sand substrate. Small parking lot \sim 12 spaces.

Sensitive Sites:

Access Point: AL - A - 4014 Marina Park (Emeryville)

Thomas Guide Page: 247 Grid: A7 City: Emeryville

GPS Coordinates: N 37.84027 W 122.31499 USGS Quad: Oakland West

Directions:

 $From \ Highway \ 80: take \ Ashby \ Avenue \ exit. \ Left \ on \ Frontage \ Rd. \ Right \ on \ Powell \ Street \ to \ end \ of \ the \ road.$

Site Description:

Recreational area whose shoreline is lined by rip-rap. Adjacent to Emeryville Marina.

Sensitive Sites:

Operational Divisions and Access Points in GRA 4

Access Point: AL - A - 5010 Radio Point Beach

Thomas Guide Page: 329 Grid: C2 City: Emeryville

GPS Coordinates: N 37.82597 W 122.30863 USGS Quad: Oakland West

Directions:

From (westbound) Highway 80: take West Grand Ave./Maritime Dr. just before Toll Plaza. Follow frontage road along the bay. Parking limited due to ongoing construction.

Site Description:

Shoreline made up of wetland habitat (i.e pickleweed, spartina, fathen, etc.). Extensive shallow mudflats offshore. Access difficult due to ongoing construction. Limted parking. Access to shoreline best by shallow draft skiff (at high tides).

Sensitive Sites: 2-495-A



AL-A-1016 Albany Waterfront Trail. Beach located just south of peninsula.



AL-A-1016 Albany Waterfront Trail. Looking west from north side of peninsula.



AL-A-1016 Albany Waterfront Trail. Access.



AL-A-1016 Albany Waterfront Trail. Parking area.



AL-A-2014 Cesar Chavez Park. Looking north.



AL-A-2014 Cesar Chavez Park. Looking south.



AL-A-2014 Cesar Chavez Park. Parking area.



AL-A-3014 Seawall Drive. Shoreline southeast of parking area.



AL-A-3014 Seawall Drive. Parking area.



AL-A-3024 Point Emery. Looking north from parking area.



AL-A-3024 Point Emery. Looking south from parking area.




AL-A-3024 Point Emery. Parking area.



AL-A-3024 Point Emery. Peninsula looking west across the Bay.



AL-A-4014 Marina Park. From the north side of Marina Park looking northeast.





AL-A-4014 Marina Park. Path from parking area to shoreline.



AL-A-5010 Radio Point Beach. Looking east.



AL-A-5010 Radio Point Beach. Looking west.




AL-A-5010 Radio Point Beach. A path to shoreline.




AL-A-5010 Radio Point Beach. Parking area.

Contra Costa County, Division Y - Access Names





Access Names



CC Division Y County Contra Costa

Division Boundaries

North Castro Point Latitude: N 37.93623 Longitude: W 122.41331

South Point Richmond Latitude: N 37.90925 Longitude: W 122.39045

Division Description

This division's main access points lie south near Point Richmond. Shoreline is lined by private residences and Chevron property to the north. A couple of pocket beaches occur, shoreline is mostly composed of rip-rap.

Cultural Information

Contact the California Dept of Parks and Recreation - Office of Historic Preservation (Eric Allison (916) 653-9125), and the Northwest Information Center, (Leigh Jordan, Sonoma State College (707) 664-0880) for specific information on historic or cultural resources in this area

Sensitive Sites Within Division: 2-451-A Castro Rocks

Individual Access Points in: CC Division Y

Access Point: CC - Y - 1103 Keller Beach

Thomas Guide Page: 246 Grid: D6 City: Richmond

GPS Coordinates: N 37.92108 W 122.38575 USGS Quad: San Quentin

Directions:

From Hwy 80: take Richmond Parkway exit. Take a right on Garrad Blvd. to Dornan thru tunnel. Beach is on the immediate right. Limited parking.

Site Description:

Fine grain sandy pocket beach that is ~70m in length. Backed by steep vegetated cliff to the north and a rip-rapped jetty to the south. Rip-rap lined shoreline along Miller/Knox Regional Shoreline to Ferry Point. Contact East Bay Regional Park District for gate access (510) 881-1833. Additional parking at Miller/Knox Regional Shoreline.

Sensitive Sites:

Access Point: CC - Y - 1203 Ferry Point

Thomas Guide Page: 246 Grid: D6 City: Richmond


GPS Coordinates: N 37.90966 W 122.38796 USGS Quad: San Quentin

Directions:

From Hwy 80: take Richmond Parkway exit. Take a right on Garrad Blvd. to Dornan thru tunnel. Parking area south of Miller/Knox Regional Shoreline.

Site Description:

Long strech of rip-rapped shoreline that runs from just south of Keller Beach to Point Richmond. Area is managed by East Bay Regional Park District. Area has historical value. Access point is located in two operational divisions.



CC-Y-1103 Keller Beach. View of southern portion of the beach.



CC-Y-1103 Keller Beach. View of northern portion of the beach.



CC-Y-1103 Keller Beach. Access to beach.



CC-Y-1103 Keller Beach. Parking area at Miller Knox Regional Shoreline.



CC-Y-1203 Ferry Point. Looking south to Ferry Point along Miller/Knox Regional Shoreline.



CC-Y-1203 Ferry Point. Looking west.




CC-Y-1203 Ferry Point. Access to shoreline.




CC-Y-1203 Ferry Point. Parking area.

Contra Costa County, Division Z - Access Names





Access Names



CC Division Z County Contra Costa

Division Boundaries

North Point Richmond Latitude: N 37.90925 Longitude: W 122.39045

South Point Isabel Latitude: N 37.89532 Longitude: W 122.32241

Division Description

Heavily industrialized Santa Fe Channel, Richmond Inner Harbor and two marinas are located in this division. Hoffman Marsh is located in the eastern portion of the division. Most of the shoreline is lined with rip-rap. East Bay Regional Park District maintains most of the access points within the division. Eastshore State Park makes up much of the division's shoreline.

Cultural Information

Contact the California Dept of Parks and Recreation - Office of Historic Preservation (Eric Allison (916) 653-9125), and the Northwest Information Center, (Leigh Jordan, Sonoma State College (707) 664-0880) for specific information on historic or cultural resources in this area.

Sensitive Sites Within Division: 2-453-A Brook's Island

<u>2-454-A</u> Richmond Inner Harbor/Hoffman Marsh

2-455-X/D Santa Fe Channel

Individual Access Points in: CC Division Z

Access Point: CC - Z - 1013 Sheridan Point

Thomas Guide Page: 246 Grid: D6 City: Richmond

GPS Coordinates: N 37.91047 W 122.3592 USGS Quad: Richmond

Directions:

From Hwy 80: travel west on Cutting Blvd. Left on South Harbor Way. Travel to end of the road.

Site Description:

Site is located on the southeast end of Santa Fe Channel. Shoreline is lined with rip-rap. Excellent observation point. Small parking area.

Sensitive Sites: 2-455-X/D

Access Point: CC - Z - 2013 Marina Park

Thomas Guide Page: 246 Grid: D6 City: Richmond

GPS Coordinates: N 37.91487 W 122.34741 USGS Quad: Richmond

Directions.

From Hwy 80: travel west on Cutting Blvd. Right on Marina Bay Parkway. Right on Rigatta. Left on Melville Square.

Site Description:

Rip-rapped shoreline. Access to marina. Boat launch available at the marina. Large parking area. Alternate access to marina and shoreline (Lucretia Edwards Shoreline Park) along Marina Way South.

Access Point: CC - Z - 2023 Vincent Park

Thomas Guide Page: 246 Grid: D6 City: Richmond

GPS Coordinates: N 37.90837 W 122.35031 USGS Quad: Richmond

Directions:

From Hwy 580 east: Take Marina Bay Parkway south. Veer onto Harbor View and take to the end.

Site Description:

Rip-rapped shoreline with small pocket beaches w/coarse grained sand. Site located at the south end of Richmond Marina. Site is adjacent to Shimada Friendship Park, which also has shoreline access.

Sensitive Sites:

Access Point: CC - Z - 2033 Point Isabel

Thomas Guide Page: 247 Grid: A6 City: Richmond

GPS Coordinates: N 37.89872 W 122.32433 USGS Quad: Richmond

Directions:

From Hwy 580: take Central Ave. exit. Right on Isabel Point Way.

Site Description:

Shoreline is mostly lined by rip-rap. Site includes Hoffman Marsh. Part of Eastshore State Park. There are multiple access points along this paved trail that runs ~3 miles (from Pt. Isabel to Lucretia Edwards Shoreline Park).

Sensitive Sites: 2-454-A 2-480-A



CC-Z-1013 Sheridan Point. Looking north along Santa Fe Channel.



CC-Z-1013 Sheridan Point. Looking east.



CC-Z-1013 Sheridan Point. Looking west across the Santa Fe Channel.



CC-Z-1013 Sheridan Point. Parking area.



CC-Z-2013 Marina Park. Looking south toward Brook's Island.



CC-Z-2013 Marina Park. Shoreline inside the harbor.



CC-Z-2023 Vincent Park. Looking west.



CC-Z-2023 Vincent Park. Looking east.



CC-Z-2023 Vincent Park. Looking across the Richmond Marina.



CC-Z-2023 Vincent Park. Parking area.




CC-Z-2033 Point Isabel. Looking north from Pt. Isabel.



CC-Z-2033 Point Isabel. Looking south toward Pt. Isabel from South 51st St. access.




CC-Z-2033 Point Isabel. Looking southeast from Bayside Dr. access in Richmond.




CC-Z-2033 Point Isabel. Locations of access points along Eastshore State Park trail.

Marin County, Division P - Access Names





Access Names



MR Division P County Marin

Division Boundaries

North Sausalito Point Latitude: N 37.85905 Longitude: W 122.47876

South Golden Gate Bridge Latitude: N 37.825817 Longitude: W 122.479867

South Golden Gate Bridge Latitude: N 37.823817 Longitude: W 122.479807

Division Description

This division begins at Sausalito Point and continues south and west to the Golden Gate Bridge. Most of this division is backed by steep cliffs, typically making access difficult, though several foot paths do exist off of East Rd. The southern half of the division is located within the Golden Gate National Recreation Area.

Cultural Information

Contact the California Dept of Parks and Recreation - Office of Historic Preservation (Eric Allison (916) 653-9125), and the Northwest Information Center, (Leigh Jordan, Sonoma State College (707) 664-0880) for specific information on historic or cultural resources in this area.

Sensitive Sites Within Division:

Individual Access Points in: MR Division P

Access Point: MR - P - 1016 Horseshoe Cove

Thomas Guide Page: 246 Grid: C7 City: Sausalito

GPS Coordinates: N 37.83206 W 122.47774 USGS Quad: San Francisco North

Directions:

From Highway 101 (North of Golden Gate Bridge), exit Sausalito turn right towards the NE along Sausalito Lateral Rd/Alexander Ave. Proceed towards Ft. Baker on East Rd. to waterfront.

Site Description:

Fort Baker and the Presidio Yacht Club border Horshoe Cove. Shoreline is heavily rip-rapped. USCG presence at Fort Baker. Shoreline ranges from rocky/gravel to sandy pocket beaches. Most of the shoreline, though is made up of rip-rap and bulkhead near the base of Ft. Baker. Site has moderate recreational use, fishing pier.



MR-P-1016 Horseshoe Cove. View of western shoreline outside of the breakwater.



MR-P-1016 Horseshoe Cove. View of Presidio Yacht Club on the eastside of cove.




MR-P-1016 Horseshoe Cove. Northwest corner of the cove.




MR-P-1016 Horseshoe Cove. Parking area.

Marin County, Division Q - Access Names





Access Names



MR Division Q County Marin

Division Boundaries

North Peninsula Point Latitude: N 37.86262 Longitude: W 122.45843

South Sausalito Point Latitude: N 37.85905 Longitude: W 122.47876

Division Description

This division is lined primarily by the communities of Sausalito and Tiburon. Access to shoreline is typically through neighborhoods and business areas with high amounts of foot and vehicular traffic. The division lays entirely within Richardson Bay. Shoreline is typically lined by rip-rap.

Cultural Information

Contact the California Dept of Parks and Recreation - Office of Historic Preservation (Eric Allison (916) 653-9125), and the Northwest Information Center, (Leigh Jordan, Sonoma State College (707) 664-0880) for specific information on historic or cultural resources in this area.

Sensitive Sites Within Division: 2-420-A Richarson Bay Marshes

Individual Access Points in: MR Division Q

Access Point: MR - Q - 1014 Blackie's Pasture

Thomas Guide Page: 246 Grid: C6 City: Tiburon

GPS Coordinates: N 37.89642 W 122.4901 USGS Quad: San Quentin

Directions:

From Hwy 101, exit 131 Tiburon Blvd. Proceed on Tiburon Blvd <2 miles. Park will be on the right.

Site Description:

Coarse grained sandy beach lines the public recreation area to the south. Beach is backed by rip-rap. Beach has a tidal inlet which is lined by salt marsh vegetation. Heavy recreational use.

Sensitive Sites:

Access Point: MR - Q - 2011 Lani's Beach (@ Audobon Society Richarson Bay)

Thomas Guide Page: 246 Grid: C6 City: Tiburon

GPS Coordinates: N 37.89412 W 122.49709 USGS Quad: San Quentin

Directions:

From Hwy 101, exit 131 Tiburon Blvd. Proceed on Tiburon Blvd then take a right on Greenwood Cove. Address is 376 Greenwood Cove. There is a locked gate to the driveway. Contact Bob Brown or administration at the adjacent Audobon Society office for access.

Site Description:

Small pocket beach characterized by coarse grained sand and gravel substrate. Beach backed by hillside. Adjacent shoreline is heavily rip-rapped.

Access Point: MR - Q - 3011 Harbor Way

Thomas Guide Page: 246 Grid: B6 City: Tiburon

GPS Coordinates: N 37.89626 W 122.50275 USGS Quad: San Rafael

Directions:

From Hwy 101, take Tiburon Blvd. exit. Proceed on Tiburon blvd. and turn right on Strawberry Dr. Turn left on Harbor Way. Parking at end of Harbor Way is limited.

Site Description:

Area is dominated by residential use with a heavily rip-rapped shoreline. Small tidal inlets to salt marsh area in the northern portion of site. Marshy areas characterized by pickleweed and cordgrass communities.

Sensitive Sites:

Access Point: MR - Q - 4011 Strawberry Point

Thomas Guide Page: 246 Grid: B6 City: Mill Valley

GPS Coordinates: N 37.87819 W 122.49664 USGS Quad: San Quentin

Directions:

From Hwy 101, take Seminary exit. From Seminary take on Weatherly. Take a right on Heron. Stay on Heron until it dead ends. Parking is limited to the cul-de-sac in the residential area.

Site Description:

Shoreline is rip-rapped and is backed by a grassy/park-like area. A paved walking path runs ~0.5 miles along the shoreline. Residential homes line the shore as you proceed north.

Sensitive Sites:

Access Point: MR - Q - 5014 Brickyard Park

Thomas Guide Page: 246 Grid: B6 City: Mill Valley

GPS Coordinates: N 37.88249 W 122.50373 USGS Quad: San Rafael

Directions:

From Hwy 101, exit onto Seminary Dr. Take right on Great Circle. Park enterance is immediately to the right. Park along residential streets.

Site Description:

Small park located in a cove along the northwest edge of Richardson Bay. Most of the rip-rapped shoreline is backed by steep vegetated hillsides. The small beach area (\sim 200m) is made up of coarse granules.

Access Point: MR - Q - 6014 Bayfront Park

Thomas Guide Page: 249 Grid: B6 City: Mill Valley

GPS Coordinates: N 37.89532 W 122.52271 USGS Quad: San Rafael

Directions:

From Highway 101, take Tiburon/Blithedale Rd. exit. Head west on Blithedale Rd. Left onto Roque Morales and then a righ onto Hamilton Drive.

Site Description:

City park located along the northwestern portion of Richarson Bay. Bordered by tidally influenced marsh-area. Park has limited parking

Sensitive Sites:

Access Point: MR - Q - 7011 Richardson Bay Marina

Thomas Guide Page: 246 Grid: B7 City: Sausalito

GPS Coordinates: N 37.87578 W 122.50602 USGS Quad: San Rafael

Directions:

From Hwy 101, take Sausalito exit. Turn right on Bridgeway. Turn left into Gate 6 for access to Richarson Bay Marina.

Site Description:

This site in near both industrial and residental developments. Shoreline is characterized by the ripa-rap and various marinas that line it. Limited recreational use.

Sensitive Sites:

Access Point: MR - Q - 8014 Dunphy Park

Thomas Guide Page: 246 Grid: C7 City: Sausalito

GPS Coordinates: N 37.86135 W 122.48769 USGS Quad: San Francisco North

Directions:

From Highway 101, take Sausalito exit. Proceed toward the city of Sausaltio. Stay on Alexander Rd. to Bridgeway. Take right into Dunphy Park. Parking is limited.

Site Description:

The park sits in a small cove bordered on both sides by marinas. Shoreline ranges from coarse-grained sand to rip-rap with a vegetated backdrop. Area is highly developed.

Access Point: MR - Q - 8021 Sausalito Yacht Harbor

Thomas Guide Page: 246 Grid: C7 City: Sausalito

GPS Coordinates: N 37.85969 W 122.48397 USGS Quad: San Francisco North

Directions:

From Highway 101, take Sausalito exit. Proceed toward the city of Sausaltio. Stay on Alexander Rd. to Bridgeway. Right on Johnson.

Site Description:

Area is heavily developed and parking is at a premium. Yacht Club is privately owned. Shoreline consists of rip-rap and small beach-like area. Area surrounded by high recreational use (i.e. tourism, boating, etc.).



MR-Q-1014 Blackie's Pasture. Shoreline looking east.



MR-Q-1014 Blackie's Pasture. Shoreline looking west.



MR-Q-1014 Blackie's Pasture. Parking area.



MR-Q-2011 Lani's Beach. Shoreline looking west.



MR-Q-2011 Lani's Beach. Shoreline looking east.



MR-Q-2011 Lani's Beach. Path to shoreline.





MR-Q-3011 Harbor Way. Looking south to Richardson Bay.



MR-Q-3011 Harbor Way. Looking north behind footbridge.



MR-Q-3011 Harbor Way. Looking northeast of footbridge.



MR-Q-3011 Harbor Way. Parking area.



MR-Q-4011 Strawberry Point. Looking south.



MR-Q-4011 Strawberry Point. Looking north.



MR-Q-4011 Strawberry Point. Looking west.



MR-Q-4011 Strawberry Point. Parking area.



MR-Q-5014 Brickyard Park. Looking east.





MR-Q-5014 Brickyard Park. Path to access shoreline.



MR-Q-5014 Brickyard Park. Parking area.



MR-Q-6014 Bayfront Park. Looking southeast.



MR-Q-6014 Bayfront Park. Inlet to tidal marsh on northwest corner of shoreline.



MR-Q-7011 Richardson Bay Marina. Looking east.



MR-Q-7011 Richardson Bay Marina. Looking west.



MR-Q-7011 Richardson Bay Marina. View of housing on the eastside of site.



MR-Q-7011 Richardson Bay Marina. Parking area.



MR-Q-8014 Dunphy Park. Looking east.



MR-Q-8014 Dunphy Park. Parking area.



MR-Q-8021 Sausalito Yacht Harbor. Shoreline north of parking area.




MR-Q-8021 Sausalito Yacht Harbor. View of harbor area.



MR-Q-8021 Sausalito Yacht Harbor. Parking area.

Marin County, Division R - Access Names






Legend

Access Names

— Division Lines



MR Division R County Marin

Division Boundaries

North Bluff Point Latitude: N 37.8808 Longitude: W 122.43969

South Peninsula Point Latitude: N 37.86262 Longitude: W 122.45843

Division Description

Access to shoreline in this division is typically difficult. Access is best via boat. Access to Keil Cove is through private property, contact Marin County OES (415) 499-6584. Division includes Angel Island State Park. Rocky bluffs line most of the shoreline within the division. Strong currents run through Raccoon Straits. Eelgrass beds can be found within Keil Cove.

Cultural Information

Contact the California Dept of Parks and Recreation - Office of Historic Preservation (Eric Allison (916) 653-9125), and the Northwest Information Center, (Leigh Jordan, Sonoma State College (707) 664-0880) for specific information on historic or cultural resources in this area.

Sensitive Sites Within Division: 2-422-A/C Keil Cove

2-423-X/C Angel Island

Individual Access Points in: MR Division R

Access Point: MR - R - 1014 Shoreline Park

Thomas Guide Page: 246 Grid: C6 City: Tiburon


GPS Coordinates: N 37.87218 W 122.45123 USGS Quad: San Quentin

Directions:

From Hwy 101, exit 131 Tiburon Blvd. Proceed on Tiburon Blvd. Tiburon Blvd becomes Paradise Drive. Shoreline Park faces Angel Island. Parking space is limited to ~10 spaces.

Site Description:

Shoreline Park is lined by rip-rap. Adjacent to Racoon Strait and Angel Island. Park is subject to moderate/heavy recreational use due to it's proximity to town.



MR-R-1014 Shoreline Park. Looking north.



MR-R-1014 Shoreline Park. Looking west towards Tiburon.




MR-R-1014 Shoreline Park. Looking east towards Angel Island.



MR-R-1014 Shoreline Park. Parking area.

Marin County, Division S - Access Names






Legend

Access Names

Division Lines



MR Division S County Marin

Division Boundaries

North Paradise Cay Marina Latitude: N 37.91695 Longitude: W 122.47571

South Bluff Point Latitude: N 37.8808 Longitude: W 122.43969

Division Description

This operational division is located on the northern portion of the Tiburon Peninsula. There are a variety of shoreline types on the peninsula. They vary from rock bluff and platform to cobble and sand beaches. Most are exposed to moderate and high energy from boat wakes, wind waves, and strong currents. The Tiburon Peninsula is a residential area but includes Paradise Cove County Park. Other than the county park, most shorelines are accessable only by water.

Cultural Information

Contact the California Dept of Parks and Recreation - Office of Historic Preservation (Eric Allison (916) 653-9125), and the Northwest Information Center, (Leigh Jordan, Sonoma State College (707) 664-0880) for specific information on historic or cultural resources in this area.

Sensitive Sites Within Division: 2-421-X/B Paradise Cove & Tiburon Peninsula

2-424-A/E Paradise Cay Eelgrass & Marina

Individual Access Points in: MR Division S

Access Point: MR - S - 1011 Paradise Cay Marina

Thomas Guide Page: 246 Grid: C6 City: Tiburon

GPS Coordinates: N 37.91695 W 122.47571 USGS Quad: San Quentin

Directions:

From Highway 101, exit Paradise Dr. heading east. Left on Antilles. Left on Martinique. Left on Trinidad Drive.

Site Description:

Marina is encompassed by rip-rapped jetties. The many expensive homes and marina would make this a key economic site. Eelgrass beds are scattered throughout the site in shallow water beginning at Paradise Cay and near the shoreline for over a mile; eelgrass is subtidal but fronds are commonly on the surface at low water.

Sensitive Sites: 2-424-A/E

Access Point: MR - S - 2015 Paradise Park

Thomas Guide Page: 246 Grid: C6 City: Tiburon

GPS Coordinates: N 37.8932 W 122.45757 USGS Quad: San Quentin

Directions:

From Highway 101, take the Tiburon (CA 131) exit. Left on Trestle Gelnn Blvd. Right on Paradise Drive. Follow meadering road to park's entrance.


Site Description:

Site varies from rocky shore backed by steep hillsides to small pocket beach with coarse grain sand to cobble substrate. Public fishing pier on site.

Sensitive Sites: 2-421-X/B



MR-S-1011 Paradise Cay Marina. Looking southeast.





MR-S-1011 Paradise Cay Marina. Marina and houses located within the jetty.



MR-S-1011 Paradise Cay Marina. Parking area.



MR-S-2015 Paradise Park. Looking north.



MR-S-2015 Paradise Park. Looking south.




MR-S-2015 Paradise Park. Path to shoreline.



MR-S-2015 Paradise Park. Parking area.

Marin County, Division T - Access Names






Legend

Access Names

— Division Lines



MR Division T County Marin

Division Boundaries

North Point San Quentin Latitude: N 37.94234 Longitude: W 122.47774

South Paradise Cay Marina Latitude: N 37.91695 Longitude: W 122.47571

Division Description

Shore access in this division is difficult. The steep cliffs and residential areas in the southern portion of the division hinder access. The Corte Madera Marsh also make access problematic. The mudflats in front of the Corte Madera Marsh are very shallow, and there is rarely any significant wave action here. Special Status Species are found here and the site is heavily used by both residential and migratory bird species. The best access to shoreline is in the northwest portion of the division near the ferry terminal

Cultural Information

Contact the California Dept of Parks and Recreation - Office of Historic Preservation (Eric Allison (916) 653-9125), and the Northwest Information Center, (Leigh Jordan, Sonoma State College (707) 664-0880) for specific information on historic or cultural resources in this area.

Sensitive Sites Within Division: 2-425-A Corte Madera Marshes

Individual Access Points in: MR Division T

Access Point: MR - T - 1014 Remillard Park

Thomas Guide Page: 246 Grid: B5 City: Larkspur

GPS Coordinates: N 37.94398 W 122.50374 USGS Quad: San Rafael

Directions:

From Highway 101 take Sir Francis Drake exit. Head east. Quarter of mile past ferry terminal on the right side.

Site Description:

Small shoreline park adjacent to ferry terminal. Site can be characterized by rip-rapped lined shores with a small gravel beach area that could be used to launch kiyaks. Habitat restoration project is on-going at the park - freshwater ponded area. Limited parking, can use ferry terminal parking.



MR-T-1014 Remillard Park. Looking east.






MR-T-1014 Remillard Park. Looking south toward Corte Madera Marsh.



MR-T-1014 Remillard Park. Parking area.

Marin County, Division U - Access Names






Legend

Access Names

— Division Lines



MR Division U County Marin

Division Boundaries

North Mudflat interface Latitude: N 37.98236 Longitude: W 122.46351

South Point San Quentin Latitude: N 37.94234 Longitude: W 122.47774

Division Description

The division begins at the mudflat interface just south of the McNear Quarry and terminates at Pt. San Quentin. Mudflats extend from the shoreline for most of the division. Rip-rap lines much of the southern of portion of this division.

Cultural Information

Contact the California Dept of Parks and Recreation - Office of Historic Preservation (Eric Allison (916) 653-9125), and the Northwest Information Center, (Leigh Jordan, Sonoma State College (707) 664-0880) for specific information on historic or cultural resources in this area

Sensitive Sites Within Division: 2-426-A San Rafael Creek Marshes

2-427-A Marin Islands

Individual Access Points in: MR Division U

Access Point: MR - U - 1011 Loch Lomond Marina

Thomas Guide Page: 246 Grid: C5 City: San Rafael

GPS Coordinates: N 37.97335 W 122.48317 USGS Quad: San Quentin

Directions:

From Highway 101, exit on San Pedro (Central San Rafael). Remain on San Pedro Road to Loch Lomond Marina.

Site Description:

The marina consists mostly of economic assest with wetland habitat on its fringes. Peripheral habitat varies from boulder to sandy substrate with vegetated areas. Majority of marina is bordered by rip-rap.

Sensitive Sites:

Access Point: MR - U - 2014 Pickleweed Park

Thomas Guide Page: 246 Grid: C5 City: San Rafael

GPS Coordinates: N 37.96803 W 122.4996 USGS Quad: San Quentin

Directions:

From Highway 101, take 580E and exit at Francisco Blvd. Left on Bellam. Left on Kerner. Take a right on Canal Street and proceed to park enterance.

Site Description:

Shoreline made of extensive pickleweed stands. Pickleweed extends out on to mudfltas. Site lies on the southern border of San Rafael Creek.

Sensitive Sites: 2-426-A

Access Point: MR - U - 3014 Schoen Shoreline Park

Thomas Guide Page: 246 Grid: C5 City: San Rafael

GPS Coordinates: N 37.95167 W 122.48718 USGS Quad: San Quentin

Directions:

From Highway 101, exit 580E and take Francisco Blvd. From Francisco Blvd., left on Pelican Way to park enterance.

Site Description:

Park shoreline is made up of extensive rip-rap. The tidal inlets to ponded areas provide habitat for waterfowl and other migratory birds. Large parking area.

Sensitive Sites:

Access Point: MR - U - 3024 Starkweather Park

Thomas Guide Page: 246 Grid: C5 City: San Rafael


GPS Coordinates: N 37.94646 W 122.48708 USGS Quad: San Quentin

Directions:


From Highway 101, exit East Sir Francis Drake Blvd. Take last exit for San Quentin, go under 580 then north on East Francisco. Right on Grange. Right on Piombo to park enterance.

Site Description:

Public shoreline access park with extensive rip-rapped shoreline. Area contains a freshwater catch-basin utilized by waterfowl. Limited parking.



MR-U-1011 Loch Lomond Marina. Shoreline west of marina - outside of breakwater.



MR-U-1011 Loch Lomond Marina. Looking east.



MR-U-1011 Loch Lomond Marina. Boat launch.



MR-U-1011 Loch Lomond Marina. Parking area.



MR-U-2014 Pickleweed Park. Looking northeast across San Rafael Creek.



MR-U-2014 Pickleweed Park. Looking south.



MR-U-2014 Pickleweed Park. Parking area.



MR-U-3014 Schoen Shoreline Park. Looking north.



MR-U-3014 Schoen Shoreline Park. Looking south.



MR-U-3014 Schoen Shoreline Park. Path to shoreline.



MR-U-3014 Schoen Shoreline Park. Parking area.



MR-U-3024 Starkweather Park. Looking north.



MR-U-3024 Starkweather Park. Looking southeast.




MR-U-3024 Starkweather Park. Path leading to shoreline.



MR-U-3024 Starkweather Park. Parking area.

San Francisco County, Division F - Access Names






Access Names

Division Lines

Source: C. Haffner - DFG-OSPR



SF Division F County San Francisco

Division Boundaries

North Naval Reservation Latitude: N 37.8308 Longitude: W 122.37713

South Coast Guard Reservation Latitude: N 37.80695 Longitude: W 122.36218

Division Description

This division is made up entirely of Yerba Buena/Treasure Island which is located mid-span of the Bay Bridge. Tresaure Island is owned by the US Navy and YBI houses a US Coast Guard Station. Shoreline around Treasure Island is typically lined with riprap. The southern portion of the division is located in GRA 3.

Cultural Information

Contact the California Dept of Parks and Recreation - Office of Historic Preservation (Eric Allison (916) 653-9125), and the Northwest Information Center, (Leigh Jordan, Sonoma State College (707) 664-0880) for specific information on historic or cultural resources in this area.

Sensitive Sites Within Division: 2-351-B/A Yerba Buena Island

Individual Access Points in: SF Division F

Access Point: SF - F - 1019 Treasure Island West

Thomas Guide Page: 249 Grid: D1 City: n/a

GPS Coordinates: N 37.82286 W 122.37637 USGS Quad: Oakland West

Directions:

From Highway 80 (west): take first left lane exit on Bay Bridge (Yerba Buena Island). Go through kiosk and proceed to gate leading to levee road access.

Site Description:

Shoreline is lined with rip-rap. Vehicle access is through locked gate. Paved path runs along shoreline on the northern portion of the island. Minimal parking along road.

Sensitive Sites:

Access Point: SF - F - 2019 Treasure Island East

Thomas Guide Page: 249 Grid: D1 City: n/a

GPS Coordinates: N 37.81617 W 122.37084 USGS Quad: Oakland West

Directions:

From Highway 80 (west): take first left lane exit on Bay Bridge (Yerba Buena Island). Parking is on the right at the marina.

Site Description:

Shoreline on the east side of the main road is rip-rapped. On the west side of the road there is an \sim 0.25mile stretch of well protected, fine-grained sandy beach. North of the beach is rip-rap which leads to the Treasure Island Marina.



SF-F-1019 Treasure Island West. Western shoreline looking north.




SF-F-1019 Treasure Island West. Access.



SF-F-2019 Treasure Island East. View of westside of the main road, looking south.



SF-F-2019 Treasure Island East. On of eastside of the main road, looking north.




SF-F-2019 Treasure Island East. On of eastside of the main road, looking south.



SF-F-2019 Treasure Island East. Access to pocket beach.

San Francisco County, Division H - Access Names






Legend

Access Names

Division Lines



SF Division H County San Francisco

Division Boundaries

North Golden Gate Bridge Latitude: N 37.81121 Longitude: W 122.47764

South Golden Gate National Rec. Area b Latitude: N 37.81223 Longitude: W 122.42308

Division Description

Division runs from east of the Golden Gate bridge to the Golden Gate National Recreation Area (GGNRA) border, including Alcatraz Island. Shoreline consists of a long stretch of fine-grained sandy beach and is bordered to the west by man made structures (e.g. breakwalls, boat harbors, etc).

Cultural Information

There are cultural/historic sites within this division. For specific information on historic or cultural resources in this area, contact the Golden Gate National Seashores main office, cultural resource specialist, the California Dept of Parks and Recreation - Office of Historic Preservation (Eric Allison (916) 653-9125), and the Northwest Information Center, (Leigh Jordan, Sonoma State College (707) 664-0880).

Sensitive Sites Within Division: 2-402-C Alcatraz Island

2-403-A Crissey Field Tidal Marsh

Individual Access Points in: SF Division H

Access Point: SF - H - 1018 Crissey Field

Thomas Guide Page: 325 Grid: G2 City: San Francisco

GPS Coordinates: N 37.80611 W 122.45144 USGS Quad: San Francisco North

Directions:

From Highway 101: take left on Crissey Field Ave. Proceed to parking area.

Site Description:

Large (~1.5 mile) stretch of fine-grain sandy beach with a small area of rip-rap. Beach is backed by tidal lagoon. Area has easy access and large parking area. High recreational use area.

Sensitive Sites: 2-403-A

Access Point: SF - H - 2018 Fort Mason

Thomas Guide Page: 326 Grid: B2 City: San Francisco

GPS Coordinates: N 37.80664 W 122.43559 USGS Quad: San Francisco North

Directions:

From Highway 101: exit Marina Blvd. Proceed toward Fort Mason.

Site Description:

Shoreline is lined by bulkhead and rip-rap. Gas House Yacht Harbor lies adjacent to Ft. Mason. Paved foot path runs along shoreline. Large parking area.



SF-H-1018 Crissey Field. Looking west.



SF-H-1018 Crissey Field. Looking east.



SF-H-1018 Crissey Field. Inlet for Crissey Field tidal marsh.



SF-H-1018 Crissey Field. View of Crissey Field tidal marsh.



SF-H-2018 Fort Mason. Looking west.



SF-H-2018 Fort Mason. Looking east toward Fort Mason.

This Page Left Intentionally Blank